KOLAR Document ID: 1645733

For KCC Use:

Effective	Date

District	#	

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

Form C-1 March 2010 Form must be Typed ed ed

Yes

No

ш

\$

Must be approved by KCC five (TENT TO DRILL (5) days prior to commencing well
Form KSONA-1, Certification of Compliance with the Kansas S Expected Spud Date: month day year OPERATOR: License# Name:	Spot Description:
Address 1: Address 2: City: State: Zip:+	Is SECTION: Regular Irregular? (Note: Locate well on the Section Plat on reverse side) County:
Contact Person: Phone: CONTRACTOR: License# Name:	Lease Name: Well #: Field Name:
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: feet MSL Water well within one-quarter mile: Yes No Public water supply well within one mile: Yes No Depth to bottom of fresh water:
Other: If OWWO: old well information as follows: Operator:	Depth to bottom of usable water:
Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth:	Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)

AFFIDAVIT

Will Cores be taken?

If Yes, proposed zone:

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office prior to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALTIII
Approved by:	
This authorization expires:	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
 - Well will not be drilled or Permit Expired Date: _____ Signature of Operator or Agent:

For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1645733

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate						
Operator Name:			License Number:			
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:	Pit is:		·			
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR EastWest			
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
		No				
Pit dimensions (all but working pits):	-		Width (feet)N/A: Steel Pits			
Depth fro	m ground level to dee	epest point:	(feet) No Pit			
material, thickness and installation procedure. liner integrity, including any special monitoring.						
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:			
feet Depth of water well	feet	measured				
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pite			ver and Haul-Off Pits ONLY:			
Producing Formation: Type of materia			al utilized in drilling/workover:			
Number of producing wells on lease: Number of wor		rking pits to be utilized:				
Barrels of fluid produced daily: Abandonment		procedure:				
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date.				
Submitted Electronically						
Date Received: Permit Num	per:	Permi	Liner Steel Pit RFAC RFAS			

KOLAR Document ID: 1645733

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-
July 202
Form Must Be Typed
Form must be Signed
All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.


Select one of the following:

□ I certify that, pursuant to the Kansas Surface Owner Notice Act (see Chapter 55 of the Kansas Statutes Annotated), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.

□ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not quaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services. Inc., its afficers and employees harmless from all lasses, costs and expenses and said entities released from any liability from incidental or consequential damages

* Elevations derived from National Geodetic Vertical Datum.

location as shown on this and may not be legally Contact landowner, department for access.

s and egress to lc s per usage only a for public use. C and county road a


* Ingress plat is opened f

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977

1067

Date

May 18, 2022



			WWC-5		ion of Wa		٦		
		ATER WELL:	ge in Well Use		rces App.		Well II		
	: Losa		SE VISE VISE VI	ALLY Sect	ion Numb			ange Number 72 🗆 E 🖻 W	
		ast Name: Rose	First: Randy		7	T /5			
Business:		Straine. NB32	First: KARA	direction from n	Address	s where well is located in the section of the secti	ated (if unknow	m, distance and	
Address:		이 명령 않는 것 같	2014 - 18 X 2019	uncerton nom n	aucsitown	or intersection): If at c	wher's address	, check here.	
Address:	AKIO		man	15	ω .	1 ELKAD	er as		
3 LOCATI		the second se	5 ZIP: 67148	1	1				
WITH "		4 DEPTH OF CO	MPLETED WELL: .	20 ft.	5 Lati	tude:		(decimal degrees)	
SECTIO			r Encountered: 1)			gitude:			
N		2) ft.	3) ft., or 4)	Dry Well	Datu	m: 🛛 WGS 84 🔲	NAD 83	NAD 27	
			ATER LEVEL:		Source for Latitude/Longitude:				
1 1 1 1 1	1. 1. 1.	below land surfac	e, measured on (mo-day-	-ут)	GPS (unit make/model:)				
NW	NE	Burne test date: Well	e, measured on (mo-day-	-yr)	(WAAS enabled? 🗌 Yes 🔲 No)				
w	E	after bou	water was furs pumping	1. 		Land Survey Topographic Map			
	15 B. C. L. C. C.	Well	water was	8 Bhu		Online Mapper:			
SW	SE		irs pumping		1000	and the second second			
Sec. 1	10 10 10 10 10 10 10 10 10 10 10 10 10 1	Estimated Yield:	5_gom	6P	6 Elev	ation:	ft. Grou	nd Level TOC	
5	the second se	Bore Hole Diameter:		ft. and	Sour	cc: Land Survey			
1 m		1.11、1998年。北京市主义大学	in. to		ST. Sala	□ Other			
) BE USED AS:		1211-1212	12,216,46	MULTING STREET, STREET			
I. Domestic:			Vater Supply: well ID		10.20	il Field Water Supp	ly: lease K.	08-1	
House		6. Dewater	ing: how many wells?		II. Test	Hole: well ID			
Lawn &		7. 🗖 Aquifer	Recharge: well ID			Cased Uncased			
		8. 🔲 Monitori	ing: well ID			thermal: how many	and the second		
2. Irrigati 3. Feedlo			ntal Remediation: well II			losed Loop Hor			
4. Industr		Air Spar	rge Soil Vapor	Extraction		Open Loop Surfac			
	And the final of			0.9894		Other (specify):			
Was a che	mical/Dacte	riological sample sub	mitted to KDHE?	Yes ANO	If yes, dat	te sample was subr	nitted:		
		? Eres INo	encological adversaria	and parts of the	and the sector	130 M. Stick? See	100 States		
8 TYPE OF CASING USED: Steel Steel Steel Other CASING JOINTS: Casing diameter In. to In. to									
Brass				used (open hole)					
a second s		RATION OPENINGS					1965 1974	E. S. Constant of	
	nuous Slot	Mill Slot	Gauze Wrapped To Wire Wrapped Sa	orch Cut UDr	illed Holes	Other (Specify)		
SCREEN_E	PERFORAT	FD INTERVALS. Em	om		one (Open)	Hole)			
G	RAVEL PA	CK INTERVALS. FR	om	$\mathbf{D} \in \mathbf{From}$	IL.	to A From	n n. i	10 ft.	
			Cement grout						
Grout Interv	als. From	6 ft to 10	ft., From	ft to	ff From	ft to	A		
		le contamination:				·		그는 것은 것을 다니 않는	
Septic		Lateral Li	nes 🛛 Pit Privy		ivestock P	ens 🔲 In:	secticide Storag	ze	
Sewer		Cess Pool			ucl Storag		bandoned Wate	r Well	
U Watert	ight Sewer L	ines Seepage P	Pit D Feedyard	E F	ertilizer St	orage 🛛 🖸 Oi	il Well/Gas We	11 10 10 10 10 10 10	
Other (Specify)	Rever bed	Distance Course	10 10	0		1000000000		
		5		EPOM	то				
10 FROM	TO		DGIC LOG	FROM	то	LITHO. LOG (con	a.) or PLUGGI	NUINTERVALS	
0	9	Clay			4 101 MA		Pue son to vugito	100 100 100 100 100 100 100 100 100 100	
9	19	Shale					1	<u> </u>	
12	20	shall	Constant States of Party of States	1.11			a se start start	and managers of fill	
	CTINE AL								
2013 (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014)	AND A REPAIR		en an ann an Anna an Anna Anna Anna Anna		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	A CONTRACTOR OF A CONTRACTOR OF A CONTRACTOR OF A CONTRACTOR OF A CONTRACTOR A CO		1	
	State State of the	and Markets In a low		Notes:		CONTRACTOR AND		The state of the state of the	
	and the second	A STATE OF A STATE OF A STATE OF A STATE	The second s					그는 그 아파 있는	
		And the Constant of the							
11 0010	DACTOR	SOP LANDOWNED	S CERTIFICATION	N: This water	wellwoo		reconstructor		
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Contractor's Ligense No									
under the b	usiness nam	e of BAB. 4	selling LLC						
INSTRUC	TIONS: Send o	ne copy to WATER WELL OW	NER and retain one copy for yo	our records. Submit	fee of \$5.00 fe	or each constructed well al	ong with one (white	e) copy to Kansas	
	Department of H	ealth and Environment, Bureau	of Water, Geology Section, 100	0 SW Jackson St., St	uite 420, Tope	ka, Kansas 66612-1367. 1	Felephone (785) 296	6-3565.	
Visit us	at http://www.kd	heks.gov/waterwell/index.html	17. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	KSA 82a-12	12	The second second	Re	vised 9/10/2012	



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

June 13, 2022

Jeffrey A. Burk Prolific Resources LLC 250 N OLD MANOR RD WICHITA, KS 67208-4137

Re: Drilling Pit Application Randy Rose 1-4 SE/4 Sec.04-15S-32W Logan County, Kansas

Dear Jeffrey A. Burk:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.