KOLAR Document ID: 1649582

Confiden	tiality Re	quested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY	 DESCRIPTION 	VOF WELL	& LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
OilWSWSWD GasDHEOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #: GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Reached TD Recompletion Date of Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II III Approved by: Date:							

KOLAR Document ID: 1649582

Operator Nan	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas Mcf Water Bbls. Gas-Oil Ratio			Gravity			
DISPOSITIO	N OF GAS:		METHOD OF			TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole Perf.		-	·	mingled	юр	
Shots Per Perforation Perfor Foot Top Bot		ation	n Bridge Plug Bridge Plu Type Set At			Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion			
Operator	Owens Oil Company, LLC			
Well Name	BILL FREEMAN 12			
Doc ID	1649582			

Casing

		Size Casing Set	U U U	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11	7	20	41	Portland	14	na

Invoice #	Page				
121566	001				
Invoice Date					
03-09-2022 16:	24:28				

True Enterprise 1326 North Main Street LeRoy, KS 66857

(620) 964-2514

620-625-3607

SOLD TO: Scott Owens Scott Owens 1274 202 Road Yates Center, KS 66783

True Enterprise, 1326 North Main, LeRoy, KS 66857 Please Remit To: Slm. Cust.# Sld.By P.O.# Order # Туре Terms Bill Freeman #12 Store O36070 SLT 121566 House Last Day of This Month Extended Price Price Description Item # Quantity UM 255.50 18.25 PORTLAND CEMENT CL203 14.000 EA 255.50 Taxable: 19.16 Tax: 0.00 Non-Tax: Received by: Pat ML 274.66 Total:



- · ·

CEMENT	r tre	ATMEN	T REPC	RT					
Cust	tomer:	Owens C	Dil Com	pany	Well:	Bill Freeman 12			EP4091
City,	State:			County:		CF, KS		Date:	3/15/2022
Fiel	d Rep:	Bryson (Owens		S-T-R:	14-2	3-16	Service:	Longstring
1	_								
Downhole Information Calculated S						urry - Lead		Calc	ulated Slurry - Tail
Hoto	e Sizei	5 7/8 in		Blend:	Econobond 1# PS		Blend:		
Hole I	Depth:	1040 ft			Weight:	13.61 ppg		Weight:	PPg
Casing	g Size:	2 7/8 in			Water / \$x:	7.12 gal / sx		Water / Sx:	gal / sx
Casing I	Depth:	1030	ħ	-	Yield:	1.56 ft ³ / sx		Yield:	ft ³ / sx
Tubing /			In		Annular Bbls / Ft.:	bbs / ft.		Annular Bbls / Ft.:	bbs / ft.
	Depth:		ft		Depth:	ft		Depth:	ft
Tool / P.					Annular Volume:	0.0 bbis		Annular Volume:	0, bis
Tool	Depth:		ft		Excess:			Excess:	
Displace	ement:	5.96	bbis		Total Siurry:	34.73 bbls		Total Siurry:	0,0 bis
			STAGE	TOTAL	Total Sacks:	125 sx		Total Sacks:	0 sx
TIME	RATE	PSI	BELS	BBLS	REMARKS				
12:30 PM					on location, held safety	meeting			
· · · · ·	<u> </u>	·····		•		·····			
· · · · · · · · · · · · · · · · · · ·	4.0				established circulation		u		
	4.0			-		#Bentonite Gel followed			
	4.0					sks Econobond cement v	vith 1# PhenoS	eal per sk, cement to sur	face
	4.0			-	flushed pump clean				
	1.0					plugs to casing TD with	5.96 bbls fresh	water	<u>.</u>
	1.0			•·	pressured to 800 PSI, w				
	<u> </u>			<u> </u>		t float valve, shut in casi	ng		
	4.0				washed up equipment	· · · · · · · · · · · · · · · · · · ·			
1:30 PM					left location	······································			
								· ·	
						· ·			· · · · · · · · · · · · · · · · · · ·
	<u> </u>								
<u> </u>									
						· · · · · · · · · · · · · · · · · · ·			
					·····				·
		<u>├</u>	-+						
		· 1	\rightarrow						······································
					· · · · · · · · · · · · · · · · · · ·	·			
		<u> </u>					<u> </u>		······································
					· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	
		CREW			UNIT		<u></u>		
Cen									
Pump Op		Nick		r	239	Average		Average Pressure	Total Fluid
	Bulk:		Katzer		233	3.1		• psi	- bbls
	H2O:		tt Scott		111				
								·. · · · · · · · · · · · · · · · · · ·	