_ WELL ID_

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER	WELL					Original Reco	ord Correction	Change	e in We	ll Use
Latitude	Longitude		Sec	tion	Township	Range	E Fraction	1/4	1/4	1/4
Datum	Elevation			inty	T. W. L. W.		W			
WATER WELL OWNER	<u> </u>	•	NELL WAT				NEAREST SOURCE OF P	OTENTIAL CO	ONTAMI	MATION
			VELL WA	LICOSE						ALION
Name							Source:	Direction		
Business			COMPLET	ION			from well:	from well		
Address			Depth of	complete	d well:	ft.	Source			
			-	-	ater encountered:		description:			
			(1)	_ ft.; (2) ft.;		Source:			
Well location) dry well		Distance from well:	Direction from well		
at owner's address			measu	red belov	well: ft v land surface	i.	Source description:			
CONSTRUCTION				m/dd/yy) red abov			No potential source	of contamir	nation	
Borehole interval:	Borehole dia	meter:	measured above land surface on (mm/dd/yy):			within 100 feet.				
fromto1	ft	in.	Estimated	l vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto1	ft	in.			ft. after	hours	DWR Application No.:			
Casing height above la			pumping gpm			KDHE / EPA Project Code:				
If casing height is le			Pump ins	talled?	Yes No		Site Name:			
has a variance beer		s No					KDHE UIC Class V Fo	rm Complete	ed: Yes	No
	red for monitoring		Water well disinfected? Yes No			County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):			Lease Name & Well #:				
Casing type:Blank casing interval:	ft to		Aquifer, i	f known:			# of boreholes:	# of dewater	ing wells:	
Blank casing diameter:		'	ITHOLOG							
Casing joints:			FROM	TO	LITHOLOGY II	NTFRVAI S				
Weight:			TROM		Limbeodin	TIERVALS				
Wall thickness or g										
Blank casing interval:	•									
Blank casing diameter:		_								
Casing joints:										
Weight:										
Wall thickness or g	auge no.:	_								
Grout interval:	ft to ft									
Grout material:										
Grout interval:										
Grout material:			COMMEN.	TS						
Screen / perforation ma	iterial:									
Screen / perforation op			CONTRAC	TOR'S O	R LANDOWNERS	CERTIFICATIO	N			
Screen / perforation int			This wat	er well v	vas constructed	d reconsti	ructed pursuant to t	he stated w	ater well	
Fromft. to _	ft.						. I certify tha			
Slot size						•	r well record was complet			
Fromft. to _				•			wen record was complete			
Slot size										
Gravel pack intervals:							under the aut	-	_	
-	ed: Gravel size _	in	_				ned and certified by the el	ectronic sig	nature o	of the
From ft. to			designat	ed perso	n at its submitta	ıl:	··			
Gravel pack not use	ed: Gravel size	in 5	Send one c	opy to W			one for your records. Fee of \$5		constructe	ed well.
From ft. to	ft.			Bureau o			HEALTH AND ENVIRONM V Jackson St., Suite 420, Tope		-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1650537		
Well Owner	Alexander VerHeul		
Contractor	Allen's Holdings and Investments D/B/A Evans Energy #1011		

Lithology

From	То	Lithology Intervals	
0	8	topsoil,clayey	
8	9	limestone,broken	
9	11	shale,unweathered	
11	14	limestone,unweathered	
14	16	shale,unweathered	
16	17	limestone,unweathered	
17	20	shale,unweathered	
20	21	limestone,unweathered	
21	28	shale,unweathered	
28	29	limestone,unweathered	
29	34	other,unweathered,sandy shale	
34	36	other,unweathered,limey sand	
36	51	other,unweathered,sandy shale	
51	109	shale,unweathered	
109	110	limestone,unweathered	
110	121	other,unweathered,limey sandstone	
121	123	limestone,unweathered	
123	129	other,unweathered,limey sand	
129	148	limestone,unweathered	
148	154	shale,unweathered	
154	163	limestone,unweathered	
163	171	shale,unweathered	

Form	WWC5.2 - Water Well Record		
Doc ID	1650537		
Well Owner	Alexander VerHeul		
Contractor	Allen's Holdings and Investments D/B/A Evans Energy #1011		

Lithology

From	То	Lithology Intervals
171	175	other,unweathered,sandy shale
175	197	shale,unweathered
197	202	limestone,unweathered
202	209	shale,unweathered,black
209	210	limestone,unweathered
210	217	shale,unweathered
217	219	sandstone,unweathered
219	227	shale,unweathered
227	228	limestone,unweathered
228	231	shale,unweathered
231	234	limestone,unweathered