WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WEL	.L					Original Reco	rd Correction	Change	in Wel ؛	ll Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		(County	1		**			
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NATION
Name							Source:			
Business			COMPL	FTION			Distance from well:		1	
Dubiness					1 11		from well:	from well	:	
Address					ed well:		Source description:			
			1 -		water encountered	:	-			
Well location					(2) ft.; (4) dry well		Source:			
77611100411011							Distance from well:	Direction from well	l:	
at owner's					in well:	ft.	Source			
address				asured belo (mm/dd/yy	ow land surface		description:			
CONSTRUCTION					ve land surface		No potential source	of contamir	ation	
Borehole interval:	Borehole dia	meter:		(mm/dd/yy			within 100 feet.			
fromto ft.		in.	Estima	ited vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.			I	-	ft. after	hours	DWR Application No.:			
Casing height above land su				_	pumping		KDHE / EPA Project Co	ode:		
If casing height is less th			Pump	installed?	Yes No		Site Name:			
has a variance been app		s No					KDHE UIC Class V For	m Complete	d: Yes	No
*variance not required for monitoring			Water well disinfected? Yes No			County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):			Lease Name & Well #:				
Casing type:Blank casing interval:	ft. to	ft	Aquife	r, if known	:		# of boreholes:	# of dewateri	ing wells:	
Blank casing diameter:			LITHOL	OGIC LOG						
Casing joints:			FROM	то то	LITHOLOGY	INTERVALS				
Weight: lb										
Wall thickness or gauge	no.:									
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lb	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. t	o ft.									
Grout material:										
Grout interval: ft. t	oft.									
Grout material:			COMM	ENTS						
Screen / perforation materia	l:									
Screen / perforation openin	-		CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION				
Screen / perforation interval			This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	.
Fromft. to			contra	actor's lice	nse and was con	npleted on	I certify that	this record	l is true	to
Slot size unit			the be	est of my k	nowledge and b	elief. This water	well record was complet	ed on		
From ft. to	_		under	the busin	ess name of					,
Slot size unit			Kansa	ıs Water V	Vell Contractor's	License No	under the auth	nority of the	e designa	ated
Gravel pack intervals:	Cwarral -!	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and signe	d and certified by the ele	ectronic sig	nature o	of the
Gravel pack not used: From ft. to		in	1 -		on at its submitt	,	· 	C		
Gravel pack not used:		20-					e for your records. Fee of \$5	.00 for each c	constructe	ed well.
From ft. to		in			KANSAS D	EPARTMENT OF H	EALTH AND ENVIRONME	ENT		
11011111.10	1			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, Tope	ka KS 66612	-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1647725		
Well Owner	4 Leaf Clover Farms LTD		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals	
0	2	topsoil	
2	7	sand,fine,clayey	
7	14	sand,fine,clayey	
14	32	clay,brown	
32	38	clay,whiteish,tan	
38	107	clay,sandy,brown	
107	118	sand,fine to medium	
118	137	sand,fine to coarse,gravelly	
137	188	sand,fine,clayey,brown	
188	197	sand,fine to coarse	
197	201	sand,fine,clayey,brown	
201	218	sand,fine to medium	
218	237	sand,fine to medium,clayey,brown	
237	241	sand,fine to coarse	
241	269	clay,brown	
269	273	sand,fine to medium	
273	325	clay,brown	
325	333	sand,fine to medium	
333	341	clay,brown	
341	349	sand,fine to medium	
349	358	clay,brown	
358	404	sand,fine to coarse,clayey	
404	410	clay,tan	

Form	WWC5.2 - Water Well Record		
Doc ID	1647725		
Well Owner	4 Leaf Clover Farms LTD		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
410	460	sand,fine to coarse,clayey,brownish,tan
460	470	clay,tan
470	483	sand,fine to medium,clayey
483	490	sand,fine to medium
490	494	clay,tan
494	521	sand,fine to coarse,brown
521	535	shale,completely weathered
535	560	sandstone,unweathered
560	580	shale,unweathered,red bed