KOLAR Document ID: 1655547

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No.: |
|--|--|
| Name: | Spot Description: |
| Address 1: | |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip:+ | Feet from |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xxx.xxxxx) (e.gxxx.xxxxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| ☐ New Well ☐ Re-Entry ☐ Workover | Field Name: |
| ☐ Oil ☐ WSW ☐ SWD | Producing Formation: |
| Gas DH EOR | Elevation: Ground: Kelly Bushing: |
| OG GSW | Total Vertical Depth: Plug Back Total Depth: |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? ☐ Yes ☐ No |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set:Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD | Drilling Fluid Management Plan |
| ☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer | (Data must be collected from the Reserve Pit) |
| | Chloride content: ppm Fluid volume: bbls |
| ☐ Commingled Permit #: | Dewatering method used: |
| SWD Permit #: | Location of fluid disposal if hauled offsite: |
| EOR Permit #: | Location of fluid disposal if flauled offsite. |
| GSW Permit #: | Operator Name: |
| | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or | QuarterSecTwpS. R East West |
| Recompletion Date Recompletion Date | County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | | |
|---|--|--|--|--|--|--|
| Confidentiality Requested | | | | | | |
| Date: | | | | | | |
| Confidential Release Date: | | | | | | |
| ☐ Wireline Log Received ☐ Drill Stem Tests Received | | | | | | |
| Geologist Report / Mud Logs Received | | | | | | |
| UIC Distribution | | | | | | |
| ALT I II Approved by: Date: | | | | | | |

KOLAR Document ID: 1655547

Page Two

| Operator Name: _ | | | | Lease Name: | | | Well #: | |
|---|---------------------|-----------------------|------------------------------|-----------------------|---------------------------------------|---|---|--|
| SecTwp. | S. R. | Ea | ast West | County: | | | | |
| | flowing and shu | ıt-in pressures, w | hether shut-in pre | ssure reached st | atic level, hydrosta | tic pressures, bot | | val tested, time tool erature, fluid recovery, |
| Final Radioactivity files must be subm | | | | | | iled to kcc-well-lo | gs@kcc.ks.go\ | . Digital electronic log |
| Drill Stem Tests Ta | | | Yes No | | _ | on (Top), Depth ar | | Sample |
| Samples Sent to G | Geological Surv | ey | Yes No | Na | me | | Тор | Datum |
| Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru | _ | | Yes No Yes No Yes No | | | | | |
| | | R | | | New Used | on, etc. | | |
| Purpose of Strir | | Hole | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | | |
| | | | | | | | | |
| | | | ADDITIONAL | CEMENTING / S | QUEEZE RECORD | I | | |
| Purpose: | | epth Ty | pe of Cement | # Sacks Used | Sed Type and Percent Additives | | | |
| Protect Casi | | | | | | | | |
| Plug Off Zon | | | | | | | | |
| Did you perform a Does the volume o Was the hydraulic | of the total base f | luid of the hydraulic | fracturing treatment | _ | = | No (If No, sk | ip questions 2 an ip question 3) out Page Three (| , |
| Date of first Producti Injection: | ion/Injection or Re | esumed Production | / Producing Meth | nod: | Gas Lift 0 | Other (Explain) | | |
| Estimated Production Per 24 Hours | on | Oil Bbls. | | | | | Gas-Oil Ratio | Gravity |
| DISPOS | SITION OF GAS: | | N | METHOD OF COMP | LETION: | | | N INTERVAL: Bottom |
| | _ | on Lease | Open Hole | | | mmingled mit ACO-4) | Тор | Bottom |
| , | , Submit ACO-18.) | | | | · · · · · · · · · · · · · · · · · · · | | | |
| Shots Per Foot | Perforation Top | Perforation Bottom | Bridge Plug Type | Bridge Plug Set At | Acid | Fracture, Shot, Cer (Amount and Kind | menting Squeeze I of Material Used) | Record |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TUBING RECORD: | Size: | Set / | At: | Packer At: | | | | |
| . 5213 (1200) 10. | JIEG. | | | . 30.0.71 | | | | |

| Form | ACO1 - Well Completion | | | |
|-----------|------------------------|--|--|--|
| Operator | Laymon Oil II, LLC | | | |
| Well Name | CARL 33-22 | | | |
| Doc ID | 1655547 | | | |

Tops

| Name | Тор | Datum | |
|---------------------|------|-------|--|
| Soil | 0 | 17 | |
| Shale | 17 | 78 | |
| Lime | 78 | 160 | |
| Shale | 160 | 200 | |
| Lime | 200 | 320 | |
| Shale | 320 | 330 | |
| Lime | 330 | 420 | |
| Sandy Lime | 420 | 520 | |
| Lime | 520 | 615 | |
| Shale | 615 | 617 | |
| Lime | 617 | 670 | |
| Shale | 670 | 672 | |
| Lime | 672 | 690 | |
| Shale | 690 | 840 | |
| Lime | 840 | 870 | |
| Shale | 870 | 880 | |
| Lime | 880 | 1000 | |
| Shale | 1000 | 1005 | |
| 5' Lime | 1005 | 1010 | |
| shale | 1010 | 1030 | |
| Upper squirrel Sand | 1030 | 1080 | |
| Shale | 1080 | 1120 | |

| Form | ACO1 - Well Completion | | | |
|-----------|------------------------|--|--|--|
| Operator | Laymon Oil II, LLC | | | |
| Well Name | CARL 33-22 | | | |
| Doc ID | 1655547 | | | |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | | | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|-----|------|-------------------|-----|----------------------------------|
| Surface | 10.250 | 8.625 | 24 | 40 | portland | 10 | na |
| Production | 6.125 | 2.875 | 6.7 | 1110 | common | 160 | na |
| | | | | | | | |
| | | | | | | | |

Superior Building Supply, Inc. 215 West Rutledge Yates Center, KS 66783

620-625-2447

Invoice # Page
233527 001

Invoice Date
03-04-2022 09:27:47



SOLD TO: Laymon Oil II 1998 Squirrel Rd. Neosho Falls, KS 66758

620-963-2495

| | rms | P | .O.# | Order # | Туре | Sld.By | Cust | |
|-----------------------------|----------|----------------------------|---|------------------------|-------|--------|----------------------------|----------------------------------|
| let 10th | | | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | 233527 | House | MED | L24951 | KMI |
| Quantity 84.000 2.000 | EA EA | Item # MA1235 MA1210 | Portland Ceme Pallet Charge | Description ent 92# | | | 5.20 30.00 | Extended Pric 436.80 60.00 |
| | | Carl 32-22 Carl 33-23 | ID Dack | es Ves | | | | |
| | | | | | | | | |
| | | | | | | | | |
| ET US E | -MAI | L YOUR INVOICES & S | TATEMENTS | | | Т | axable: ax: lon-Tax: | 496.8 47.2 0.0 |

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

NOTICE TO OWNER

QUANTITY

which is the subject of this contract.

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer' risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
Contractor must provide place for truck to wash out. A \$30 charge will be added

per truck if contractor does not supply a place to wash truck out. Tow charges are

buyers responsibility.

| LADO | 5 | | | | × | |
|----------|-----------|-------|-----------|----|-----|-----|
| LAYM | ON | OIL | II | ų | L.L | "C. |
| A COUNTY | 2015-2015 | 117 8 | 3.4% 2004 | 13 | 75 | |

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property

TIME **FORMULA** LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # DATE LOAD # YARDS DEL. BATCH# WATER TRIM SLUMP TICKET NUMBER

WARNING

IRRITATING TO THE SKIN AND EYES

CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR. CODE

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and the driver is requesting dust your sign in its nectors. I relieving limit is this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his whicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order. SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

UNIT PRICE

EXTENDED PRICE

LOAD RECEIVED BY:

| 6. | 00 | WELL | WELL (10 SACKS PER UNIT) | 16.0 |
|------|----|----------|--------------------------|-------|
| d a | 00 | TRUCKING | TRUCKING CHARGE | 1.00 |
| 1 ,, | 00 | FS | FUEL SURECHARGE | 1.00 |
| (a | 00 | MIX&HAUL | MIXING AND HAULING | 16.00 |

DESCRIPTION

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED | |
|-------------------|--------------|------------------|---|--------------|---------------------|
| | | 12:07 | 1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION | % TA) | 7.5 |
| LEFT PLANT | ARRIVED JOB | START UNLOADING | CONTRACTOR BROKE DOWN OTHER ADDED WATER | TIME DUE | |
| 11:09 | 11:45 | 11:59 | | | ADDITIONAL CHARGE 1 |
| TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | DELAY TIME | ADDITIONAL CHARGE 2 |
| | | | | | GRAND TOTAL |