WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER W	'ELL					Original Reco	ord Co	rrection	Chang	e in Wel	ll Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County			vv				
WATER WELL OWNER				NATER USE			NFAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name					<u>-</u>						IAIION
							Distance		Direction		
Business			COMPI	LETION			from well	l:	from wel	ll:	
Address			Depth	of complet	ted well:	ft.	Source				
11441000			-	-	water encountered	:	description	on:			
			(1)	ft.;	(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well				Direction from wel	n U	
.4			Static	water level	in well:	ft.		l:	from we	.l:	
at owner's address					ow land surface	Source description	on:				
CONSTRUCTION				(mm/dd/y			No no	tential sour	ce of contami	nation	
	Danah ala dia	.m. ot om		easured abo (mm/dd/y	ve land surface			100 feet.	ce of contains	nation	
Borehole interval:	Borehole dia						PERMIT &	ID NUMBER	RS (AS REQUI	RED)	
fromto ft.		in.		-	gpm		Ditte :	1			
fromto ft.		in.	Water	level was:	ft. after		_	-	.:		
Casing height above land	surface:	in.				KDHE / EPA Project Code:					
If casing height is less			Pump	installed?	Yes No						
has a variance been a	s No	Water	well disinfe	ected? Yes N	KDHE UIC Class V Form Completed: Yes No County Permit: Yes No Permit ID:						
*variance not required for monitoring or environmental remediation wells					(mm/dd/yy):						
Casing type:			Date	nsimected (I		:		
Blank casing interval:	ft. to	ft.	Aquif	er, if known	::		# of borel	noles:	# of dewater	ing wells:	
Blank casing diameter:	in.		LITHO	LOGIC LOG	i						
Casing joints:			FRO	и то	LITHOLOGY	NTERVALS					
Weight:	_lbs/ft.										
Wall thickness or gau	ge no.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:	_lbs/ft.										
Wall thickness or gau	ge no.:										
Grout interval:ft	t to ft										
Grout material:										-	
Grout interval: ft											
Grout material:			COMM	ENTS							
Grout material.											
Screen / perforation mater	rial:										
Screen / perforation open			CONTE	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation interv					was constructe			nurcuant to	the stated w	rator wall	
Fromft. to							•	-			
Slot size un					ense and was con	•		•			
From ft. to				•	knowledge and b			•			
Slot size un					ness name of						
Gravel pack intervals:			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	e designa	ated
-	Graval size	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the	electronic sig	gnature o	f the
Gravel pack not used: From ft. to		in	-		son at its submitt	-			·		
		.			VATER WELL OW	<u> </u>	ne for vour rea	cords. Fee of	\$5.00 for each	construct:	ed well
Gravel pack not used:		in	23114 01			EPARTMENT OF	•				
From ft. to	π.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1649365
Well Owner	KDHE - BER
Contractor	GSI Engineering, LLC

Lithology

From	То	Lithology Intervals
0	1	other,Concrete
1	5	clay,black,firm,solid, very high plasticity, no odor, no particulate
5	15	clay,gray,soft,solid, very high plasticity, no odor, no particulate, brown at 10'
15	25	clay- lean,brown,soft,semisolid, low plasticity, no odor, no particulate
25	30	sand,medium,silty,brown,firm, solid, low plasticity, no odor, no particulate
30	35	sand,medium,dark,brown,soft, semisolid, low plasticity, no odor, no particulate
35	45	gravel,medium,brown,plastic to low plasticity, very soft, no odor, large amount of particulates but no fines, reddish brown at 40'

