_ WELL ID_

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER	WELL					Original Reco	ord Correction	Change	e in We	ll Use	
Latitude	Longitude		Sec	tion	Township	Range	E Fraction	1/4	1/4	1/4	
Datum	Elevation			inty	T. W. L. W.		W				
WATER WELL OWNER	<u> </u>	•	NELL WAT				NEAREST SOURCE OF P	OTENTIAL CO	ONTAMI	MATION	
			VELL WA	LICOSE						ALION	
Name							Source:	Direction			
Business			COMPLET	ION			from well:	from well			
Address			Depth of	complete	d well:	ft.	Source				
			-	-	ater encountered:		description:				
			(1)	_ ft.; (2) ft.;		Source:				
Well location) dry well		Distance from well:	Direction from well			
at owner's address			measu	red belov	well: ft v land surface	i.	Source description:				
CONSTRUCTION				m/dd/yy) red abov	: e land surface		No potential source	of contamir	nation		
Borehole interval: Borehole diameter:			on (mm/dd/yy):			within 100 feet.					
fromto1	ft	in.	Estimated	l vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)		
fromto1	ft	in.			ft. after	hours	DWR Application No.:				
Casing height above la					pumping		KDHE / EPA Project Code:				
If casing height is le			Pump ins	talled?	Yes No		Site Name:				
has a variance beer		s No					KDHE UIC Class V Fo	rm Complete	ed: Yes	No	
	red for monitoring		Water well disinfected? Yes No				County Permit: Yes	No Permi	t ID:		
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:				
Casing type:Blank casing interval:	ft to		Aquifer, i	f known:			# of boreholes:	# of dewater	ing wells:		
Blank casing diameter:		'	ITHOLOG								
Casing joints:			FROM	TO	LITHOLOGY II	NTFRVAI S					
Weight:			TROM		Limbeodin	TIERVALS					
Wall thickness or g											
Blank casing interval:	•										
Blank casing diameter:		_									
Casing joints:											
Weight:											
Wall thickness or g	auge no.:	_									
Grout interval:	ft to ft										
Grout material:											
Grout interval:											
Grout material:			COMMEN.	TS							
Grout muterium_											
Screen / perforation ma	iterial:										
Screen / perforation op			CONTRAC	TOR'S O	R LANDOWNERS	CERTIFICATIO	N				
Screen / perforation int		This water well was constructed reconstructed pursuant to the stated water well									
Fromft. to _	ft.						. I certify tha				
Slot size						•	r well record was complet				
Fromft. to _				•			wen record was complete				
Slot size											
Gravel pack intervals:							under the aut	-	_		
-	ed: Gravel size _	in	_				ned and certified by the el	ectronic sig	nature o	of the	
From ft. to			designat	ed perso	n at its submitta	ıl:	··				
Gravel pack not use	ed: Gravel size	in 5	Send one c	opy to W			one for your records. Fee of \$5		constructe	ed well.	
From ft. to	ft.			Bureau o			HEALTH AND ENVIRONM V Jackson St., Suite 420, Tope		-1367		

Form	WWC5.2 - Water Well Record		
Doc ID	1650083		
Well Owner	KDHE - BER		
Contractor	GSI Engineering, LLC		

Lithology

From	То	Lithology Intervals
0	1	topsoil
1	5	clay,dark,brown,solid, high plasticity, firm to soft, no odor, no particulate, intermediate at 2.5'
5	9	sand,fine,silty,firm,fine, solid, well sorted, no odor, no particulate
9	15	sand,medium,tan,well sorted, semisolid, low, very soft, no odor, no particulate, getting more coarse at 12.5'
15	17.5	sand,medium,tan,moisture present, low plasticity, no odor, no particulate, semisolid, more coarse
17.5	23	gravel,medium to coarse,soft,semisolid, low plasticity, no odor, some fine grains, more coarse and more fine grains at 22'
23	30	gravel,medium to coarse,soft,semisolid, low plasticity, no odor, fine grains present, larger fine grains at 27.5'

