WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATE	R WELL					Origina	al Recor	d Cor	rection	Chang	e in We	ll Use
Latitude	Longitude		Section	on	Township		Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		Coun	ty			-	**				
WATER WELL OWNER			WELL WATER USE					NEAREST S	OURCE OF P	OTENTIAL C	ONTAMIN	IOITAI
Name								Source:				
Business			OMPLETIC	NI.				Distance		Direction		
Dusiness								from well:		_ from wel	ll:	
Address			Depth of completed well:ft.  Depth(s) groundwater encountered:				ft.	Source				
								description				
Well leastion					) ft.;			Source:				
Well location			(3) ft.; (4) dry well					Distance Direction from well:				
at owner's			Static water level in well: ft.					Source				
address			measured below land surface					description:				
CONSTRUCTION			on (mm/dd/yy):					No potential source of contamination				
Borehole diameter:			measured above land surface on (mm/dd/yy):					within 100 feet.				
								PERMIT & ID NUMBERS (AS REQUIRED)				
			Estimated yield: gpm					DWR Application No.:				
fromtoftin.			Water level was:ft. afterhours pumping gpm					KDHE / EPA Project Code:				
Casing height above l	in.	Dump ineta	lled?		gP	111	Site Name:					
If casing height is has a variance be	s No	Pump installed? Yes No					KDHE UIC Class V Form Completed: Yes N					
*variance not req		Water well disinfected? Yes No					County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):					Lease Name & Well #:				
Casing type:			Aquifer, if known:					# of boreholes: # of dewatering wells:				
Blank casing interval		-										
Blank casing diamete			ITHOLOGI		T							
	nc		FROM	то	LITHOLOGY	NTERVA	LS					
-	lbs/ft.											
	gauge no.:											
Blank casing interval Blank casing diamete		π.										
Casing joints:												
Weight:												
-	gauge no.:											
Grout interval:												
Grout interval:			COMMENTS	;								
Grout material:		[										
C / f ti												
Screen / perforation of Screen / perforation of		<u> </u>	CONTRACT	חםיב חד	R LANDOWNERS	CEPTIF	ICATION					
Screen / perforation in					as constructed					the stated w	****************	
Fromft. to							econstru	•				
	n. _ unit				se and was com	-			•			to
From ft. to					owledge and be							
Slot size		under the business name of,										
Gravel pack intervals		Kansas Water Well Contractor's License No under the authority of the designated										
Gravel pack not u	in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
From ft. t		designated person at its submittal:										
Gravel pack not u		in S	Send one cop	y to WA	TER WELL OW	NER and	retain one	e for your reco	ords. Fee of \$	5.00 for each	constructe	ed wel
From ft. t			KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT									

Form	WWC5.2 - Water Well Record
Doc ID	1650077
Well Owner	KDHE - BER
Contractor	GSI Engineering, LLC

## Lithology

From	То	Lithology Intervals
0	1	topsoil
1	5	clay,dark,brown,solid, high plasticity, firm to soft, no odor, no particulate, intermediate and brown at 2.5', turning darker at 6'
5	6	silt,turning darker
6	10	sand,fine,clayey,solid, firm, well sorted, no odor, no particulate, intermediate deformation
10	17.5	sand,fine,clayey,light,brown,s oft,semisolid, low plasticity, no odor, no fine grains, getting coarser
17.5	20	sand,fine to medium,some fine grains
20	23	gravel,medium,larger parts, silt present
23	29	gravel,medium,larger parts, more silt present
29	30	shale,moderately weathered

