WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER V	WELL					(Origina	l Recor	d Correction	Chang	e in Wel	ll Use	
Latitude	Longitude		S	ection		Township		Range	E W Fraction	1/4	1/4	1/4	
Datum	Elevation			County		1			VV				
WATER WELL OWNER		1		ATER US	E				NEAREST SOURCE OF P	OTENTIAL C	ONTAMIN	IATION	
Name									Source:				
Business			COMPL	FTION					I =				
Dustriess					. 1	11			from well:	_ from wel	l:		
Address			_	-		ell: encountered:		_ft.	Source description:				
			(1) ft.; (2) ft.;						Source:				
Well location			(3) ft.; (4) dry well					Distance from well:		n ll:			
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source description:					
CONSTRUCTION			mea	sured ab	ove la	nd surface			No potential source within 100 feet.	e of contami	nation		
Borehole interval:	Borehole dia	meter:	on (mm/dd/	yy):			_	PERMIT & ID NUMBER	S (AS REQUI	RED)		
fromto ft		in.	Estima	ted yield:		gpm							
fromto ft		in.	Water l	evel was:		ft. after			DWR Application No.:				
Casing height above lan	d surface:	in.				pumping	gpn	n	KDHE / EPA Project Code:				
If casing height is les has a variance been		s No	Pump installed? Yes No					Site Name: KDHE UIC Class V Form Completed: Yes No					
*variance not requir	• •	S NO	Water	well disin	fected	? Yes No)		County Permit: Yes No Permit ID:				
or environmental re			Date disinfected (mm/dd/yy):					Lease Name & Well #:					
Casing type:			Aquifer, if known:				$\overline{}$	# of boreholes:					
Blank casing interval:			_										
Blank casing diameter:				OGIC LO									
Casing joints: Weight:			FROM	ТО		ITHOLOGY IN	NIEKVAL	.5					
Wall thickness or ga													
Blank casing interval:													
Blank casing diameter:													
Casing joints:													
Weight:													
Wall thickness or ga													
Grout interval:													
Grout material:													
Grout interval:													
Grout material:)	COMME	NTS									
Screen / noutoustion	arial:												
Screen / perforation mat Screen / perforation ope			CONTR	ΔϹΤΩΡΊ	ORI	ANDOWNERS	CERTIE	C ΔΤΙΩΝΙ					
Screen / perforation inte									atad nursuant to	the stated w	ratan rurall		
Fromft. to		This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on I certify that this record is true to											
Slot size u							=		•			to	
From ft. to		the best of my knowledge and belief. This water well record was completed on											
Slot size u			under the business name of,										
Gravel pack intervals:			Kansa	s Water	Well (Contractor's I	License N	No	under the aut	hority of th	e designa	ated	
Gravel pack not used	l: Gravel size	in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
From ft. to _			design	ated per	son a	t its submitta	մ։		·				
Gravel pack not used		in	Send on	e copy to	WATE	ER WELL OWN	NER and r	etain one	for your records. Fee of \$	5.00 for each	constructe	ed well.	
Enom. G. t.	<u>.</u>					KANSAS DE	PARTME	NT OF H	EALTH AND ENVIRONM	ENT			

Form	WWC5.2 - Water Well Record
Doc ID	1648694
Well Owner	ROCKING T RANCH LLC
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	6	sand,medium,soft
6	35	clay,sandy,brown
35	45	sand,fine,soft
45	60	clay,sandy,brown,soft
60	73	sand & gravel,fine to medium,stiff
73	115	sand & gravel,fine to medium,stiff
115	143	gravel,fine to coarse,stiff
143	144	sand,fine
144	160	sand & gravel,medium to coarse,stiff,LIMEROCK
160	173	clay,sandy,brown
173	187	sand,fine to coarse,firm
187	193	clay,sandy,tan,soft
193	209	clay,blueish,soft
209	233	sand,fine to medium,soft
233	253	clay,fine,brownish,white,firm,L IMEROCK
253	283	sand,fine to medium,white,stiff,LIMEROCK
283	300	clay,fine to coarse,sandy,white,firm
300	353	sand,medium to coarse,white,stiff,LIMEROCK
353	380	clay,fine to coarse,sandy,tan,soft

Form	WWC5.2 - Water Well Record
Doc ID	1648694
Well Owner	ROCKING T RANCH LLC
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
380	431	sand,fine,white,stiff,LIMEROC K
431	440	clay,brown
440	451	sand,fine to medium,firm
451	474	clay,fine,sandy,tan,soft
474	488	clay,fine to coarse,yellowish,brown,firm, ROCK/SANDSTONE
488	500	sandstone,slightly weathered,ROCK/CLAY
500	516	sandstone,moderately weathered,FINE SAND, ROCK
516	527	sand,fine,clayey,other,firm,SO APSTONE,
527	551	sand,fine,gravelly,brown,hard, ROCK/SANDSTONE
551	560	shale,broken,blueish,soft

Form	WWC5.2 - Water Well Record
Doc ID	1648694
Well Owner	ROCKING T RANCH LLC
Contractor	Downey Drilling, Inc. #748

Screen and Gravel

From	То			Gravel Pack Used			Gravel Size
311	431	.08	inches	Yes	20	560	#1
431	471	.06	inches	No			
471	551	.08	inches	No			