WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL REC	ORD (W	WC-5)				KOLAR I	DOC ID		WELL ID_		
OCATION OF WATER WELI	_					Original Reco	rd Cor	rection	Chang	e in Wel	l Use
Latitude	Longitude		5	Section	Township	Range	E	Fraction	1/4	1/4	1/4
Datum	Elevation		(County			***				
VATER WELL OWNER			WELL V	VATER US	 E		NEAREST SO	OURCE OF F	POTENTIAL C	ONTAMIN	IOITAI
Name							Source:				
Business			COMPL	ETION			Dietance		Directio	n	
Dusiness							from well:_		_ from we	11:	
Address					ted well:	ft.	Source description				
			-	-	water encountered:		•				
Well location					(2) ft.; (4) dry well		Source:				
Well location							Distance from well:		Directio from we	n ll:	
at owner's address			me	asured belo	in well: fi ow land surface		Source description				
ONSTRUCTION			me		ove land surface			ential sourc	e of contami	nation	
Borehole interval:	Borehole dia			(mm/dd/y	-		PERMIT & II	D NUMBER	S (AS REQU	IRED)	
fromto ft.		in.			gpm						
fromto ft.			Water		ft. after				2. 1.		
Casing height above land sur	face:	in.	-		pumping	gpm			Code:		
If casing height is less that has a variance been appr		NI-	Pump	installed?	Yes No				orm Complet		No
*variance not required fo		No	Water	well disinfo	ected? Yes No	,			No Perm		
or environmental remed			Date d	isinfected ((mm/dd/yy):		'				
Casing type:							I		# of dewate		
Blank casing interval:	ft. to	ft.	Aquife	r, if known	1:		# Of Dorello	nes	# or dewate	ring wells:	
Blank casing diameter:	in.		LITHOL	OGIC LOG	i						
Casing joints:			FROM	1 то	LITHOLOGY II	NTERVALS					
Weight:lbs											
Wall thickness or gauge											
Blank casing interval:		ft.									
Blank casing diameter:											
Casing joints:											
	/ft.										
Wall thickness or gauge i	10.:										
Grout interval: ft. to	ft.										
Grout material:											
Grout interval: ft. to	ft.										
Grout material:			COMM	ENIS							
C / C /: / : 1											
Screen / perforation material: Screen / perforation opening			CONTO	ACTORIC:	OR LANDOWNERS	CEDTIEICATION	·				
									.1 1	. 11	
Screen / perforation intervals					was constructed		•		the stated v		
Fromft. to					ense and was com	_		-			
Slot size unit _				-	knowledge and be			_			
From ft. to			under	the busir	ness name of						,
Slot size unit _			Kansa	ıs Water V	Well Contractor's	License No	un	der the au	thority of th	e designa	ated
Gravel pack intervals:	Cmar-1 -		perso	n as defin	ed in K.A.R. 28-3	0-2(j) and signe	ed and certific	ed by the e	lectronic si	gnature o	f the
Gravel pack not used:		in	-		son at its submitta				·	-	
From ft. to					VATER WELL OW		e for your reco	rds Fee of \$	5 00 for each	construct	d well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1648669			
Well Owner	DAVID KRAUSE			
Contractor	Downey Drilling, Inc. #748			

Lithology

From	То	Lithology Intervals
0	5	topsoil,brown,soft
5	9	clay,brown,soft,SILTY
9	36	clay,sandy,tannish,white,firm, CALICHE
36	77	clay,sandy,tan,soft
77	90	sand,fine to coarse,firm
90	99	clay,sandy,tan,soft
99	118	sand,fine to coarse,firm
118	123	sand,fine to coarse,firm
123	137	clay,brown
137	146	sand,fine to coarse,firm
146	155	clay,soft
155	164	sand,fine to coarse,firm
164	167	sand,fine to medium,firm
167	181	clay,brown,soft
181	192	sand,fine to coarse,firm
192	230	sand,fine to medium,brown
230	274	sand,fine to medium,firm
274	280	clay,brown,firm
280	300	sand,fine to coarse,brown,firm
300	376	sand,fine to coarse,white,firm
376	430	sand,fine to coarse,clayey,tan,firm,SANDY CLAY / LIMEROCK

Form	WWC5.2 - Water Well Record			
Doc ID	1648669			
Well Owner	DAVID KRAUSE			
Contractor	Downey Drilling, Inc. #748			

Lithology

From	То	Lithology Intervals
430		clay,fine to medium,brown,firm
495	509	clay,brown,soft
509		other,unweathered,ROCK AND SANDSTONE
515	525	other,fractured,RED BED

Form	WWC5.2 - Water Well Record			
Doc ID	1648669			
Well Owner	DAVID KRAUSE			
Contractor	Downey Drilling, Inc. #748			

Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
293	433	.08	inches	Yes	20	525	
433	475	.06	inches	No			
475	515	.05	inches	No			