WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER W	'ELL					Original Reco	ord Co	rrection	Chang	e in Wel	ll Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County			vv				
WATER WELL OWNER				NATER USE			NFAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name					<u>-</u>						IAIION
							Distance		Direction		
Business			COMPI	LETION			from well	l:	from wel	ll:	
Address			Depth	of complet	ted well:	ft.	Source				
11441000			-	-	water encountered	:	description	on:			
			(1)	ft.;	(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well				Direction from wel	n U	
.4			Static	water level	in well:	ft.		l:	from we	.l:	
at owner's address			measured below land surface				Source description	on:			
CONSTRUCTION				(mm/dd/y			No no	tential sour	ce of contami	nation	
	Danah ala dia	.m. ot om		easured abo (mm/dd/y	ve land surface			100 feet.	ce of contains	nation	
Borehole interval:	Borehole dia						PERMIT &	ID NUMBER	RS (AS REQUI	RED)	
fromto ft.		in.		-	gpm		Ditte :	1			
fromto ft.		in.	Water	level was: _	ft. after		_	-	.:		
Casing height above land	surface:	in.				gpm	KDHE / EPA Project Code:				
If casing height is less			Pump	installed?	Yes No						
has a variance been a		s No	Water	well disinfe	ected? Vac N				orm Complet		
*variance not required for monitoring or environmental remediation wells			Water well disinfected? Yes No			County Permit: Yes No Permit ID:					
Casing type:			Date disinfected (mm/dd/yy):			Lease Name & Well #: # of dewatering wells:					
Blank casing interval:	ft. to	ft.	Aquif	er, if known	::		# of borel	noles:	# of dewater	ing wells:	
Blank casing diameter:	in.		LITHO	LOGIC LOG	i						
Casing joints:			FRO	и то	LITHOLOGY	NTERVALS					
Weight:	_lbs/ft.										
Wall thickness or gau	ge no.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:	_lbs/ft.										
Wall thickness or gau	ge no.:										
Grout interval:ft	t to ft										
Grout material:										-	
Grout interval: ft											
Grout material:			COMM	ENTS							
Grout material.											
Screen / perforation mater	rial:										
Screen / perforation open			CONTE	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation interv					was constructe			nurcuant to	the stated w	rator wall	
Fromft. to							•	-			
Slot size un					ense and was con	•		•			
From ft. to				•	knowledge and b			•			
Slot size un					ness name of						
Gravel pack intervals:			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	e designa	ated
-	Graval size	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the	electronic sig	gnature o	f the
Gravel pack not used: From ft. to		in	-		son at its submitt	-			·		
		.			VATER WELL OW	<u> </u>	ne for vour rea	cords. Fee of	\$5.00 for each	construct:	ed well
Gravel pack not used:		in	23114 01			EPARTMENT OF	•				
From ft. to	π.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1648420
Well Owner	BRIAN L & DAWN M GRAHAM
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	20	clay,brown
20	60	clay,sandy,brown
60	62	sand,coarse
62	95	clay,brown,FINE SNAD STREAKS
95	96	sand,fine to medium
96	121	clay,fine,brown
121	122	sand & gravel,medium to coarse
122	127	clay,fine,brown
127	135	gravel,fine to coarse,sandy
135	142	sand & gravel,medium to coarse,clayey
142	159	sand & gravel,medium to coarse,white,BROKEN ROCK
159	170	clay,brown
170	190	sand & gravel,medium to coarse,brown,ROCK
190	203	clay,fine to coarse,brown,GRAVEL/ ROCK
203	212	sand & gravel,fine to coarse,WHITE ROCK
212	214	sand & gravel, fine to coarse
214	233	sand & gravel, fine to medium
233	250	clay,fine to medium,gravelly

Form	WWC5.2 - Water Well Record
Doc ID	1648420
Well Owner	BRIAN L & DAWN M GRAHAM
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
250	257	clay,sandy
257	273	sand,fine to medium
273	278	sand,fine to medium,clayey,brown
278	282	sand,fine
282	288	sand & gravel,medium to coarse,BROKEN ROCK
288	291	sand & gravel,fine to medium,clayey
291	293	sand & gravel,medium to coarse,BROKEN ROCK
293	300	other,broken,other,YELLOW SOAPSTONE
300	320	shale,broken,black