KOLAR Document ID: 1656927

Confidentiality Requested:

Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Described	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if flauled offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date  Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1656927

#### Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used				
Protect Casi								
Plug Off Zon								
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Oil Bbls. Per 24 Hours			· ·		Bbls. Gas-Oil Ratio		Gravity	
DISPOSITION OF GAS: METHOD OF COMPLETION:								ON INTERVAL:
			Open Hole		Oually Comp. Commingled  ubmit ACO-5) (Submit ACO-4)		Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513   1200  10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	Bandy, Terry P. dba Te-Pe Oil & Gas
Well Name	C BELL 8
Doc ID	1656927

### Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.250	8.625	24.	255	Common	225	3%CC
Production	7.875	5.5	14.	3360	50/50 pozmix	75	10% Salt
Liner	7.875	4.5	11.6	379	50/50 pozmix		Kol-seal, P seal 2% gel

# **QUALITY WELL SERVICE, INC.**

8003

Federal Tax I.D. # 481187368
Home Office 30060 N. Hwy 281, Pratt, KS 67124
Mailing Address P.O. Box 468

Office 620-786-6992 Fax 620-672-3663

Todd's Cell 620-388-4967 Brady's Cell 620-727-6964

	Sec.	Twp.	Range	County	State	On Location	Finish			
Date 6-29-22				KINEMAN	Ki					
Lease C. /-C//	_ v	/ell No.	8	Location						
Contractor CYCONE	WE	11 SER	1.00	Owner			•			
Type Job LINEIL			To Quality W	To Quality Well Service, Inc.  You are hereby requested to rent cementing equipment and furnish						
Hole Size 5/2 /5.5	Hole Size 5/2 /5.5 T.D. 3323'				d helper to assist ov	vner or contractor to	lo work as listed.			
Csg. 4/2 11,6	#	Depth	<u> 3780'</u>	Charge To	Charge / // / C // C					
Tbg. Size		Depth		Street /	Street //:50 6-30-22					
Tool		Depth		Oity-300b	blolinedoit	-State 100 Lb	1 Freshwit			
Cement Left in Csg.		Shoe Jo		The above wa	s done to satisfaction a	and supervision of owner	agent or contractor			
Meas Line		Displac	<u> 58.3</u>	6 Cement Amo		× 50/50	21/62			
O No I	EQUIPM	MENT	r	2/2/56 8	SEAL .6% CI	A.251. CAIR Y	BIPS			
Fumpirk 3				Common	70 ×					
BUIKIIK / C				Poz. Mix	105c					
Buiktrk				Gel.	250 <sup>*</sup>					
Fickup				Calcium	-					
JOB SEF	RVICES	& REMA	RKS	Hulls						
Rat Hole			· · · · · · · · · · · · · · · · · · ·	Salt						
Mouse Hole				Flowseal 2	5					
Centralizers				Kol-Seal	Kol-Seal 350					
Baskets	·	<del></del>		Mud CLR 48	Mud CLR 48 250					
D/V or Port Collar				CFL-117 or C	CD110 CAF 38 C	16H 71"	``			
HOOK IS TO WELL	1)			Sand C4	110 30"	·				
10°	BICH	<u>k</u> 9	84 k	Handling						
Day so the total				Mileage						
1000 6 13/11/11 6E	2/3 11		Flush		FLOAT EQUIPM	ENT				
51Att Mix: Pany 0 14.3"/Cil	1425	501	50 Poi	Guide Chee	H; M IEA					
1	1	7 5	1	Centralizar	1/2 TOP Robbe	ERPISH IEA				
SHUT DOWN WASH	PT	21 46	LENSE 4/LT	∠ / / ( Baskets						
5 TAG DIST O'	<del></del> -			AFU Inserts						
45 0 600#				Float Shoe						
50 00 90#				Latch Down						
150 /50*	7			SERVICE.	SUDY / EA					
100 Dun 61 Ash.	2100	<u>○ * ,</u>	7:50 F							
Balance Hain			· ·	Pumptrk Charg	e LINER					
Cico Lings		1-1/11		Mileage 9၂						
Prof. Cl.	70.4		1	-1	- Down	Tax				
X Signature	UFUH	100	o Ale Ber			Discount				
Cignature						Total Charge				