KOLAR Document ID: 1658523

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:	SecTwpS. R				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Feet Amount of Surface Pipe Set and Cemented at: Feet				
☐ Gas ☐ DH ☐ EOR					
☐ OG ☐ GSW					
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No				
Cathodic Other (Core, Expl., etc.):					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to: w/ sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
☐ EOR Permit #:	Location of haid disposal if hadica offsite.				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

KOLAR Document ID: 1658523

Page Two


Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole	Perf. Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)				
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion
Operator	Taylor, Michael dba M. J. T. Enterprises
Well Name	BEETS WW3-I
Doc ID	1658523

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	21	20	Portland	6	50/50 POZ
Production	5.625	2.875	6.5	736	Portland	68	50/50 POZ

JD DATE:	6-10-2	2	
ANISH DATE		WAY IN COLUMN THE PARTY OF THE	
LEASE:	Beets		
LEASE OPERA	NTOR: M.J.T	. Enterprises	
WELL:	いいろうエ		
	5-121-3170	1	
SEC: 3	TWP: 165	RNG: 22E	
	Miani		
DRILLERS NA	ME: Mitchell	Rocets	
RIG #:			-
	- 19	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER, THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	-



2394 UTAH ROAD RANTOUL, KS 66079

SURFACE: SIZE BIT 9 LENGTH ZO' SIZE 7" CEMENT 6 SACES

DRILL BIT SIZE 5 SE LENGTH 736 SIZE ZE BAFFLE N/A

TD 745 CORED 684-703'

ORMATIONS	THICKNESS	FROM	ТО	FORMATION	THICKNESS	FROM	70
Soil & clay	6	0	6	I shale	22	520	542
lime	23	6	29	lime	1	542	543
Shale	5	29	34	Shale	17	543	560
lime	10	34	44	lime	8	-\$60	568
shale	14	44	58	Shale	7	568	575
11 me	15	58"	73	line	4	575	579
shele	22	73	95	Shale	1.2	579	600
line	18	95	113	lime	5	600	605
Shale	14	1.13	112?	Shale	3	605	608
lime:	8	1.27	135	limy sand	/	608	609
Shale	25	(35	210	oilsand	2.	609	611
line	20	210	230	limysand	2	611	613
Shale	33	230	263	Shale	12.	613	625
Lime .	6	263	269	lime	3	625	628
shale	ZI	269	1290	Shale	5	628	633
lime	13	290	303	18me	17	633	634
Shale .	17	303	320	shile	6	634	640
line	10	320	330	Shale/isme straks	8	540	648
Shale	io	330	340	Shale	2	B48	650
lime	6	340	134.6	lime	3	650	653
shale	7	346	363	Shale	30	653	683
lime	22	363	375	Brokersand		683	684
Shale	6	375	38/	Sit stock		684	
lime	3	381	384	limy sand		685	685
shale	5	384	389	Brokersand	2		686
IME-Bosofkungscity		384	394	oil sand	7,5	688 688	
shale	23	394	417	Broker Spod		600 6	690,5
Sand	8	417	425	Dilsand		690,5	
gilty shale	5	425	430	Broken sand		691.5	
State	87	430	512	Broker Grad	2.5	693	695,5
lime "	3:	517	520	Silf, shale	With the same warning to	695.5	847,5
4.0		- 5	, , , ,	Shale Shale	2.5	697,5 700	



MENT	TREA	TMENT	REPO	RT				
Custo	omer:	MJT Ente	rprises		Well:	Beets WW3-I	Ticket:	EP4906
City, S	State:	Osawato	mie, KS		County:	MI, KS	6/14/2022	
Field Rep: Mike Taylor S-T-R:					S-T-R:	31-16-22	Service:	Longstring
Down	nhole Ir	nformation			Calculated Si	urry - Lead	Calc	ulated Slurry - Tail
Hole	Size:	5 5/8	in		Blend:	Thixo 1# PS	Blend:	
Hole D	epth:	745 1	re		Weight:	13.85 ppg	Weight:	ppg
Casing	Size: 2 7/8 In				Water / Sx:	8.82 gal / sk	Water / Sx:	gal / sk
asing D		736	ft		Yield:	1.80 ft ³ / sk	Yield:	ft ^a / sk
ubing / l _			in .		Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.
	lepth:	1	ft		Depth:	ft	Depth:	ft
ool / Pa Tool D			R		Annular Volume: Excess:	0.0 bbls	Annular Volume: Excess:	0 bbls
isplacei		4.26			Total Slurry:	21.80 bbls	Excess: Total Slurry:	0.0 bbls
		T 20 3 3 5	STAGE	TOTAL	Total Sacks:	68 sks	Total Sacks:	0 sks
IME	RATE	PSI	BBLs	BBLs	REMARKS			
2:00 PM					on location, held safety	meeting		
	4.0				established circulation			
	4.0				***************************************	Bentonite Gel followed by 4 bbl		
	4.0			-		ks Thixo cement with 1# PhenoS	eal per sk, cement to surface	
	1.0				flushed pump clean	ug to casing TD with 4.26 bbls fi	rach water	
	1.0					ell held pressure for 30 minute h		
					released pressure to set			
	4.0			-	washed up equipment			
1:30 PM					left location			
-+	\dashv							
	\dashv		-					
							V - 0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
	-							
NEUT.		CREW			UNIT		SUMMAR	
Cem	enter		Kennedy		931	Average Rate	Average Pressure	Total Fluid
ump Ope	-	Nick E			239	3.1 bpm	- pai	bbls
	Bulk:		Gipson		248			
	H2O.	Keith	Detwiler		124			