For KCC Use:
Effective Date:
District #
SGA2 TVos TNo

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
OPERATOR: License#	Sec Twp S. R E feet from N / S Line of Section N / N / N / N / N / N / N / N / N / N / N / N / N / N / N /
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
olddress 2: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
hone:	Lease Name: Well #: Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OVVVVO. Old well information as follows.	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	
Original Completion Date: Original Total Depth:	Formation at Total Depth:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AF	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plants	
AF The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig;
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the sum o	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the district office will be notified before well is either plugging.	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the summan amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the summan and the district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	h drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the summan amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the summan and the district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the posted of the posted on each and the posted of the posted on each and the posted of the posted	h drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the second o	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the posted on each and the second of the posted on the second of the posted on the second of the sec	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual plicates agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below the operator and the district office will be notified before well is either pluguments. The appropriate district office will be notified before well is either pluguments. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriated before the propriated before the well shall be appropriated before the propriated before the propriated before t	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the posted on the posted of th	th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the posted on each and the second of the posted on the second of the posted on the second of the s	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plick agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the stand	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the specified like of the well is dry hole, an agreement between the operator and the disesting of the appropriate district office will be notified before well is either pluguments. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be about the complete of the well shall be appropriated before the appropriate appropr	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
the undersigned hereby affirms that the drilling, completion and eventual plick agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dise 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a submitted Electronically **Por KCC Use ONLY** API # 15	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a submitted Electronically **For KCC Use ONLY** API # 15	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It ict office on plug length and placement is necessary prior to plugging; It ict office on plug length and placement is necessary prior to plugging; It ict office on plug length and placement in; It ict office on plug length and placement in; It ict office on plug length and placement is necessary prior to plugging; It ict office on plugging; It is plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disest of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriate to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the spud date or the spud date or the well shall be appropriated to the spud date or	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disest of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriate to the spud date or the well shall be appropriate to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or t	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is ged or production casing is cemented in; It is ged from below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

648 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:				
Operator Address:							
Contact Person:			Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty				
Settling Pit Drilling Pit	If Existing, date cor	nstructed:					
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)					
Is the pit located in a Sensitive Ground Water A	ırea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
Depth fro	om ground level to dee	pest point:	(feet) No Pit				
		• ,	cluding any special monitoring.				
			west fresh water feet. nation:				
feet Depth of water wellfeet			well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
	-						
Submitted Electronically							
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:				

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Eathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)							
OPERATOR: License #	Well Location:							
Name:	SecTwpS. R East							
Address 1:	County:							
Address 2:	Lease Name: Well #:							
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of							
Contact Person:	the lease below:							
Phone: () Fax: ()								
Email Address:								
Surface Owner Information:								
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional							
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the							
Address 2:	county, and in the real estate property tax records of the county treasurer.							
City: State: Zip:+								
the KCC with a plat showing the predicted locations of lease roads, tank	lic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.							
provided the following to the surface owner(s) of the land up	Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.							
the KCC will be required to send this information to the surface	acknowledge that, because I have not provided this information, owner(s). To mitigate the additional cost of the KCC performing ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.							
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.							
Submitted Electronically								

M & M EXPLORATION, INC. DAVIS TRUST LEASE SE. 1/4. SECTION 11. T34S. R15W BARBER COUNTY, KANSAS



^{*}Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

July 11. 2022

Reproximate section lines were determined using the normal standard of care of oilfield surveyors procticing in the state of Konsas. The section corners, which establish the precise section lines, were not necessorily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services. Inc., its officers and employees harmless from all lasses, costs and expenses and said entities released from any liability from incidental or consequential damages

For KCC Use ONLY	
API # 15	




IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: M & M Exploration, Inc.	Location of Well: County: Barber						
Lease: Davis Trust B							
Well Number: 1	1341 feet from X E / W Line of Section						
Field: Unnamed	Sec. 11 Twp. 34 S. R. 15 E X W						
Number of Acres attributable to well:	Is Section: Regular or Irregular						
QTR/QTR/QTR of acreage: NE _ SE _ SW _ SE							
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW						

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



648 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Ervin Neighbors

WELL PLUGGING RECORD K.A.R.-82-3-117

	WELL BUILDALMS DECORDS						
STATE OF KANSAS STATE CORPORATION COMMISSION 200 Colorado Derby Building	WELL PLUGGING RECORD K.A.R82-3-117	API NUMBER 15-007-22,294-00-00					
Wichita, Kansas 67202		LEASE NAME Davis Trust "B"					
	TYPE OR PRINT	WELL NUMBER1					
	NOTICE: Fill out completely and return to Cons. Div. office within 30 days.	3300 Ft. from S Section Line					
•	011100 11111111 30 00/31	1320 Ft. from E Section Line					
LEASE OPERATOR TXO Production	n Corporation	SEC. 11 TWP. 34 RGE. 15 (E) of (W)					
ADDRESS 1660 Lincoln St Su	ite 1800 Denver, CO 80246	COUNTY Barber					
PHONE#(303) 861-4246 OPERA	ATORS LICENSE NO5171	Date Well Completed 3-26-90					
Character of WellD&A		Plugging Commenced 3-26-90					
(Oil, Gas, D&A, SWD, Input, Wa	ater Supply Well)	Plugging Completed 3-26-90					
The plugging proposal was appr	oved on <u>3-21-90</u>	(date)					
by Dick Capp to be filed		(KCC District Agent's Name).					
to be filed Is ACO-: filed? by operator is							
Producing Formation	Depth to Top	Bottom T.D. 5130					
Show depth and thickness of a	ll water, où and gas formatio	ons.					
OIL, GAS OR WATER RECORDS	CA	SING RECORD					
Formation Content	From To Size	Put In Pulled out					
		, indicating where the mud fluid wa					
were used, state the charac		eto the hole. If cement or other plued, from feet to feet each second					
Next Plug: @ 450' w/3		" 15 sacks in Rat Hole					
Top Plug: @ 40' w/10		" 10 sacks in Mouse Hole					
(if additional desc	cription is necessary, use BAC	CK of this form.)					

·	
TYPE OR PRINT	WELL NUMBER1
NOTICE: Fill out completely and return to Cons. Div.	3300 Ft. from S Section Line
office within 30 days.	1320 Ft. from E Section Line
LEASE OPERATOR TXO Production Corporation	SEC. 11 TWP. 34 RGE. 15 (E) or (W)
ADDRESS 1660 Lincoln St Suite 1800 Denver, CO 80246	COUNTY Barber
PHONE# (303) 861-4246 OPERATORS LICENS, NO5171	Date Well Completed 3-26-90
Character of Well <u>D&A</u>	Plugging Commenced 3-26-90
(Oil, Gas, D&A, SWD, Input, Water Supply Well)	Plugging Completed 3-26-90
The plugging proposal was approved on 3-21-90	(date)
by Dick Capp	(KCC District Agent's Name).
Is ACO-: filed? by operator If not, is well too attached?	yes
Producing Formation Depth to Top	BottomT.D. 5130

	and the m												
were us	ed, state									feet	to	feet eac	h set.
	Bottom P1	ug: @ 930	<u>)' w/40</u>	<u>sacks</u>	cement	thru	<u>drill</u>	<u>pipe</u>					
	Next Plug	<u> </u>	w/30	11		11	11	11	15	sacks	in R	at Hole	
	Top Plug:			11		11	11	11	10) sacks	in M	ouse Hole	
	(If ad	ditional d	lescripi	ion i	s neces	sary,	use B	A CK o	f this	form.)	ı	,	
Name of	Plugging	Contractor		Lob	o Drill:	ing Co	mpany	, 		icense	No	5864	
Address_	P.O. B	ox 877 G1	eat Ber	nd, KS	67530				 	,			
NAME OF	PARTY RES	PONSIBLE 1	OR PLUG	GING	FEES:	TXC	Prod	ductio	n Corp	oratio	<u>n</u>		
STATE OF	- Kansas			COUNT	Y OF	Bar	ton		· · · · · · · · · · · · · · · · · · ·	, s s . ·		i	

statements, and mattersymereting contained and the log of the above-described well the same are true and conject, so help me dod. (Signature) P.O. Box 877 (Address) DOROTHY MS HAS OR IBED AANDUS WORN TO before me this
NOTARY PUBLIC
STATE OF KANSAS
Wichita, Kansas

above-described well, being first duly sworn on oath, says: That I have knowledge of the facts,

My April Esp. SEC 90

My Commission Expires:

(Employee of Operator) or XXXXXXXXX of

as firted that

DRILLER'S WELL LOG

DATE COMMENCED: March 16, 1990 DATE COMPLETED: March 26, 1990 TXO Production Corporation DAVIS TRUST #1 C S/2 NE Sec. 11, T34S, R15W Barber County, Ks.

0 - 1425' Surface Soil, Shale

1425 - 3038' Lime & Shale 3038 - 3608' Shale & Lime 3608 - 4820' Lime & Shale 4820 - 4885' Chert & Lime 4885 - 5130' Lime 5130' RTD ELEVATION: 1620 K.B.

Surface Pipe: Set new 8-5/8", 24# pipe @903' w/250 sacks Lite 3% cc & 150 sacks Class A 2% gel 3% cc.

AFFIDAVIT

STATE OF KANSAS, COUNTY OF BARTON) ss

Ervin Neighbors of lawful age does swear and state that the facts and statements herein are true and correct to the best of his knowledge.

Subscribed and sworn to before me this 4 day of March 1990.

DOROTHY M. HAGUE
NOTARY PUBLIC
STATE OF KARSAS
My Appl Exp. 1-290

Loisehy M Hague

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

August 03, 2022

Michael Austin M & M Exploration, Inc. 4257 MAIN ST., #230 WESTMINSTER, CO 80031-5116

Re: Drilling Pit Application Davis Trust B 1 SE/4 Sec.11-34S-15W Barber County, Kansas

Dear Michael Austin:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

KEEP PITS away from draw/drainage. KEEP PITS on north, northeast or east side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.