KOLAR Document ID: 1650445

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Described	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if flauled offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY			
Confidentiality Requested			
Date:			
Confidential Release Date:			
Wireline Log Received Drill Stem Tests Received			
Geologist Report / Mud Logs Received			
UIC Distribution			
ALT I II Approved by: Date:			

KOLAR Document ID: 1650445

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	E	ast West	County:				
	flowing and shu	ut-in pressures, v	vhether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to 0	Geological Surv	/ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		B	CASING eport all strings set-c		New Used	ion, etc.		
Purpose of Strir		Hole illed	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	UEEZE RECORD			
Purpose:		epth T Bottom	ype of Cement	# Sacks Used		Type and F	Percent Additives	
Perforate Protect Casi Plug Back T								
Plug Off Zor								
Did you perform a Does the volume Was the hydraulic	of the total base f	fluid of the hydrauli		_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Product Injection:	tion/Injection or R	esumed Production	Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			DN INTERVAL: Bottom
	Sold Used	I on Lease	Open Hole			mmingled mit ACO-4)	Тор	BOROTT
,	,			B.11 B1				
Shots Per Foot	Perforation Top	Perforation Bottom					Record	
TUBING RECORD:	: Size:	Set	Δ+-	Packer At:				
TODING RECORD:	. 3126.	Set	n.	i donei Al.				

Form	ACO1 - Well Completion
Operator	Scout Energy Management LLC
Well Name	WAECHTER A1-5 ATU-141
Doc ID	1650445

All Electric Logs Run

Sonic	
Dual Induction	
Neutron Density	
Porosity	

Form	ACO1 - Well Completion	
Operator	Scout Energy Management LLC	
Well Name	WAECHTER A1-5 ATU-141	
Doc ID	1650445	

Perforations

Shots Per Foot	Perforation Top	Perforation Bottom	BridgePlugTyp e	BridgePlugSet At	Material Record
2	2370	2375			346bbls x frac, 41 bbls L frac, 24 bbls 15% hcl, 100834 #'s 16.30 sand, 285000 scf N2
2	2428	2435			
2	2441	2446			
2	2494	2497			363 bbls x frac, 41 bbls L frac, 24 bbls 15% hcl, 100,741 #'s 16/30 sand, 304,000 scf N2
2	2501	2506			
2	2512	2517			
2	2530	2534			
2	2552	2557			
2	2577	2583			

Form	ACO1 - Well Completion
Operator	Scout Energy Management LLC
Well Name	WAECHTER A1-5 ATU-141
Doc ID	1650445

Perforations

Shots Per Foot	Perforation Top	Perforation Bottom	BridgePlugTyp e	Material Record
2	2646	2652		223 bbls X frac, 21 bbls S Frac, 24 bbls 15% hcl, 50423 #'s 16/30 sand, 246,000 scf N2
2	2734	2740		

Form	ACO1 - Well Completion
Operator	Scout Energy Management LLC
Well Name	WAECHTER A1-5 ATU-141
Doc ID	1650445

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	24	717	Class A		2% CC, 2% SMS, 2% Gyp. 1/4# cellofla
Production	7.875	5.5	17	2851	Class C	185	50/50 POZ.3%C- 19
Production	7.875	5.5	17	2851	Class A		65/35/4 2# tac Blitz, .4%c17

Quasar Energy Services, Inc. 3288 FM 51 Gainesville, TX 76240

Invoice

Date	Invoice #
6/7/2022	146416

Bill To

Scout Energy Partners
13800 Monfort Road, Suite 100
Dallas Tx 75240

As of 09/22/2015 any invoice with a discount must be paid within 60 days of the invoice date. After 60 days the discount will be removed and the invoice will reflect the full price.

Well Waecher B1-5 ATU 141 Quantity Description Rate Amount Pickup Mileage 150 5.31 796.50 Equipment Mileage 150 8.30 1,245.00 Pump Charge 2,315.25 2,315.25 1 Plug Container 330.75 330.75 1 Guide Shoe-8 5/8 515.97 515.97 1 Texas Pattern Saw Tooth 2 343.98 687.96 Auto fill tube 2 105.84 211.68 Insert Float 396.90 793.80 Top rubber plug 1 91.88 91.88 Centralizers-8 5/8 3 92.61 277.83 Class A Cement 255 16.54 4,217.70 Calcium Chloride 750 1.46 1,095.00 Cello Flakes 94 2.65 249.10 Gypsum 750 1.00 750.00 Sodium Metasilicate 750 2.32 1,740.00 Subtotal 15,318.42 Discount -20% -20.00% -3,063.68 Total \$12,254.74 Payments/Credits \$0.00 **Balance Due** \$12,254.74

All accounts are past due net 30 days following the date of invoice. A finance charge of 1.5% per month or 18% annual percentage rate will be charged on all past due accounts.



QUASAR ENERGY SERVICES, INC.

3288 FM 51

Gainesville, Texas 76240

Office: 940-612-3336

Fax: 940-612-3336 | qesi@qeserve.com

FRACTURING

ACID

CEMENT

NITROGEN





QUASAR ENERGY SERVICES, INC.

3288 FM 51

Gainesville, Texas 76240 Office: 940-612-3336


Fax: 940-612-3336 | qesi@qeserve.com

Form 185-2J

5/28/22 CEMENTING JOB LOG

CEMENTING JOB LOG

Company:	SCOUT	-	Y PAR	TNER	S	,	Well Name:	WAECHER	B1-5 ATU 141	
	SURFAC						AFE#:	0		
						CASING	DATA			
Size:	e: 8 5/8 Grade: J55						Weight:		24	
Casing Depth	าร	Top:	41.	57	Bottom:	717				
Drill Pipe:		Size:	0		Weight:	0			TD /6\).	725
Tubing:		Size:	0	10	Weight:	725	Grade:	0	TD (ft):	725
Open Hole:		Size:	12 1		T.D. (ft): To:		Dacker	Depth(ft):	0	
Perforations		From	1 (11):	() 10.	CEMENT		Depth(it).	0 1	
Spacer Ty	vne:					CLIVILIVI	DAIA			
Amt.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Sks Y	ield			ft 3/sk			Density (PPG)	
LEAD:	(GYP.	2% SMS, 29		CELLFLAKE			
Amt.	105		-	,	2.92	ft ³ / _{sk}			Density (PPG)	11.4
TAIL:		31.5 1		S A	2% CC, 1/4		Œ		Excess	
Amt.	150	Sks Y			1.19	ft 3/sk			Density (PPG)	15.6
WATER:	150	0.00 1				124			1 7 7	
Lead:		gals	/sk:	1	8 Tail:		gals/sk:	5.2	Total (bbls):	
Pump Trucks	Used:	J -,					110 - DF	207		
Bulk Equipm							229 66	-	,	
Disp. Fluid Ty	Disp. Fluid Type: FRESH WATER			ER	Amt. (Bbls.)		42.9			8.33
Mud Type:								Weight (PPG):		
COMPANY	REPRES	ENTAT	IVE:				CE	MENTER:	KIRBY HARPER	
TIME	Γ	PRI	FSSLIR	FS PS	1	FLUID PU	MPED DATA	IPED DATA		
AM/PM	PRESSURES P Casing Tubing					RATE	REMARKS			
0900								ON LOCA	TION SPOT AND RIG	G UP
1232								CASING ON BOTTOM BREAK CIRC		
1247	2000							PRESSURE TEST		
1250	200					55	5	START MIXING 105 SK LEAD @ 11.4 F		
1304	200					32	5	START MIXING 150 SK TAIL @ 15.6 PPG		
1312							-	1	WN DROP TOP PLU	
1314	150					0	5	START DISPLACING WITH FRESH		H WAIEK
1328	250					33	2	SLOW RA		
1329 1330	300-1000			43		43			SE PRESSURE FLOAT HELD	
1330	1000-0							MELLASE	THEODORE TEOMET	
						40		CIRCULAT	TE CEMENT TO THE P	IT
								1		
	-								4	
	-				-					
	1				1	CEMENTI	NG JOB LOG - Pa	ge: 1		



Quasar Energy Services, Inc. 3288 FM 51 Gainesville, TX 76240

Invoice

Date	Invoice #			
6/7/2022	146422			

Bill To

Scout Energy Partners 13800 Monfort Road, Suite 100 Dallas Tx 75240 As of 09/22/2015 any invoice with a discount must be paid within 60 days of the invoice date. After 60 days the discount will be removed and the invoice will reflect the full price.

Well

Waechter B1-5 ATU 141

Description	Quantity	Rate	Amount
Pickup Mileage Equipment Mileage Pump Charge Class A-Lite Cement Class C-Lite Cement Plug Container Auto fill tube Latch down plug & baffle Centralizers-5 1/2 C-17 C-19 Defoamer Tactical Blitz Salt Subtotal Discount -20%	75 150 1 165 185 1 1 1 1 1 58 47 4 330 600	5.31 8.30 2,315.25 16.54 19.85 330.75 396.90 420.00 66.15 11.76 12.89 46.31 2.51 0.50	398.25 1,245.00 2,315.25 2,729.10 3,672.25 330.75 396.90 420.00 661.50 682.08 605.83 185.24 828.30 300.00 14,770.45 -2,954.09
		Total Payments/Credit	\$11,816.36 ts \$0.00
		Balance Due	\$11,816.36

All accounts are past due net 30 days following the date of invoice. A finance charge of 1.5% per month or 18% annual percentage rate will be charged on all past due accounts.



QUASAR ENERGY SERVICES, INC.

3288 FM 51

Gainesville, Texas 76240 Office: 940-612-3336

Fax: 940-612-3336 | gesi@geserve.com





CEMENTING JOB LOG

QUASAR ENERGY SERVICES, INC.

3288 FM 51

Gainesville, Texas 76240 Office: 940-612-3336

Fax: 940-612-3336 | qesi@qeserve.com

Form 185-2J

5/31/22 CEMENTING JOB LOG

Well Name: WAECHTER B1-5 ATU 141 Company: **SCOUT ENERGY PARTNERS** Type Job: LONG STRING AFE #: **CASING DATA** 5 1/2 Grade: Weight: 17 Size: **Casing Depths** 0 Bottom: 2851 Top: Drill Pipe: Size: 0 Weight: 0 Tubing: Size: 0 Weight: 0 Grade: 0 TD (ft): 2858 Size: 77/8 T.D. (ft): 2858 Open Hole: Packer Depth(ft): Perforations From (ft): To: **CEMENT DATA** Spacer Type: $ft^3/_{sk}$ Density (PPG) Sks Yield Amt. CLASS C 50/50 POZ .3%C-19 Excess LEAD: 185 Sks Yield 3.19 ft 3/sk Density (PPG) 10.78 Amt. CLASS A 65/35/4 2#TACTICAL BLITZ, .4%C17, 5%SALT TAIL: Excess ft 3/sk Density (PPG) 13.43 Amt. 165 Sks Yield 1.63 WATER: Lead: 120.6 gals/sk: 88 Tail: 8.3 gals/sk: 32.6 Total (bbls): 20 210-DP11 Pump Trucks Used: Bulk Equipment: 229 660-23 Disp. Fluid Type: FRESH 65.3 Weight (PPG): 8.3 Amt. (Bbls.) Weight (PPG): Mud Type: **COMPANY REPRESENTATIVE: OMAR CEMENTER:** Chad Hinz PRESSURES PSI FLUID PUMPED DATA TIME REMARKS AM/PM **ANNULUS** TOTAL **RATE** Casing Tubing ON LOC, SAFTEY MTG, R.U. 0200 **TEST LINES** 0658 3000 210 START LEAD 0642 6 0702 210 105 6 START TAIL SHUT DOWN, DROP PLUG, WASHUP 48 0718 START DISPLACEMENT 0725 170 6 0735 470 55 2 SLOW RATE 0740 600-1400 65 PLUG DOWN 0742 RELEASE PSI, FLOAT HELD JOB COMPLETE THANK YOU FOR YOUR BUSINESS!!!

