WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	·II:	
Address		Depth of completed well:ft.				Source					
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	ı.	Directio from we	n 11.	
at owner's			Static	water level	in well:	ft.	Source	l÷	110111 we	11;	
at owners address			m	measured below land surface				on:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	a of contami	ination	
	CONSTRUCTION			measured above land surface			No potential source of contamination within 100 feet.				
	Borehole interval: Borehole diameter:		on	on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.		pumping gpm			KDHE / EPA Project Code:				
If casing height is less than 12 in.			Pump	Pump installed? Yes No			Site Name:				
has a variance been approved?* Yes No			T17 .	11 11	. 10				orm Complet		
*variance not required for monitoring or environmental remediation wells					ected? Yes N				No Perm		
Casing type:	lation wens		Date	disinfected ((mm/dd/yy):		I				
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FRO	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								numouset t-	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
					ness name of						
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,					
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2	WWC5.2				
Contractor	Woofter Pump & \	ell, Inc. #881				
From	То	LithologicLog				
0	25	Brown sandy silt, fine, well				
25	35	Light brown and tan lean sandy clay, fine, well				
35	45	Brown lean sandy clay fine, well				
45	55	Tan sandy clay, lean, fine, well, caliche				
55	65	Light brown lean clay				
65	70	Tan sandy clay, coarse poor				
70	85	Tan sandy clay, coarse, poor, caliche				
85	95	Brown coarse sand, poor, caliche				
95	105	Tan sandy clay, lean, fine, poor, caliche				
105	125	Tan sandy clay, coarse, poor, caliche				
125	132	Tan sandy clay, lean, fine, poor, caliche				
132	140	Brown coarse sand, poor				
140	160	Brown coarse sand, poor				
160	165	Brown sand, fine, poor				
165	169	Brown sand, coarse, poor				

