## **WATER WELL RECORD** (WWC-5)

VATER WELL RI	ECORD (WW	C-5)			KOLAR D	OC ID	WELL ID	
OCATION OF WATER W	ELL			O	riginal Recor	d Correction	Change in We	ell Us
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4 1/4	1,
Datum	Elevation		County	-		***		
ATER WELL OWNER		WE	LL WATER USE			NEAREST SOURCE OF P	OTENTIAL CONTAMI	NATIO
Jame						Source:		
Business			MPLETION			Distance	Direction	
rusiness						from well:	_ from well:	
Address				ed well:	ft.	Source		
			1	water encountered:		description:		
Well location			) ft.; ( ) ft.; (			Source:		
, car io canon						Distance from well:	_ from well:	
at owner's		St	Static water level in well: ft.			Source		
address			measured belo on (mm/dd/y	ow land surface		description:		
ONSTRUCTION				ve land surface		No potential source	of contamination	
Borehole interval:	Borehole diamet	er:	on (mm/dd/yy):			within 100 feet.		
fromto ft.		n. Es	stimated yield:	gpm		PERMIT & ID NUMBERS	(AS REQUIRED)	
fromto ft.				ft. after	hours	DWR Application No.:		
Casing height above land			_			KDHE / EPA Project C	ode:	
If casing height is less			ump installed?	Yes No		Site Name:		
has a variance been approved?* Yes No						KDHE UIC Class V Form Completed: Yes		
*variance not require			Water well disinfected? Yes No			County Permit: Yes No Permit ID:		
or environmental rer	nediation wells	D	Date disinfected (mm/dd/yy):			Lease Name & Well #:		
Casing type: Blank casing interval:	ft to	-   A	quifer, if known	:		# of boreholes:	# of dewatering wells	s:
Blank casing diameter:			HOLOGIC LOG					
Casing joints:			ROM TO	LITHOLOGY INT	FRVALS			
Weight:								
Wall thickness or gau								
Blank casing interval:	·	t.						
Blank casing diameter:								
Casing joints:		_						
Weight:	lbs/ft.							
Wall thickness or gau	ge no.:							
Grout interval: ft	to ft							
Grout material:								
Grout interval: ft								
Grout material:		СО	MMENTS					
Screen / perforation mater	rial:							
creen / perforation open	ings:	co	NTRACTOR'S	OR LANDOWNERS C	ERTIFICATION			
Screen / perforation interv	vals:	Т	his water well	was constructed	reconstru	cted pursuant to t	the stated water we	11
Fromft. to	ft.		ontractor's lice	ense and was compl	eted on	I certify tha	t this record is true	e to
Slot size un	it			-		vell record was complet		
From ft. to	ft.		•			,r		
Slot size un	it	1 1				under the aut		
Gravel pack intervals:							_	
Gravel pack not used:		_ in     -				d and certified by the el	ectionic signature	oi tu
From ft. to				on at its submittal:				
Gravel pack not used:	Gravel size	_in Sen	nd one copy to V			for your records. Fee of \$5		ted w
From ft. to	ft.		Bureau			EALTH AND ENVIRONM ackson St., Suite 420, Tope		

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2	WWC5.2					
Contractor	Woofter Pump & '	Woofter Pump & Well, Inc. #881					
From	То	LithologicLog					
0	1.0	Gravel					
1.0	25	Brown sandy silt, fine, well, lean, clay lenses					
25	35	Tan silty clay, lean, caliche, Dark grey clay lenses					
35	65	Tan sandy clay, lean, fine, well, caliche					
65	70	Light brown lean sandy clay fine, well, caliche					
70	85	Light brown lean sandy clay fine, well, caliche					
85	100	Light brown sand, coarse, poor, caliche					
100	105	Brown sand, coarse, poor, some gravel, caliche					
105	110	Tan sandy clay, coarse, poor, some gravel caliche					
110	125	Brown sandy clay, coarse, poor, caliche					
125	140	Tan lean clay, caliche, trace sands					
140	170	Brown sand, coarse, poor, some gravel, caliche					
170	175	Brown sand, fine, well					
175	180	Brown sand, fine, well					
180	185	Light brown sandy clay, fine, well					
185	200	Brown sand, coarse poor					

