WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	·II:	
Address		Depth of completed well:ft.				Source					
			]   -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; (	(4) dry well		Distance	ı.	Directio from we	n 11.	
at owner's			Static	Static water level in well: ft.				l÷	110111 we	11;	
at owner's address			m	measured below land surface				on:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	a of contami	ination	
CONSTRUCTION				measured above land surface on (mm/dd/yy):			No potential source of contamination within 100 feet.				
	Borehole dia	meter:	on	(IIIII/aa/y	y):		PERMIT &	ID NUMBER	RS (AS REQU	IRED)	
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.		pumpinggpm			KDHE / EPA Project Code:				
If casing height is less than 12 in.			Pump	Pump installed? Yes No			Site Name:				
has a variance been approved?* Yes No			T17 .	11 11	. 10				orm Complet		
*variance not required for monitoring or environmental remediation wells					ected? Yes N				No Perm		
Casing type:	lation wens		Date	disinfected (	(mm/dd/yy):		I				
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								numouset t-	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
					ness name of						
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,					
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

DOC ID	1659953	1659953					
Form	WWC5.2	WWC5.2					
Contractor	Woofter Pump & V	Woofter Pump & Well, Inc. #881					
From	То	LithologicLog					
0	2	Surface Top soil Native soil					
2	10	Loess					
10	33	Clay					
33	56	Clay and caliche with traces of sand					
56	65	Fine to some medium sand with clay and calcihe lenses					
65	117	Caliche and clay with sand lenses					
117	133	Fine sand with caliche and clay lenses					
133	142	Caliche with sand lenses					
142	167	Fine to some medium sand with clay and caliche lenses					
167	195	Caliche and clay with sand lenses					
195	205	Fine and medium sand					
205	211	Caliche					
211	219	Medium sand and gravel					
219	230	Yellow Ochre/ Black Shale					