WATER WELL RECORD (WWC-5)

VATER WELL RE	ECORD (W	WC-5)			KOLAR D	OC ID	WELL ID	
OCATION OF WATER W	ELL			Ori	ginal Recor	d Correction	Change in We	II Us؛
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4 1/4	1,
Datum	Elevation		County	-		***		
ATER WELL OWNER			WELL WATER USE			NEAREST SOURCE OF PO	OTENTIAL CONTAMI	NATIC
Jame						Source:		
Business			COMPLETION			Distance	Direction	
743111033						from well:	from well:	
Address			Depth of completed Depth(s) groundwa	d well:	ft.	Source description:		
			(1) ft.; (2					
Well location			(3) ft.; (4)			Source:		
						Distance from well:	from well:	
at owner's address			Static water level in measured below			Source		
address			on (mm/dd/yy)			description:		
ONSTRUCTION			measured above			No potential source within 100 feet.	of contamination	
Borehole interval:	Borehole dia	neter:	on (mm/dd/yy)):				
romto ft.		in.	Estimated yield:	gpm		PERMIT & ID NUMBERS	(AS REQUIRED)	
fromto ft.		in.	Water level was:	ft. after	hours	DWR Application No.:		
Casing height above land	surface:	in.		pumping	gpm	KDHE / EPA Project Code:		
If casing height is less			Pump installed? Yes No			Site Name:		
has a variance been approved?* Yes No			747 . II 1: C	. 10		KDHE UIC Class V For	•	
*variance not required or environmental ren			Water well disinfec			County Permit: Yes No Permit ID:		
Casing type:	nediation wens		Date disinfected (n	nm/dd/yy):		Lease Name & Well #: _		
Blank casing interval:	ft. to	ft.	Aquifer, if known:			# of boreholes:	# of dewatering wells	::
Blank casing diameter:			LITHOLOGIC LOG					
Casing joints:			FROM TO	LITHOLOGY INTE	RVALS			
Weight:	lbs/ft.							
Wall thickness or gau	ge no.:	_						
Blank casing interval:	ft. to	ft.						
Blank casing diameter: _	in.							
Casing joints:								
0	lbs/ft.							
Wall thickness or gau	ge no.:							
Grout interval: ft	t. toft.							
Grout material:								
Grout interval: ft	t. toft.		COMMENTS					
Grout material:			COMMENTS					
Screen / perforation mater								
creen / perforation open				R LANDOWNERS CE		. 1	1	11
Screen / perforation interv				vas constructed	reconstru	•	he stated water wel	
Fromft. to				•		I certify that		
Slot size un From ft. to			•			vell record was complet		
Slot size un								
Gravel pack intervals:			Kansas Water We	ell Contractor's Lic	ense No	under the autl	nority of the design	ıatec
Gravel pack not used:	Gravel size	in	person as defined	d in K.A.R. 28-30-2	(j) and signed	d and certified by the el	ectronic signature	of th
From ft. to		III	designated perso	on at its submittal:_		·		
			-					
Gravel pack not used:	Gravel size	in	Send one copy to WA	ATER WELL OWNER	and retain one	for your records. Fee of \$5	5.00 for each construct	tea w

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

DOC ID	1658285	1658285				
Form	WWC5.2	WWC5.2				
Contractor	Woofter Pump & \	Woofter Pump & Well, Inc. #881				
From	То	LithologicLog				
0	2	Surface Top soil Native soil				
2	12	Loess				
12	41	Caliche and clay with traces of sand				
41	97	Caliche and sandstone with clay lenses				
97	117	Fine sand with clay and caliche streaks				
117	133	Caliche and clay with sand lenses				
133	142	Fine sand with clay and caliche streaks				
142	183	Fine to some medium sand with clay and caliche lenses				
183	198	Clay with fine sand lenses				
198	220	Clay and caliche with traces of sand				
220	225	Yellow Ochre/Black shale				