

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

TEMPORARY ABANDONMENT WELL APPLICATION

OPERATOR: License# _____
Name: _____
Address 1: _____
Address 2: _____
City: _____ State: _____ Zip: _____ + _____
Contact Person: _____
Phone:(_____) _____
Contact Person Email: _____
Field Contact Person: _____
Field Contact Person Phone: (_____) _____

API No. 15- _____
Spot Description: _____
- - - - - Sec. _____ Twp. _____ S. R. _____ E W
_____ feet from N / S Line of Section
_____ feet from E / W Line of Section
GPS Location: Lat: _____, Long: _____
Datum: NAD27 NAD83 WGS84
County: _____ Elevation: _____ GL KB
Lease Name: _____ Well #: _____
Well Type: (check one) Oil Gas OG WSW Other: _____
 SWD Permit #: _____ ENHR Permit #: _____
 Gas Storage Permit #: _____
Spud Date: _____ Date Shut-In: _____

Table with 7 columns: Conductor, Surface, Production, Intermediate, Liner, Tubing. Rows include Size, Setting Depth, Amount of Cement, Top of Cement, Bottom of Cement.

Casing Fluid Level from Surface: _____ How Determined? _____ Date: _____
Casing Squeeze(s): _____ to _____ w / _____ sacks of cement, _____ to _____ w / _____ sacks of cement. Date: _____
Do you have a valid Oil & Gas Lease? Yes No
Depth and Type: Junk in Hole at _____ (depth) Tools in Hole at _____ (depth) Casing Leaks: Yes No Depth of casing leak(s): _____
Type Completion: ALT. I ALT. II Depth of: DV Tool: _____ w / _____ sacks of cement Port Collar: _____ w / _____ sack of cement
Packer Type: _____ Size: _____ Inch Set at: _____ Feet
Total Depth: _____ Plug Back Depth: _____ Plug Back Method: _____

Geological Date:

Table with 4 columns: Formation Name, Formation Top, Formation Base, Completion Information. Rows 1 and 2.

UNDER PENALTY OF PERJURY I HEREBY ATTEST THAT THE INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE

Submitted Electronically

Do NOT Write in This Space - KCC USE ONLY
Date Tested: _____ Results: _____ Date Plugged: _____ Date Repaired: _____ Date Put Back in Service: _____
Review Completed by: _____ Comments: _____
TA Approved: Yes Denied Date: _____

Mail to the Appropriate KCC Conservation Office:


Table with 3 columns: District Office, Address, Phone. Rows for District Office #1, #2, #3, #4.

8-17-2022

UIC

ECHOMETER COMPANY PHONE-940-767-4334

ECHOMETER COMPANY PHONE-940-767-4334



Bear Pt

Tensen 3100'

0

20

30

40

50

60

70

80

90

100

A 6.5 1.0 3
 A 6.5 1.1 4
 A 6.5 1.2 5
 A 6.5 1.3 6
 A 6.5 1.4 7
 A 6.5 1.5 8
 A 6.5 1.6 9
 A 6.5 1.7 10
 A 6.5 1.8 11
 A 6.5 1.9 12
 A 6.5 2.0 13
 A 6.5 2.1 14
 A 6.5 2.2 15
 A 6.5 2.3 16
 A 6.5 2.4 17
 A 6.5 2.5 18
 A 6.5 2.6 19
 A 6.5 2.7 20
 A 6.5 2.8 21
 A 6.5 2.9 22
 A 6.5 3.0 23
 A 6.5 3.1 24
 A 6.5 3.2 25
 A 6.5 3.3 26
 A 6.5 3.4 27
 A 6.5 3.5 28
 A 6.5 3.6 29
 A 6.5 3.7 30
 A 6.5 3.8 31
 A 6.5 3.9 32
 A 6.5 4.0 33
 A 6.5 4.1 34
 A 6.5 4.2 35
 A 6.5 4.3 36
 A 6.5 4.4 37
 A 6.5 4.5 38
 A 6.5 4.6 39
 A 6.5 4.7 40
 A 6.5 4.8 41
 A 6.5 4.9 42
 A 6.5 5.0 43
 A 6.5 5.1 44
 A 6.5 5.2 45
 A 6.5 5.3 46
 A 6.5 5.4 47
 A 6.5 5.5 48
 A 6.5 5.6 49
 A 6.5 5.7 50
 A 6.5 5.8 51
 A 6.5 5.9 52
 A 6.5 6.0 53
 A 6.5 6.1 54
 A 6.5 6.2 55
 A 6.5 6.3 56
 A 6.5 6.4 57
 A 6.5 6.5 58
 A 6.5 6.6 59
 A 6.5 6.7 60
 A 6.5 6.8 61
 A 6.5 6.9 62
 A 6.5 7.0 63
 A 6.5 7.1 64
 A 6.5 7.2 65
 A 6.5 7.3 66
 A 6.5 7.4 67
 A 6.5 7.5 68
 A 6.5 7.6 69
 A 6.5 7.7 70
 A 6.5 7.8 71
 A 6.5 7.9 72
 A 6.5 8.0 73
 A 6.5 8.1 74
 A 6.5 8.2 75
 A 6.5 8.3 76
 A 6.5 8.4 77
 A 6.5 8.5 78
 A 6.5 8.6 79
 A 6.5 8.7 80
 A 6.5 8.8 81
 A 6.5 8.9 82
 A 6.5 9.0 83
 A 6.5 9.1 84
 A 6.5 9.2 85
 A 6.5 9.3 86
 A 6.5 9.4 87
 A 6.5 9.5 88
 A 6.5 9.6 89
 A 6.5 9.7 90
 A 6.5 9.8 91
 A 6.5 9.9 92
 A 6.5 10.0 93
 A 6.5 10.1 94
 A 6.5 10.2 95
 A 6.5 10.3 96
 A 6.5 10.4 97
 A 6.5 10.5 98
 A 6.5 10.6 99
 A 6.5 10.7 100
 A 6.5 10.8 101
 A 6.5 10.9 102
 A 6.5 11.0 103
 A 6.5 11.1 104
 A 6.5 11.2 105
 A 6.5 11.3 106
 A 6.5 11.4 107
 A 6.5 11.5 108
 A 6.5 11.6 109
 A 6.5 11.7 110
 A 6.5 11.8 111
 A 6.5 11.9 112
 A 6.5 12.0 113
 A 6.5 12.1 114
 A 6.5 12.2 115
 A 6.5 12.3 116
 A 6.5 12.4 117
 A 6.5 12.5 118
 A 6.5 12.6 119
 A 6.5 12.7 120
 A 6.5 12.8 121
 A 6.5 12.9 122
 A 6.5 13.0 123
 A 6.5 13.1 124
 A 6.5 13.2 125
 A 6.5 13.3 126
 A 6.5 13.4 127
 A 6.5 13.5 128
 A 6.5 13.6 129
 A 6.5 13.7 130
 A 6.5 13.8 131
 A 6.5 13.9 132
 A 6.5 14.0 133
 A 6.5 14.1 134
 A 6.5 14.2 135
 A 6.5 14.3 136
 A 6.5 14.4 137
 A 6.5 14.5 138
 A 6.5 14.6 139
 A 6.5 14.7 140
 A 6.5 14.8 141
 A 6.5 14.9 142
 A 6.5 15.0 143
 A 6.5 15.1 144
 A 6.5 15.2 145
 A 6.5 15.3 146
 A 6.5 15.4 147
 A 6.5 15.5 148
 A 6.5 15.6 149
 A 6.5 15.7 150
 A 6.5 15.8 151
 A 6.5 15.9 152
 A 6.5 16.0 153
 A 6.5 16.1 154
 A 6.5 16.2 155
 A 6.5 16.3 156
 A 6.5 16.4 157
 A 6.5 16.5 158
 A 6.5 16.6 159
 A 6.5 16.7 160
 A 6.5 16.8 161
 A 6.5 16.9 162
 A 6.5 17.0 163
 A 6.5 17.1 164
 A 6.5 17.2 165
 A 6.5 17.3 166
 A 6.5 17.4 167
 A 6.5 17.5 168
 A 6.5 17.6 169
 A 6.5 17.7 170
 A 6.5 17.8 171
 A 6.5 17.9 172
 A 6.5 18.0 173
 A 6.5 18.1 174
 A 6.5 18.2 175
 A 6.5 18.3 176
 A 6.5 18.4 177
 A 6.5 18.5 178
 A 6.5 18.6 179
 A 6.5 18.7 180
 A 6.5 18.8 181
 A 6.5 18.9 182
 A 6.5 19.0 183
 A 6.5 19.1 184
 A 6.5 19.2 185
 A 6.5 19.3 186
 A 6.5 19.4 187
 A 6.5 19.5 188
 A 6.5 19.6 189
 A 6.5 19.7 190
 A 6.5 19.8 191
 A 6.5 19.9 192
 A 6.5 20.0 193
 A 6.5 20.1 194
 A 6.5 20.2 195
 A 6.5 20.3 196
 A 6.5 20.4 197
 A 6.5 20.5 198
 A 6.5 20.6 199
 A 6.5 20.7 200
 A 6.5 20.8 201
 A 6.5 20.9 202
 A 6.5 21.0 203
 A 6.5 21.1 204
 A 6.5 21.2 205
 A 6.5 21.3 206
 A 6.5 21.4 207
 A 6.5 21.5 208
 A 6.5 21.6 209
 A 6.5 21.7 210
 A 6.5 21.8 211
 A 6.5 21.9 212
 A 6.5 22.0 213
 A 6.5 22.1 214
 A 6.5 22.2 215
 A 6.5 22.3 216
 A 6.5 22.4 217
 A 6.5 22.5 218
 A 6.5 22.6 219
 A 6.5 22.7 220
 A 6.5 22.8 221
 A 6.5 22.9 222
 A 6.5 23.0 223
 A 6.5 23.1 224
 A 6.5 23.2 225
 A 6.5 23.3 226
 A 6.5 23.4 227
 A 6.5 23.5 228
 A 6.5 23.6 229
 A 6.5 23.7 230
 A 6.5 23.8 231
 A 6.5 23.9 232
 A 6.5 24.0 233
 A 6.5 24.1 234
 A 6.5 24.2 235
 A 6.5 24.3 236
 A 6.5 24.4 237
 A 6.5 24.5 238
 A 6.5 24.6 239
 A 6.5 24.7 240
 A 6.5 24.8 241
 A 6.5 24.9 242
 A 6.5 25.0 243
 A 6.5 25.1 244
 A 6.5 25.2 245
 A 6.5 25.3 246
 A 6.5 25.4 247
 A 6.5 25.5 248
 A 6.5 25.6 249
 A 6.5 25.7 250
 A 6.5 25.8 251
 A 6.5 25.9 252
 A 6.5 26.0 253
 A 6.5 26.1 254
 A 6.5 26.2 255
 A 6.5 26.3 256
 A 6.5 26.4 257
 A 6.5 26.5 258
 A 6.5 26.6 259
 A 6.5 26.7 260
 A 6.5 26.8 261
 A 6.5 26.9 262
 A 6.5 27.0 263
 A 6.5 27.1 264
 A 6.5 27.2 265
 A 6.5 27.3 266
 A 6.5 27.4 267
 A 6.5 27.5 268
 A 6.5 27.6 269
 A 6.5 27.7 270
 A 6.5 27.8 271
 A 6.5 27.9 272
 A 6.5 28.0 273
 A 6.5 28.1 274
 A 6.5 28.2 275
 A 6.5 28.3 276
 A 6.5 28.4 277
 A 6.5 28.5 278
 A 6.5 28.6 279
 A 6.5 28.7 280
 A 6.5 28.8 281
 A 6.5 28.9 282
 A 6.5 29.0 283
 A 6.5 29.1 284
 A 6.5 29.2 285
 A 6.5 29.3 286
 A 6.5 29.4 287
 A 6.5 29.5 288
 A 6.5 29.6 289
 A 6.5 29.7 290
 A 6.5 29.8 291
 A 6.5 29.9 292
 A 6.5 30.0 293
 A 6.5 30.1 294
 A 6.5 30.2 295
 A 6.5 30.3 296
 A 6.5 30.4 297
 A 6.5 30.5 298
 A 6.5 30.6 299
 A 6.5 30.7 300
 A 6.5 30.8 301
 A 6.5 30.9 302
 A 6.5 31.0 303
 A 6.5 31.1 304
 A 6.5 31.2 305
 A 6.5 31.3 306
 A 6.5 31.4 307
 A 6.5 31.5 308
 A 6.5 31.6 309
 A 6.5 31.7 310
 A 6.5 31.8 311
 A 6.5 31.9 312
 A 6.5 32.0 313
 A 6.5 32.1 314
 A 6.5 32.2 315
 A 6.5 32.3 316
 A 6.5 32.4 317
 A 6.5 32.5 318
 A 6.5 32.6 319
 A 6.5 32.7 320
 A 6.5 32.8 321
 A 6.5 32.9 322
 A 6.5 33.0 323
 A 6.5 33.1 324
 A 6.5 33.2 325
 A 6.5 33.3 326
 A 6.5 33.4 327
 A 6.5 33.5 328
 A 6.5 33.6 329
 A 6.5 33.7 330
 A 6.5 33.8 331
 A 6.5 33.9 332
 A 6.5 34.0 333
 A 6.5 34.1 334
 A 6.5 34.2 335
 A 6.5 34.3 336
 A 6.5 34.4 337
 A 6.5 34.5 338
 A 6.5 34.6 339
 A 6.5 34.7 340
 A 6.5 34.8 341
 A 6.5 34.9 342
 A 6.5 35.0 343
 A 6.5 35.1 344
 A 6.5 35.2 345
 A 6.5 35.3 346
 A 6.5 35.4 347
 A 6.5 35.5 348
 A 6.5 35.6 349
 A 6.5 35.7 350
 A 6.5 35.8 351
 A 6.5 35.9 352
 A 6.5 36.0 353
 A 6.5 36.1 354
 A 6.5 36.2 355
 A 6.5 36.3 356
 A 6.5 36.4 357
 A 6.5 36.5 358
 A 6.5 36.6 359
 A 6.5 36.7 360
 A 6.5 36.8 361
 A 6.5 36.9 362
 A 6.5 37.0 363
 A 6.5 37.1 364
 A 6.5 37.2 365
 A 6.5 37.3 366
 A 6.5 37.4 367
 A 6.5 37.5 368
 A 6.5 37.6 369
 A 6.5 37.7 370
 A 6.5 37.8 371
 A 6.5 37.9 372
 A 6.5 38.0 373
 A 6.5 38.1 374
 A 6.5 38.2 375
 A 6.5 38.3 376
 A 6.5 38.4 377
 A 6.5 38.5 378
 A 6.5 38.6 379
 A 6.5 38.7 380
 A 6.5 38.8 381
 A 6.5 38.9 382
 A 6.5 39.0 383
 A 6.5 39.1 384
 A 6.5 39.2 385
 A 6.5 39.3 386
 A 6.5 39.4 387
 A 6.5 39.5 388
 A 6.5 39.6 389
 A 6.5 39.7 390
 A 6.5 39.8 391
 A 6.5 39.9 392
 A 6.5 40.0 393
 A 6.5 40.1 394
 A 6.5 40.2 395
 A 6.5 40.3 396
 A 6.5 40.4 397
 A 6.5 40.5 398
 A 6.5 40.6 399
 A 6.5 40.7 400
 A 6.5 40.8 401
 A 6.5 40.9 402
 A 6.5 41.0 403
 A 6.5 41.1 404
 A 6.5 41.2 405
 A 6.5 41.3 406
 A 6.5 41.4 407
 A 6.5 41.5 408
 A 6.5 41.6 409
 A 6.5 41.7 410
 A 6.5 41.8 411
 A 6.5 41.9 412
 A 6.5 42.0 413
 A 6.5 42.1 414
 A 6.5 42.2 415
 A 6.5 42.3 416
 A 6.5 42.4 417
 A 6.5 42.5 418
 A 6.5 42.6 419
 A 6.5 42.7 420
 A 6.5 42.8 421
 A 6.5 42.9 422
 A 6.5 43.0 423
 A 6.5 43.1 424
 A 6.5 43.2 425
 A 6.5 43.3 426
 A 6.5 43.4 427
 A 6.5 43.5 428
 A 6.5 43.6 429
 A 6.5 43.7 430
 A 6.5 43.8 431
 A 6.5 43.9 432
 A 6.5 44.0 433
 A 6.5 44.1 434
 A 6.5 44.2 435
 A 6.5 44.3 436
 A 6.5 44.4 437
 A 6.5 44.5 438
 A 6.5 44.6 439
 A 6.5 44.7 440
 A 6.5 44.8 441
 A 6.5 44.9 442
 A 6.5 45.0 443
 A 6.5 45.1 444
 A 6.5 45.2 445
 A 6.5 45.3 446
 A 6.5 45.4 447
 A 6.5 45.5 448
 A 6.5 45.6 449
 A 6.5 45.7 450
 A 6.5 45.8 451
 A 6.5 45.9 452
 A 6.5 46.0 453
 A 6.5 46.1 454
 A 6.5 46.2 455
 A 6.5 46.3 456
 A 6.5 46.4 457
 A 6.5 46.5 458
 A 6.5 46.6 459
 A 6.5 46.7 460
 A 6.5 46.8 461
 A 6.5 46.9 462
 A 6.5 47.0 463
 A 6.5 47.1 464
 A 6.5 47.2 465
 A 6.5 47.3 466
 A 6.5 47.4 467
 A 6.5 47.5 468
 A 6.5 47.6 469
 A 6.5 47.7 470
 A 6.5 47.8 471
 A 6.5 47.9 472
 A 6.5 48.0 473
 A 6.5 48.1 474
 A 6.5 48.2 475
 A 6.5 48.3 476
 A 6.5 48.4 477
 A 6.5 48.5 478
 A 6.5 48.6 479
 A 6.5 48.7 480
 A 6.5 48.8 481
 A 6.5 48.9 482
 A 6.5 49.0 483
 A 6.5 49.1 484
 A 6.5 49.2 485
 A 6.5 49.3 486
 A 6.5 49.4 487
 A 6.5 49.5 488
 A 6.5 49.6 489
 A 6.5 49.7 490
 A 6.5 49.8 491
 A 6.5 49.9 492
 A 6.5 50.0 493
 A 6.5 50.1 494
 A 6.5 50.2 495
 A 6.5 50.3 496
 A 6.5 50.4 497
 A 6.5 50.5 498
 A 6.5 50.6 499
 A 6.5 50.7 500
 A 6.5 50.8 501
 A 6.5 50.9 502
 A 6.5 51.0 503
 A 6.5 51.1 504
 A 6.5 51.2 505
 A 6.5 51.3 506
 A 6.5 51.4 507
 A 6.5 51.5 508
 A 6.5 51.6 509
 A 6.5 51.7 510
 A 6.5 51.8 511
 A 6.5 51.9 512
 A 6.5 52.0 513
 A 6.5 52.1 514
 A 6.5 52.2 515
 A 6.5 52.3 516
 A 6.5 52.4 517
 A 6.5 52.5 518
 A 6.5 52.6 519
 A 6.5 52.7 520
 A 6.5 52.8 521
 A 6.5 52.9 522
 A 6.5 53.0 523
 A 6.5 53.1 524
 A 6.5 53.2 525
 A 6.5 53.3 526
 A 6.5 53.4 527
 A 6.5 53.5 528
 A 6.5 53.6 529
 A 6.5 53.7 530
 A 6.5 53.8 531
 A 6.5 53.9 532
 A 6.5 54.0 533
 A 6.5 54.1 534
 A 6.5 54.2 535
 A 6.5 54.3 536
 A 6.5 54.4 537
 A 6.5 54.5 538
 A 6.5 54.6 539
 A 6.5 54.7 540
 A 6.5 54.8 541
 A 6.5 54.9 542
 A 6.5 55.0 543
 A 6.5 55.1 544
 A 6.5 55.2 545
 A 6.5 55.3 546
 A 6.5 55.4 547
 A 6.5 55.5 548
 A 6.5 55.6 549
 A 6.5 55.7 550
 A 6.5 55.8 551
 A 6.5 55.9 552
 A 6.5 56.0 553
 A 6.5 56.1 554
 A 6.5 56.2 555
 A 6.5 56.3 556
 A 6.5 56.4 557
 A 6.5 56.5 558
 A 6.5 56.6 559
 A 6.5 56.7 560
 A 6.5 56.8 561
 A 6.5 56.9 562
 A 6.5 57.0 563
 A 6.5 57.1 564
 A 6.5 57.2 565
 A 6.5 57.3 566
 A 6.5 57.4 567
 A 6.5 57.5 568
 A 6.5 57.6 569
 A 6.5 57.7 570
 A 6.5 57.8 571
 A 6.5 57.9 572
 A 6.5 58.0 573
 A 6.5 58.1 574
 A 6.5 58.2 575
 A 6.5 58.3 576
 A 6.5 58.4 577
 A 6.5 58.5 578
 A 6.5 58.6 579
 A 6.5 58.7 580
 A 6.5 58.8 581
 A 6.5 58.9 582
 A 6.5 59.0 583
 A 6.5 59.1 584
 A 6.5 59.2 585
 A 6.5 59.3 586
 A 6.5 59.4 587
 A 6.5 59.5 588
 A 6.5 59.6 589
 A 6.5 59.7 590
 A 6.5 59.8 591
 A 6.5 59.9 592
 A 6.5 60.0 593
 A 6.5 60.1 594
 A 6.5 60.2 595
 A 6.5 60.3 596
 A 6.5 60.4 597
 A 6.5 60.5 598
 A 6.5 60.6 599
 A 6.5 60.7 600
 A 6.5 60.8 601
 A 6.5 60.9 602
 A 6.5 61.0 603
 A 6.5 61.1 604
 A 6.5 61.2 605
 A 6.5 61.3 606
 A 6.5 61.4 607
 A 6.5 61.5 608
 A 6.5 61.6 609
 A 6.5 61.7 610
 A 6.5 61.8 611
 A 6.5 61.9 612
 A 6.5 62.0 613
 A 6.5 62.1 614
 A 6.5 62.2 615
 A 6.5 62.3 616
 A 6.5 62.4 617
 A 6.5 62.5 618
 A 6.5 62.6 619
 A 6.5 62.7 620
 A 6.5 62.8 621
 A 6.5 62.9 622
 A 6.5 63.0 623
 A 6.5 63.1 624
 A 6.5 63.2 625
 A 6.5 63.3 626
 A 6.5 63.4 627
 A 6.5 63.5 628
 A 6.5 63.6 629
 A 6.5 63.7 630
 A 6.5 63.8 631
 A 6.5 63.9 632
 A 6.5 64.0 633
 A 6.5 64.1 634
 A 6.5 64.2 635
 A 6.5 64.3 636
 A 6.5 64.4 637
 A 6.5 64.5 638
 A 6.5 64.6 639
 A 6.5 64.7 640
 A 6.5 64.8 641
 A 6.5 64.9 642
 A 6.5 65.0 643
 A 6.5 65.1 644
 A 6.5 65.2 645
 A 6.5 65.3 646
 A 6.5 65.4 647
 A 6.5 65.5 648
 A 6.5 65.6 649
 A 6.5 65.7 650
 A 6.5 65.8 651
 A 6.5 65.9 652
 A 6.5 66.0 653
 A 6.5 66.1 654
 A 6.5 66.2 655
 A 6.5 66.3 656
 A 6.5 66.4

August 18, 2022

R. A. (Dick) Schremmer
Bear Petroleum, LLC
P.O. Box 438
HAYSVILLE, KS 67060-0438

Re: Temporary Abandonment
API 15-047-21453-00-00
JENSEN 3
NW/4 Sec.06-23S-20W
Edwards County, Kansas

Dear R. A. (Dick) Schremmer:

"Your temporary abandonment (TA) application for the well listed above has been approved. In accordance with K.A.R. 82-3-111 the TA status of this well will expire 08/18/2023.

- * If you return this well to service or plug it, please notify the District Office.
- * If you sell this well you are required to file a Transfer of Operator form, T-1.
- * If the well will remain temporarily abandoned, you must submit a new TA application, CP-111, before 08/18/2023.

You may contact me at the number above if you have questions.

Very truly yours,

Michael Maier"