KOLAR Document ID: 1660348

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
•	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1660348

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool rature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	,u		туре а	ia reicent Additives	
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Horton, John
Well Name	HORTON 20
Doc ID	1660348

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	12.5	8.625	28	21	Portland	10	0
Production	5.875	2.875	6.5	817	70-30	85	Elite

810 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561



Ticket No. 6322

Foreman Kevin McCoy

Camp Eureka

Date	Cust. ID#	Lease	e & Well Number		Section	To	wnship	Range	County		State
4-4-22 Customer			N #20						MG		Ks
Customer				Safety	Unit #		Driv	/er	Unit #		Driver
Hosto	J DI/ (7		Meeting	104		AlAN	M.			
Mailing Address	N OIL	, ,		KM							
P.O. B	ox 314										
City		State	Zip Code		-						
SedAN		Ks	67361							-	
Job Type Lon	gstring	Hole Dep	th 822'		Slurry Vol	6.5	BBC		Tubing 2 1/8"		
Casing Depth_	817	Hole Siz	e 55/8		Slurry Wt. 13	7.74	•		Orill Pipe		
			eft in Casing		Water Gal/SK				Other		
Displacement _			ement PSI						3PM		
	1				Bump Plug to						
Remarks: SAI	tety Mee	ting: Big	up to 21/8 Tu	bing. 1	Break OII	CCUI	lation 1	w/ 5 s	BL Fresh u	1Ater	· Pump
200 # Gel +	Tush 21	Phi water	up to 21/8 To Spaces Mixed	85.50	55 THICK	Set	Ceme.	nt w/	1# Phenose	960	13.7 1/
and wild	175 - 26	5 Ph/ She	es mach aus	+ Puni	d lever	Di	solace	Pluas	to SEAT III	1.5	EH
500-1	D. 20	Pl 10 1	ey. wash out 300 PSI. Shut	The	4 // Good	0	2 1 1	Core	1-2 1-6	non.	alda
PILWAT	oc. sum	11095 70 12	500 751, 57141	/ Oppin	9 10. 0000	CE	11611	0 000	766. 000	-0111	16/6,
Lig down.											
											-
										NA.	
										Ä	
										1	
										11329	

Code	Qty or Units	Description of Product or Services	Unit Price	Total
102	/	Pump Charge	1/80.00	1180.00
: 107	60	Mileage	4.50	270.00
C 201	85 sks	THICK Set CEMENT	24.25	2061.25
208	85 *	PhenoSeal 1#15K	1.55	131.75
108	4.67 TONS	Ton Mileage	1.50	420,30
2 113	4 HLS	80 Bbl VACTRUCK	95.00	380.00
224	3300 gals		12.00/1000	39.60
	/		/	
C 401	2	27/8 Top Rubber Plags	35.00	70.00
C 206	200#	Gel Flush	.30 *	60.00
		PAID IN FULL W/5% DISCOUNT		
		PAID IN FULL W/5% DISCOUNT 4-4-22 CK# 2063		
			Sub TotAL	4612.90
		THANK YOU 6.5%	Less 5%	239.56
	11	11 -M 6.5%	Sales Tax	178.27
Authoriz	notion \ d	M KENCH Title	Total	4551.61

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

August 18, 2022

John Horton Horton, John PO BOX 314 SEDAN, KS 67361-0314

Re: ACO-1 API 15-125-32533-00-00 HORTON 20 NE/4 Sec.04-34S-14E Montgomery County, Kansas

Dear John Horton:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 3/17/2022 and the ACO-1 was received on August 15, 2022 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department

			DRILLE	RS LOG							
API NO: 15	- 125 - 32533 - 00	0 - 00					S. 4	T. 34	R. 14	E.	W.
OPERATOR: JO	HN HORTON						LO	CATION:	SW NE		
ADDRESS: PO	BOX 314, SEDAN,	KS 67361						ELEV. GR.:	MONTGC 86		5
WELL#:	20	LEASE NAME	HORTON								
FOOTAGE LOCAT	ION: 450	FEET FROM	(N)	(S)	LINE	1770	FEET	FROM	(E)	(W)	LINE
CONTRAC	CTOR: FINNEY DI	RILLING COMPAN	Υ			GEO	LOGIST:	JOHN HO	RTON		
SPUD D	ATE: 3/17/	2022				TOTAL	DEPTH:	822		P.B.T.D.	
DATE COMPLI	ETED: 4/2/2	2022				OIL PUR	CHASER:	McLASKE	Y		
			CASING	RECORD)						
REPORT OF	ALL STRINGS - SU	JRFACE, INTERME	DIATE, PRODI	UCTION, ETC.							_
PURPOSE OF	STRING SIZE HOLE DRILLED	SIZE CASING SET O.D.)	(in WEIGHT LBS/FT	SETTING DI	EPTH	TYPE	SACKS	TYPE	AND % AD	DITIVES	
SURFACE:	12.5	858	28	21		PORTLAND		SERVICE	COMPAN	Y	
PRODUCTION	5.875	2.875	6.5	817		70-30	56	SERVICE	COMITATIV		
			WELL	LOG							
C	ORES: # NONE					RAN:	4 - CENTE	RALIZERS			
	ERED: NONE						1 - FLOAT				
ACTUAL CORING	TIME:						1 - CLAMF				
	FORMATIC	ON TO	BOTTON	1	F	ORMATIC	N	TOP	вотто	M	
TO	OP SOIL	0	3								
	LAY	3	9	-							
page 1	HALE	9	50								
The second secon	ME	50	62								
	HALE	62	83								
	ME	83	215								
	HALE	215									
	ME HALE & SAND	218									
	MF SAND	496									

0	3
3	9
9	50
50	62
62	83
83	84
84	215
215	218
	496
	501
	508
	670
	683
	687
	690
COLUMN TWO IS NOT THE OWNER.	693
	696
	697
	745
-	775
	781
	785
	787
	790
	791
791	822 T.D.
	50 62 83