WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATI	ER WELL							Origin	al Recor	d Coi	rection	Change	e in We	ll Use
Latitude		Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum		Elevation			County		1		0	VV				
WATER WELL OWNE	:R				VATER U	SE				NEAREST S	OURCE OF I	POTENTIAL C	ONTAMIN	NATION
Name														
Business				COMPI	ETION					Distance		Direction		
Dusilless					ETION					from well:		from wel	l:	
Address				Depth of completed well:ft.				ft.	Source					
				Depth(s) groundwater encountered:						descriptio				
TATALL La partieur				(1) ft.; (2) ft.;					Source:					
Well location			(3) ft.; (4) dry well					Distance from well:		Direction from wel				
at owner's				Static water level in well: ft.					Source					
address				measured below land surface					descriptio	n:				
CONSTRUCTION				on (mm/dd/yy): measured above land surface					No pot	ential sourc	e of contami	nation		
Borehole interval: Borehole diameter:			meter:	on (mm/dd/yy):					within 100 feet.					
from to			in.	Estimated yield: gpm					PERMIT &	ID NUMBER	S (AS REQUI	RED)		
fromto			in.		•		gpm ft. after	bo	nurs	DWR Application No.:				
				, vacci	iever was	•	pumping			KDHE / EPA Project Code:				
Casing height above			in.	Pump	installed	? Ye		81		Site Name:				
If casing height i has a variance be			. No	Pump installed? Yes No					KDHE UIC Class V Form Completed: Yes No					
*variance not red				Water	well disii	nfected	? Yes No)		County Permit: Yes No Permit ID:				
or environment	al remedia	ation wells		Date disinfected (mm/dd/yy):					Lease Name & Well #:					
Casing type:Blank casing interva	1.	ft 40		Aquifer, if known:					# of boreh	oles:	# of dewater	ing wells:		
Blank casing diamet			11.		OGIC LO									
Casing joints:				FROM			ITHOLOGY II	NTERVA	NI S					
-	lbs/f			111011	" "	<u> </u>		VI LIVV	123					
Wall thickness o														
Blank casing interva	0 0													
Blank casing diamet														
Casing joints:														
Weight:	lbs/f	t.												
Wall thickness o	r gauge no	o.:												
Grout interval:	ft. to	ft.												
Grout material:														
Grout interval:														
Grout material:				COMM	ENTS									
Screen / perforation	material: _													
Screen / perforation	openings:	:		CONTR	ACTOR'	S OR L	ANDOWNERS	CERTIF	ICATION					
Screen / perforation	intervals:			This v	vater we	ll was	constructed	d 1	reconstru	cted p	ursuant to	the stated w	ater well	
Fromft. toft. contractor's lice				cense	and was com	pleted	on		I certify th	at this record	d is true	to		
Slot size				the be	est of my	know	vledge and be	elief. Th	is water v	vell record v	was comple	eted on		
From ft. toft.				under the business name of,										
Slot size unit				Kansas Water Well Contractor's License No under the authority of the designated										
Gravel pack intervals:				person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
Gravel pack not used: Gravel sizein			in	designated person at its submittal:										
From ft.									ratain as	for your == -	orde Ess of the	5 00 for and	construct	ad recl1
Gravel pack not used: Gravel size in From ft. to ft.			in	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT										
From ft.	RAINSAS DEPARIMENT OF HEALTH AND ENVIRONMENT													

Form	WWC5.2 - Water Well Record
Doc ID	1657578
Well Owner	Heritage Beef LLC
Contractor	Hydro Resources Mid Continent, Inc. #145

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	19	sand,fine,clayey,brown
19	30	sand,fine
30	34	sand,fine,clayey
34	71	sand,fine to medium,clayey
71	154	sand,fine to coarse,gravelly
154	158	sand,fine,clayey,brown
158	191	sand,fine to coarse
191	199	clay,blueish,brown
199	207	clay,blueish
207	214	sand,fine
214	220	clay
220	233	sand,fine to coarse
233	253	clay,blueish
253	289	sand,fine to coarse,clayey
289	340	sand,fine to coarse,gravelly
340	361	sand,fine to coarse
361	380	sand,fine to medium,clayey
380	414	sand,fine
414	421	sand,fine to medium
421	487	sandstone,unweathered
487	494	shale,unweathered
494	528	sandstone,unweathered
528	543	sandstone,unweathered

Form	WWC5.2 - Water Well Record
Doc ID	1657578
Well Owner	Heritage Beef LLC
Contractor	Hydro Resources Mid Continent, Inc. #145

Lithology

From	То	Lithology Intervals
543	575	shale,unweathered
575	600	shale,unweathered,red bed