_ WELL ID_

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELI	L					Original Rec	ord Correction	Change	in Wel	ll Use
Latitude	Longitude		Se	ection	Township	Rang	e E Fraction	1/4	1/4	1/4
Datum	Elevation		C	ounty	1		VV			
WATER WELL OWNER				ATER USE	<u> </u>		NEAREST SOURCE OF P	OTENTIAL CO	NTAMIN	IATION
Name							Source:			
Business			COMPLE	TION			Distance	Direction		
Dusiliess							from well:	_ from well:		
Address					ed well:		Source			
			1 -	-	vater encountered:		description:			
Well location					(2) ft.;		Source:			
vven iocation			-		4) dry well		Distance from well:	Direction from well:		
at owner's			Static water level in well: ft.			Source				
address			measured below land surface on (mm/dd/yy):			description:				
CONSTRUCTION					ve land surface		No potential source	of contamina	ation	
Borehole interval:	Borehole dia	meter:	1	mm/dd/yy			within 100 feet.			
from to ft.		in.	Ectimat	ad viald:	gpm		PERMIT & ID NUMBERS	5 (AS REQUIR	ED)	
fromto ft.		in.			gpm ft. after	houre	DWR Application No.:			
			Water it	ever was	pumping		KDHE / EPA Project C			
Casing height above land sur		in.	Pump i	nstalled?	Yes No	8P***		Site Name:		
If casing height is less that has a variance been appr		s No			100 110		KDHE UIC Class V Fo		l: Yes	No
*variance not required for monitoring			Water v	vell disinfe	ected? Yes No	o	County Permit: Yes	No Permit	ID:	
or environmental remediation wells			Date di	sinfected (mm/dd/yy):		Lease Name & Well #:			
Casing type:Blank casing interval:	ft to		Aquifer	, if known	<u>:</u>		# of boreholes:	# of dewaterin	ng wells:	
Blank casing diameter:		1ι.	_	OGIC LOG						
Casing joints:			FROM		LITHOLOGY I	NTERVALS				
Weight:lbs			rkow	10	EIIIIOLOGIII	NILNVALS				
Wall thickness or gauge i										
Blank casing interval:										
Blank casing diameter:										
Casing joints:										
Weight:lbs	s/ft.									
Wall thickness or gauge 1	no.:									
Grout interval: ft. to	ft									
Grout material:										
Grout interval: ft. to										
Grout material:			COMME	NTS						
Screen / perforation material:	:									
Screen / perforation opening	gs:		CONTRA	ACTOR'S (OR LANDOWNERS	S CERTIFICATIO	ON			
Screen / perforation intervals	:		This w	ater well	was constructe	d reconst	ructed pursuant to t	he stated wa	ter well	
Fromft. to	_ft.		contra	ctor's lice	nse and was con	pleted on	I certify tha	t this record	is true	to
Slot size unit _			the bes	st of my k	nowledge and be	elief. This wate	r well record was complet	ted on _		
From ft. to				•			1			
Slot size unit _							under the aut			
Gravel pack intervals:							ned and certified by the el	-	_	
Gravel pack not used:		in	-					contine sign	0	
From ft. to							one for your records. Fee of \$5	5.00 for as ab	notes: at	ad wall
Gravel pack not used:		in	sena one	copy to W			one for your records. Fee of \$5 HEALTH AND ENVIRONM		mstructe	a well.
From ft. to	ft.			Bureau			W Jackson St., Suite 420, Tope		1367	

Form	WWC5.2 - Water Well Record			
Doc ID	1656611			
Well Owner	J & L Smith Farms Inc			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Casing

From	То	Casing Diameter	Casing Joint		Wall Thickness or Gauge Number
0	366	16	Welded	42.09	.250
456	562	16	Welded	42.09	.250
672	691	16	Welded	42.09	.250

Form	WWC5.2 - Water Well Record			
Doc ID	1656611			
Well Owner	J & L Smith Farms Inc			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	55	clay,brown
55	61	sand,fine
61	116	clay,brown
116	125	sand,fine to medium
125	255	clay,blueish
255	308	sand,fine to coarse,gravelly
308	332	sand,fine,clayey
332	366	clay,brown
366	376	sand,fine
376	456	sandstone,unweathered
456	595	shale,unweathered
595	691	sandstone,unweathered
691	740	shale,unweathered,Red Bed