WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	ge in Wel	l Use	
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4	
Datum	Elevation			County	l l							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION	
Name												
			COMP	LETION								
Business				LETION			from well	l:	Directio from we	ili:		
Address				Depth of completed well:ft.			Source					
] -	-	water encountered	:	description	on:				
******					(2) ft.;		Source:					
Well location			(3)	ft.; ((4) dry well		Distance	1.	Directio from we	n Ji.		
at owner's			Static	water level	in well:	ft.		l;	110111 we	11		
address			m	measured below land surface			Source description:					
CONCEDUCTION			on	(mm/dd/y	y):		No no	tontial cours	e of contami	ination		
CONSTRUCTION	D 1 2 3:			easured abo ı (mm/dd/y	ve land surface			n 100 feet.	e or comain	mation		
	Borehole dia	meter:	on	(IIIII/da/y	y)		PERMIT &	ID NUMBER	RS (AS REQU	IRED)		
fromtoft.		in.	Estim	ated yield: _	gpm							
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:			
Casing height above land surf	face:	in.			pumping	gpm	KDHE /	KDHE / EPA Project Code:				
If casing height is less that			Pump	installed?	Yes No		Site Name:					
has a variance been appro		s No	T17 .	11 11	. 10				orm Complet			
*variance not required for environmental remed					ected? Yes N		1		No Perm			
Casing type:	lation wens		Date	disinfected ((mm/dd/yy):							
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:		
Blank casing diameter:			LITHO	LOGIC LOG	i							
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS						
Weight: lbs/												
Wall thickness or gauge n												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight: lbs/	ft.											
Wall thickness or gauge n	10.:											
Court interval 6 to												
Grout interval: ft. to_												
Grout material: ft. to												
			COMM	IENTS								
Grout material:												
Screen / perforation material:												
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	NI					
Screen / perforation openings								D118011224 + -	the stated -	vator11		
From ft. to					was constructe			•	the stated v			
					ense and was con	=		-				
Slot size unit _ From ft. to					knowledge and b							
Slot size unit _					ness name of							
			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ie designa	ated	
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the	
Gravel pack not used:		in	^		on at its submitt	,				-		
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well	
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			2311311 4010	a men	
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367		

Form	WWC5.2 - Water Well Record
Doc ID	1655388
Well Owner	Axman Farms, LLC
Contractor	Rosencrantz-Bemis Ent., Inc.

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	70	5	Glued	SDR - 26
80	90	5	Glued	SDR - 26
130	170	5	Glued	SDR - 21

Form	WWC5.2 - Water Well Record
Doc ID	1655388
Well Owner	Axman Farms, LLC
Contractor	Rosencrantz-Bemis Ent., Inc.

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	10	clay,brown
10	67	shale,slightly weathered,dark,gray
67	72	sandstone,slightly weathered,tan,coarse
72	85	shale,slightly weathered,gray
85	87	sandstone,slightly weathered,tan
87	93	shale,slightly weathered,gray
93	99	sandstone,slightly weathered,tan,coarse w/ black coal streaks
99	115	shale,slightly weathered,white
115	116	coal,slightly weathered,black
116	123	sandstone,slightly weathered,tan,soft,loose
123	170	shale,slightly weathered
170	197	shale,slightly weathered,gray,w/ sandstone streaks
197	200	shale,slightly weathered,whiteish,red

Form	WWC5.2 - Water Well Record
Doc ID	1655388
Well Owner	Axman Farms, LLC
Contractor	Rosencrantz-Bemis Ent., Inc.

Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
70	80		Yes	20	50	
90	130		Yes	56	170	
170	200		Yes	170	200	