### KOLAR Document ID: 1662008

Confiden	tiality Re	quested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion     Permit #:	Dewatering method used:
SWD     Permit #:	Location of fluid disposal if hauled offsite:
EOR         Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

### KOLAR Document ID: 1662008

Operator Nan	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample	
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No							
		Rep	CASING ort all strings set-c		Ne	w Used rmediate, productio	on, etc.			
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
[			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD				
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Used			Type and	Percent Additives	cent Additives	
Protect Casing Plug Back TD Plug Off Zone										
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol>	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three		
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity	
DISPOSITIO	N OF GAS:		METHOD OF			TION:		PRODUCTIC Top	DN INTERVAL: Bottom	
Vented Sold (If vented, Subn	Vented Sold Used on Lease Open Hole (If vented, Submit ACO-18.)		Open Hole	en Hole Perf. Dually Comp. Commingle (Submit ACO-5) (Submit ACO-5)			•	юр		
			Bridge Plug Type	Bridge Plug Acid, Fracture, Shot, Cementing Squer Set At (Amount and Kind of Material Us						
TUBING RECORD: Size: Set At:			Packer At:							

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	PUGSLEY 2W
Doc ID	1662008

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	U U	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	8	n/a
Production	5.875	2.875	9	864	portland	120	n/a

Customer	RJ Ene	rgy		Well:	<ul> <li>Pugsley 2W, 3W</li> </ul>	Ticket	EP5196			
City, State	ate: Garnett, KS			County:	AN, KS	Date	7/7/2022			
Field Rep	Jason	Kent		S-T-R:	S-T-R: 16-21-20		Longstrings			
Downhole	Informat	ion		Calculated Slu	rry - Lead	Cal	culated Slurry - Tail			
Hole Size	5 5/3	B in		Blend:	OWC 1/2# PS	Blend				
Hole Depth	87	1 ft		Weight:	15.00 ppg	Weight	and the second s			
Casing Size	2 7/	B in		Water / Sx:	6.75 gal/sk	Water / Sx				
Casing Depth		4 ft		Yield:	1.43 ft <sup>3</sup> / sk	Yield	ft <sup>3</sup> /sk			
Tubing / Liner		in		Annular Bbis / Ft.:	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.			
Depth		ft		Depth:	ft	Depth	ft			
Tool / Packer		-		Annular Volume:	0.0 bbls	Annular Volume:	0 bbls			
Tool Depth		ft		Excess:		Excess:				
Displacement	5.00	) bbls		Total Slurry:	bbls	Total Slurry:				
TIME RATE	PSI	STAGE	TOTAL	Total Sacks: REMARKS	0 sks	Total Sacks:	0 sks			
11:00 AM				on location, held safety m	eeting					
				Stribution, noid safety in						
				2W	and the second sec					
4.0			•	established circulation			4			
4.0					Sentonite Gel followed by 4 bbls fre	y 4 bbls fresh water				
4.0					OWC cement with 1/2# PhenoSea		)			
4.0	-		-	flushed pump clean						
1.0			-	pumped 2 2 7/8" rubber p	pumped 2 2 7/8" rubber plugs to casing TD with 5 bbls fresh water					
1.0			-	pressured to 800 PSI						
			•	released pressure to set fl	float valve					
4.0			•	washed up equipment			1			
			•							
			-	214/						
3.5			•	3W						
3.5				established circulation	entonite Gel followed by 4 bbls fre	ah watar				
3.5					OWC cement with 1/2# PhenoSeal	and the second se				
3.5				flushed pump clean	otto cement with 1/2# Fileh0Seal	per sk, cement to sufface				
1.0					ugs to casing TD with 5 bbls fresh	water				
1.0			-	pressured to 800 PSI			······································			
				released pressure to set flo	pat valve					
3.5				washed up equipment						
2:00 PM			-	left location						
			-							
		Name la	-							
	CREW			UNIT		SUMMAR				
Cementer:		y Kennedy	·	931	Average Rate	Average Pressure	Total Fluid			
Pump Operator:	Garre	ett Scott		289	3.0 bpm	- psi	- bbls			

pugsley 2w

3	soil	3	start 7/1/2022
5	clay and rock	8	finish 7/5/2022
53	lime	61	
152	shale	213	
36	lime	249	
21	shale	230	set 20' 7"
6	lime	276	ran 864' 2 7/8
39	shale	315	cemented to surface with 120 sxs
120	lime	435	
165	shale	600	
28	lime	328	
62	shale	690	
27	lime	617	
17	shale	734	
11	lime	745	
17	shale	762	
7	lime	769	
8	shale	777	
10	lime	787	
18	shale	805	
6	sandy shale	811	odor
36	bkn sand	847	good show
3	dk sand	850	show
21	shale	871	td