Change in Well Use

WELL ID

Correction


KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

## **WATER WELL RECORD** (WWC-5)

LOCATION	OF V	ATER WELI	L													
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4	
Datum			Elevation			County										
WATER WE	LL O	WNER			WELL	WATER U	SE				NEAREST S	OURCE OF	POTENTIAL	CONTAMI	NATION	
Name											Source:					
Business					COM	PLETION					Distance		Directi			
Address				Depth of completed well:ft. Depth(s) groundwater encountered:						from well: from well:  Source description:						
Well location				(1) ft.; (2) ft.; (3) ft.; (4) dry well						Source:  Distance Direction from well:						
at owner's address					Static water level in well: ft.  measured below land surface on (mm/dd/yy):						Source description:					
CONSTRUCTION					measured above land surface						No potential source of contamination within 100 feet.					
Borehole interval: Borehole diameter:					on (mm/dd/yy):											
fromtoftin. fromtoftin.					Estimated yield: gpm  Water level was: ft. after hours  pumping gpm						DWR Application No.: KDHE / EPA Project Code:					
Casing height above land surface:in.  If casing height is less than 12 in. has a variance been approved?* Yes No					Pump installed? Yes No  Water well disinfected? Yes No						Site Name: KDHE UIC Class V Form Completed: Yes No					
*variance not required for monitoring or environmental remediation wells					Date disinfected (mm/dd/yy):						County Permit: Yes No Permit ID:					
Casing type:											Lease Name & Well #: # of dewatering wells:					
Blank casing interval:ft. toft.					Aquifer, if known:						# of boren	ioles:	# of dewar	ering wells:	·	
Blank casing diameter:in.					LITH	DLOGIC LO	OG									
Casing joints:					FRC	ом т	) L	ITHOLOGY II	NTERVA	LS						
Weight:lbs/ft.																
			no.:	I												
	-		ft. to	ft.												
Blank casing diameter:in.																
Casing joints:																
Weight:lbs/ft.  Wall thickness or gauge no.:																
vvali t	nickno	ess or gauge i	no.:													
		ft. to														
		rial:														
Grout interval: ft. toft.  Grout material:					COMMENTS											
Screen / p	erfora	tion material:	:													
Screen / perforation openings:					CONTRACTOR'S OR LANDOWNERS CERTIFICATION											
Screen / perforation intervals:					This water well was constructed reconstructed pursuant to the stated water well											
Fromft. toft.					contractor's license and was completed on I certify that this record is true to											
Slot size unit						the best of my knowledge and belief. This water well record was completed on										
From ft. toft.						under the business name of,										
Slot size unit						Kansas Water Well Contractor's License No under the authority of the designated										
Gravel pack intervals:																
Grave	not used:	Gravel size _	in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the												
From ft. to ft.					designated person at its submittal:											
		Gravel size _	in	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.												
From		_ ft. to	ft.		KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367											



Division of Environment Curtis State Office Building 1000 SW Jackson St., Suite 400 Topeka, KS 66612-1367



Phone: 785-296-1535 Fax: 785-559-4264 www.kdheks.gov

Janet Stanek, Secretary

Laura Kelly, Governor

August 31, 2022

Sidney Edelbrock II, P.E. **GSI** Engineering 6208 Richards Dr. Shawnee, KS 66216

Post-Construction Variance Request for Micro-Wells Installed at the Ross Service Center Site, 825 E 2<sup>nd</sup> Subject:

St, Wichita, Sedgwick County, KS, NW, Sec. 21, T. 27S, R.1E. KDHE Project Code: U2-087-00202

Dear Mr. Edelbrock,

The Kansas Department of Health and Environment, Bureau of Water, Geology & Well Technology Unit (KDHE), had previously requested that GSI submit a waiver request for six (6) flush-mount micro-wells that had been installed at the above referenced site in June 2022 as part of ongoing groundwater remediation and monitoring activities. KDHE received the variance request electronically on August 24, 2022.

The six 'micro' wells had been installed using Geoprobe 3.25-inch probe rod, prepacked well screen and 1.266-inch OD Schedule 40 PVC well casing. KDHE regulations (K.A.R. 28-30-6(b)(2)) require that the borehole diameter be at least 3inches greater than the maximum outside diameter (OD) of the casing.

Waiver request materials included construction details of the three (3) replacement (FMW-3R, FMW-4R, and FMW-6R) and three (3) new (RMW-3R, RMW-20, and RMW-21) micro wells installed by GSI (Ks WWC Lic. #531).

KDHE has reviewed the waiver request materials and with this letter provides notice of approval for the six micro wells installed at the above referenced site.

As required in KDHE's Procedure WWP-5 – Procedure for Requesting a Waiver to Allow Installation of a Flush-Mount Monitoring Well, the location, well number, and latitude/longitude coordinates were shown in a scaled map that was provided with well records submitted via the Ks On-Line Automated Reporting System (KOLAR).

Please contact me at 785-296-3565 (o), 785-224-5259 (c), or Pam.Chaffee@ks.gov if you have questions.

Sincerely,

Pamela Chaffee, P.G.

Water Well Program Manager

Geology & Well Technology Unit/Bureau of Water

1000 SW Jackson St, Suite 420

Topeka, KS 66612-1367

Copy: File – BOW/GWTU – Sedgwick County