KOLAR Document ID: 1660762

For KCC Use:
Effective Date:
District #
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:							
month day year	Sec Twp S. R E W							
ODED ITOD 11	(Q/Q/Q/Q) seet from N / S Line of Section							
OPERATOR: License#	feet from E / W Line of Section							
Name:	Is SECTION: Regular Irregular?							
Address 1:Address 2:	(Check directions from nearest outside corner boundries)							
City: State: Zip: +								
Contact Person:	County:							
Phone:	Facility Name:							
	Borehole Number: MSI							
CONTRACTOR: License#	Cathodic Borehole Total Depth:							
Name: Cable	Depth to Bedrock:							
Type Drilling Equipment:	Water Information							
☐ Air Rotary ☐ Other Construction Features	Aquifer Penetration: None Single Multiple							
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:							
Planned to be set:	Depth to bottom of usable water:							
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No							
Surface casing borehole size: inches	Public water supply well within one mile: Yes No							
Cathodic surface casing size: inches	Water Source for Drilling Operations:							
Cathodic surface casing centralizers set at depths of:;;	Well Farm Pond Stream Other							
;;;;;	Water Well Location:							
Cathodic surface casing will terminate at:	DWR Permit #							
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =							
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)							
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:							
•	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay							
;;;;;;	Anode vent pipe will be set at: feet above surface							
	Anode conductor (backfill) material TYPE:							
	Depth of BASE of Backfill installation material:							
AFFIDAVIT	Borehole will be Pre-Plugged? Yes No							
he undersigned hereby affirms that the drilling, completion and eventual plugging f this well will comply with K.S.A. 55-101 et. seq.	Boreliole will be the thagged! I less I live							
is agreed that the following minimum requirements will be met:								
. Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior								
2. Notify appropriate District Office 48 hours prior to workover or re-entry.								
3. A copy of the approved notice of intent to drill shall be posted on each drilling rig.								
I. The minimum amount of cathodic surface casing as specified below shall be set by								
 File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp 	(form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.							
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.								
d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically								
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.								
d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically	If this permit has expired or will not be drilled, check a box below, sign, date and return							
d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY								
d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 -	If this permit has expired or will not be drilled, check a box below, sign, date and return							
d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 Conductor pipe required feet	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.							
d. Submitted Electronically For KCC Use ONLY API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.							
d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.							
d. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.							

For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:							Loc	cation of We	/ell: County:					
								Janoi 1 01 111	feet from N / S Line of Section					
•	orehole Number:				feet from E / W Line of									
							Sed	Sec Twp S. R E W						
							ls S	Is Section: Regular or Irregular						
							If S	If Section is Irregular, locate well from nearest corner boundary.						
							Sed	ction corne	er used: NE NW SE SW					
							PLAT							
						-			nit boundary line. Show the predicted locations of					
	lease roa	ads, tank b	atteries, p	ipelines and				y the Kans plat if desi	sas Surface Owner Notice Act (House Bill 2032).					
			120	6 ft.	100 111	ay allacii d	a separate	piat ii uesi	mea.					
646 ft		•				•		•	1					
1040 11		:	0				:		LEGEND					
		:	:	:		:	:	:	LEGEND					
		:	:	:	•••••	:	:	:	O Well Location					
		:	:	:		:	:	:	Tank Battery Location					
			•	•	••••	•		•	Pipeline Location					
		:	:	:		:	:	:	Electric Line Location					
		:	:	:		:	:	:	Lease Road Location					
			•	•	••••			·						
		:	:	:		:	:	:						
		:	:			:	:		EXAMPLE : :					
		:	:	<u>: </u>	0	:	:	:						
		:	:	:		:	:	:	: : :					
		:	:	:		:	:	:						
		:	:	:		:	:							
		:	:	:		:	:	:						
		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • •		1980' FSL					

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;

SEWARD CO. 3390' FEL

- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date cor Pit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of SectionCounty				
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
Depth fro	om ground level to dee	epest point:	(feet) No Pit				
material, thickness and installation procedure.		inioi integrity, ii	ncluding any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of world	king pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
	KCC (OFFICE USE O	NLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection:				

KOLAR Document ID: 1660762

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip: +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface
Address 1:	owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
provided the following to the surface owner(s) of the land up Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing	Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.
the KCC will be required to send this information to the surface	acknowledge that, because I have not provided this information, cowner(s). To mitigate the additional cost of the KCC performing ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

CLAY COUNTY, KANSAS

27TH

X= 2196694.66 Y= 14354453.36

1250

1240

T-6-S, R-4-E, SECTION 30


ROAD BAR DITCH

MIN

.R= 10'



11



10

SATELLITE DISH EQUIPMENT LAYOUT

SCALE: N.T.S.

PLAN 1 = 20 1300 1290 1290 NATURAL GROUND ---1280 1260 FLOW

- POWER POLE

POWER POLE

6" CRUSHED ROCK ON NATURAL GROUND

FLOW __

DOUBLE SWING _ GATE 14' WIDE

__15' WIDE ACCESS ROAD

6" CRUSHED ROCK ACCESS PAD

6' HIGH FENCE

O Deep We

6" CRUSHED ROCK INSIDE FENCED AREA

PROFILE HORIZ: 1" = 20' VERT: 1" = 20'

	REFERENCE DRAWINGS
٥	TITLE
103	CUSHING EXTENSION MAINLINE VALVE 320-STLCB-02A-B0-MLV-01,
	MP 37.11 PIPING PLAN, ELEVATION AND DETAILS
015	ALIGNMENT SHEET

			REVISION	APPROVAL								
	REV No	DATE	DESCRIPTION	PROJECT	DRAFTER	DRAFTING CHECKER	DESIGNER	DESIGN CHECKER	PROJECT MANAGER	COMPANY		
	00	10/04/01	ISSUED FOR CONSTRUCTION	2095 605	UEI	DTH	JAR	GTC	GTC	UEI		
	01	11/06/24	ISSUED FOR AS-BUILT, SUPERSEDES DRAWING 4480-01-ML-03-101	2095 605	UEI	QJ H	mg.	910	GTL	UEI		
			110 (110)									
7												

PROFESSIONAL ENGINEER/RPT	PERMIT/ ENG. APPROVAL				
LOYS A. GRAY, III KS 14521	DAT				
N GRAY, III					
14521					
TANSAS TANSAS TO THE TANSAS TO					
SIONAL END					
11/6/240					
REV. NO. DATE	PERMIT NUMBER:				

X= 2196692.13 Y= 14354327.91

3' WIDE PERSONNEL GATE

36" KEYSTONE CUSHING EXTENSION PIPELINE

-	() TransCanada In business to deliver									
	K	EYSTONE	CUSHING	EXT	ENSION	(NPS	36	2010)	WASH	
	FIA #	4480	CHAI	NAGE:	SI	PREAD	9C			
			SHING							
		320-	STLCB	-0					1, 1	
	SITE PLAN									
丿	SCALE 1	"=20"	DRAWING	No	4480	0-01	-1	/L-O	3-10	

1250

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.