KOLAR Document ID: 1660780

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
•	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
☐ Wireline Log Received ☐ Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II Approved by: Date:					

KOLAR Document ID: 1660780

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casii								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 1200 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	NC Oil Company, Inc.
Well Name	YOUNG 13
Doc ID	1660780

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	10	8	28	21	Portland	6	na
Production	5.625	2.875	6.4	888	h854 thixo	80	na

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

August 24, 2022

Darryn Young NC Oil Company, Inc. 7545 250TH RD HUMBOLDT, KS 66748-3203

Re: ACO-1 API 15-133-27792-00-00 YOUNG 13 NE/4 Sec.02-27S-18E Neosho County, Kansas

Dear Darryn Young:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 03/5/2022 and the ACO-1 was received on August 22, 2022 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department



	EATMENT REP					
Custome	NC Oil Compai	ny	Well:	Y		经现在分类
City, State	Humbolt, KS		County:	Young 13	Ticket:	EP4128
Field Re	Darryn Young		25 D.M.C. (1973)	NO, CO	Date:	3/17/2022
	, , , , oung		S-T-R:	2-27-18	Service:	Longstring
Downhole	Information	1	Calculated Cl			
Hole Size	5 5/8 in	1	Calculated SI Blend:		Calcu	lated Slurry - Tail
Hole Depth	888 ft		Weight:	Thixo 1# PS	Blend:	
Casing Size	2 7/8 in		Water / Sx:	13.90 ppg	Weight:	ppg
Casing Depth	The second secon		Yield:	8.70 gal / sx	Water / Sx:	gal / sx
Tubing / Liner	in		Annular Bbls / Ft.:	1.79 ft ³ / sx	Yield:	ft³/sx
Depth	ft		Depth:	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.
Tool / Packer			Annular Volume:	ft	Depth:	ft
Tool Depth			Excess:	0.0 bbis	Annular Volume:	0 bbls
Displacement:	5.12 bbls		Total Slurry:	25.50 bbls	Excess:	1018
The state of the s	STAGE	TOTAL	Total Sacks:	80 sx	Total Slurry:	0.0 bbls
	PSI BBLs	BBLs	REMARKS	Market Market Market	Total Sacks:	0 sx
5:00 PM	-		on location, held safety m	eeting	San District Control of the Control	
			a di -			
4.0		-	established circulation			
4.0		-	mixed and pumped 200# B	Bentonite Gel followed by 4 bbl	s frash water	
4.0			mixed and pumped 80 sks	Thixo cement with 1# PhenoS	and nor ok assessed to	
4.0		-	flushed pump clean	The Helloon	ear per sk, cement to surface	
1.0			pumped 2 7/8" rubber plug	to casing TD with 5.12 bbls fro	ach water	
1.0		-	pressured to 800 PSI, well	held pressure	con water	
		-	released pressure to set fl			
4.0			washed up equipment			
0.00 0.4		-			2,307	
6:00 PM			left location			
			1 1			
					,	
		-				
100						
		-				
SHEET BOOK	CREW	100000000	Sales and the sales			
Cementer:	Casey Kennedy		UNIT	是Liber 25 公司	SUMMARY	
ump Operator:	Nick Beets		89	Average Rate	Average Pressure	Total Fluid
Bulk:	Devin Katzer		239	3.1 bpm	- psi	- bbis
H2O:	Keith Detwiler		248 110			
			110			

ftv: 15-2021/01/25 mplv: 258-2022/03/01 e III

Drillers Log

Company: N/C OIL

Farm: Ed Daniels

Well # 13 Operator# N.C. Oil

Surface Pipe:21 ft with 6 sacks

AP # 15-133-27792-00-00

Contractor: DMJ OIL

License #: 7160 County: Allen Sec: 2/27/18 e.

Location: 170 fnl

location: 2145 fel

Spot: ne.nw.nw.ne.

Started: 3/15/2022

finished: 03/17/2022

Thickness	Formation	Depth	Remarks	
2ft	Top Soîl	0-2		
3 t	lime	15ft		
L 5 t	shale	30ft		
L 1 0ft	lîme	110ft		
23 /ft	shale	347ft		
53 t	lime	410ft		
30 t	shale	440ft		
58 t	lime	498ft		
19 t	shale	547ft		
42 t	lime	589ft		
15 t	shale	604ft		
7ft	lime	611ft		
5ft	lime	616ft		
92 t	shale	708ft		
1ft	lime	709ft		
103ft	shale	812ft		
12 t	sand odor	824ft	oil show	
6ft	oil sand	830ft	oil show	
21 t	oil sand	851ft	Good Bleed	
1ft	coal	852ft		
20 t	shale	872ft		
16 t	oil sand	888ft	oil show	
TL. Well 888	ft 5/5/8 bit			
Td. Pipe 885	ft 2/7/8 pipe			