WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER W	/ELL					Original Red	corc	l Co	rrection	Change	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Rang	ge	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County		6	9	VV				
WATER WELL OWNER	210 valion			ATER USE				NEADEST	COLUBCE OF E	POTENTIAL C	ONTAMIN	ΔΤΙΩΝ
Name				.,								A1101
								Distance		Direction		
Business			COMPL	EHON			٦	from well	<u></u>	_ from wel	İ:	
Address					ed well:			Source				
			-	-	water encountered:			description				
TAZ III					(2) ft.;			Source:				
Well location			(3)	ft.; (	(4) dry well			Distance from well		Direction from wel	1  .	
at owner's			Static v	vater level	in well:1	t.		Source		_ Hom wer		
address					ow land surface			description	n:			
CONSTRUCTION				(mm/dd/y				No po	tential sourc	e of contami	nation	
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.					
from to ft.		in.					+	PERMIT &	ID NUMBER	S (AS REQUI	RED)	
					gpm	1		DM/R Ass	nlication No	:		
fromto ft.			water		ft. after			1	-			
Casing height above land surface:in.			pumpinggpm Pump installed? Yes No				KDHE / EPA Project Code: Site Name:					
If casing height is less than 12 in. has a variance been approved?* Yes No			rump	ilistalieu:	ies No		_			orm Complete		No
*variance not required for monitoring			Water	well disinfe	ected? Yes N	0				No Permi		
or environmental remediation wells			Date d	isinfected (	(mm/dd/yy):			,				
Casing type:			A				+	1		# of dewater		
Blank casing interval:		ft.		r, if known								
Blank casing diameter:				OGIC LOG								
Casing joints:			FROM	то то	LITHOLOGY	NTERVALS						
Weight:												
Wall thickness or gau Blank casing interval:												
Blank casing diameter:		1t.										
Casing joints:												
Weight:												
Wall thickness or gau	_											
Grout interval:f												
Grout material:												
Grout interval: f			COMMI	NTS								
Grout material:												
C /												
Screen / perforation mate Screen / perforation oper			CONTR	ACTORIC I	OR LANDOWNER	CEDTIEICATI	ON					
Screen / perforation open								. 1		41	. 4 11	
_					was constructe			-		the stated w		
Fromft. to Slot size ur					ense and was con	•			•			
From ft. to				•	knowledge and b				-			
Slot size ur					ness name of							
Gravel pack intervals:			Kansa	s Water V	Vell Contractor's	License No		u	nder the au	thority of th	e designa	ted
-	Gravel size	in	person	n as defin	ed in K.A.R. 28-3	30-2(j) and sig	ned	and certif	ied by the e	lectronic sig	nature o	f the
Gravel pack not used: Gravel size in From ft. to ft.			designated person at its submittal:									
Gravel pack not used:		in	Send on	e copy to V	VATER WELL OW	NER and retain	one	for your rec	ords. Fee of \$	5.00 for each	constructe	d well
From ft. to				_		EPARTMENT O						
11011110.10 _				Bureau	of Water, Geology	Section, 1000 S	W Ja	ckson St., S	uite 420, Top	eka KS 66612	-1367	

DOC ID	1656212	1656212					
Form	WWC5.2	WWC5.2					
Contractor	Woofter Pump & \	Well, Inc. #881					
From	То	LithologicLog					
0	2	Surface Top soil Native soil					
2	25	Loess					
25	33	Clay with traces of caliche					
33	64	Clay and calcihe with traces of sand					
63	93	Clay and caliche with sand lenses					
93	112	Fine and medium sand and small gravel with traces of clay					
112	135	Fine to some medium sand with clay lenses					
134	143	Caliche and clay with traces of sand					
143	186	Clay and caliche with sandy clay streaks					
186	197	Fine to some medium sand					
197	214	Fine sand with clay lenses					
214	243	Clay and joint clay with caliche lenses					
243	250	Fine sand with tight clay lenses					
250	258	Fine to some medium sand with clay lenses					
258	270	Fine and medium sand and small gravel					
270	283	Yellow Ochre					