Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

OCATION OF WATER V	VELL												
Latitude	Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County									
WATER WELL OWNER		l	WELL	WATER U	SE				NEAREST S	OURCE OF	POTENTIAL	CONTAMIN	IOITAI
Name									Source:				
Business			COME	PLETION					Distance		Directi	on	
Dusiness									from well:		from w	ell:	
Address						ll:encountered:		_ft.	Source descriptio	n:			
				ft.;					Source:				
Well location				ft.;					Distance		Directi	on ell:	
at owner's address			n	c water leve neasured be n (mm/dd	elow lan	l: ft. d surface			Source descriptio				
CONSTRUCTION				neasured al	• • •	d surface					ce of contan	nination	
Borehole interval:	Borehole dia	meter:	I	n (mm/dd					within	100 feet.			
fromto ft.		in.	Estin	nated yield	l:	gpm			PERMIT &	ID NUMBEI	RS (AS REQI	JIRED)	
fromtoft.						ft. after	hou	ırs	DWR Application No.:				
Casing height above land						pumping			KDHE / EPA Project Code:				
If casing height is les			Pum	p installed			81			e:			
has a variance been		s No	Pump installed? Yes No					KDHE UIC Class V Form Completed: Yes No					
*variance not require	0		Water well disinfected? Yes No					County Permit: Yes No Permit ID:					
or environmental re	emediation wells		Date disinfected (mm/dd/yy):					Lease Name & Well #:					
Casing type:			Aquifer, if known:					# of boreh	oles:	# of dewat	ering wells:		
Blank casing interval:		ft.											
Blank casing diameter:				LOGIC LO		TUO: 05V I		_					
Casing joints:			FRO	M TO) LI	THOLOGY IN	IIEKVAL	-5					
Weight:	_												
Wall thickness or gar													
Blank casing interval:		п.											
Blank casing diameter:													
Casing joints:													
Weight:	_												
Wall thickness or ga	uge no.:												
Grout interval:													
Grout material:													
Grout interval:			COM	MENTS									
Grout material:			COM	VILIVIS									
Savaan / narfarationt	orial.												
Screen / perforation mate				DACTOR"	C OD ! 4	NDOWNERS	CENTIF	CATION					
Screen / perforation ope Screen / perforation inter						NDOWNERS					41	, ,	
From ft. to						constructed			-		the stated		
						nd was comp	•			•			
Slot size u						ledge and be							
Fromft. to			und	er the bus	siness n	ame of							,
Slot sizeu	nıt		Kan	sas Water	: Well C	Contractor's I	License l	No	uı	nder the au	thority of t	he designa	ated
Gravel pack intervals:			pers	on as defi	ined in	K.A.R. 28-30	0-2(j) an	nd signe	d and certif	ied by the	electronic s	ignature o	f the
Gravel pack not used		in	1			its submitta	•			•		5	
From ft. to _						R WELL OWN					\$5.00 for ac =	h construct	nd ver
Gravel pack not used		in	Selia (те сору ю	, vvAIEF	KANSAS DE			•			ii consti ucti	a wel
From ft. to _	ft.			Burea	au of Wa	ter, Geology S						12-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1663976
Well Owner	Matt Hemmer
Contractor	Peterson McNett Drilling, Inc.

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	60	5	Glued	.214
80	120	5	Glued	.214
160	180	5	Glued	.214

Form	WWC5.2 - Water Well Record
Doc ID	1663976
Well Owner	Matt Hemmer
Contractor	Peterson McNett Drilling, Inc.

Grout

From	То	Grout Material
0	20	Bentonite
80	90	Bentonite
160	170	Bentonite

Form	WWC5.2 - Water Well Record
Doc ID	1663976
Well Owner	Matt Hemmer
Contractor	Peterson McNett Drilling, Inc.

Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
60	80	.025	inches	Yes	20	80	
120	160	.025	inches	Yes	90	160	
180	240	.025	inches	Yes	170	240	