For KCC Use:
Effective Date:
District #
SGA? Ves No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
OPERATOR: License#	Sec Twp S. R E feet from N / S Line of Section N / N / S Line of Section N /
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2: + State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
contact Person:	County:
hone:	Lease Name: Well #:
ONTRACTOR: License#	Field Name: Is this a Prorated / Spaced Field? Yes N
ame:	Is this a Prorated / Spaced Field? Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
OC DR1 #.	Will Cores be taken?
	If Yes, proposed zone:
AF	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual pl	
he undersigned hereby affirms that the drilling, completion and eventual pl	
the undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq. n drilling rig;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set The e underlying formation.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In drilli
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district office will	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district office will	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a sent through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the strength	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a sent through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the strength	an drilling rig; The drilling rig; The control of the top; in all cases surface pipe shall be set to underlying formation. The control of the top; in all cases surface pipe shall be set to underlying formation. The control of the top; in all cases surface pipe shall be set to underlying formation. The control of the set to underlying formation and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. The control of the control of the top; in all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	an drilling rig; the drilling rig; the circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY	In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the agreed and the agreed as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set of t	In drilling rig; In drilling
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically **Ibmitted Electronically** For KCC Use ONLY API # 15	In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the complete of the well of the complete of the well of the complete of the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disestant of the surface of the spud before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically **TorkCC Use ONLY** API # 15	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be specified. Ibmitted Electronically For KCC Use ONLY API # 15	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the standard interval in the set through all unconsolidated materials plus a minimum of 20 feet into the standard interval in the standard interval in the set through all unconsolidated materials plus a minimum of 20 feet into the standard interval in the standard interval in the set through all unconsolidated materials plus a minimum of 20 feet into the standard interval in the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through a minimum of 20 feet into the set through a standard into the set of set through a minimum of 20 feet into the set of set through a minimum of 20 feet into the set of set through a minimum of 20 feet into the set of set into the set	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY
API # 15


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section feet from E / W Line of Section Sec. Twp. S. R. E W
Number of Acres attributable to well:	SecTwpS. R E W Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



Well Location

Tank Battery Location Pipeline Location -- Electric Line Location Lease Road Location

1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		SecTwp R	
Settling Pit Drilling Pit			Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: (feet) No Pit				
		• /	cluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:	

Kansas Corporation Commission Oil & Gas Conservation Division


Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:	
Contact Person:		
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
provided the following to the surface owner(s) of the land up Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing	Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.	
the KCC will be required to send this information to the surface	acknowledge that, because I have not provided this information, owner(s). To mitigate the additional cost of the KCC performing ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

NOTICE

Nearest Lease or Unit Boundary Line

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

September 30, 2022

Rusty Mourning Mull Drilling Company, Inc. 1703 South Cranbrook Avenue Wichita, KS 67206-6637

Re: Drilling Pit Application Carter 2-30 SW/4 Sec.30-32S-23W Clark County, Kansas

Dear Rusty Mourning:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.