KOLAR Document ID: 1667592

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
•	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1667592

#### Page Two

Operator Name:	:						_ Lease	Name: _				W	/ell #:	
SecTw	vp	S. R.		East	t W	/est	Count	ty:						
open and closed and flow rates if	d, flowing a gas to sur rity Log, Fir	and shu face tes nal Logs	t-in pressu st, along w s run to ob	ures, who vith final otain Geo	ether sh chart(s) ophysic	nut-in pre ). Attach al Data a	ssure rea extra she and Final E	ched stat eet if more Electric Lo	c level space	, hydrosta is needed	tic pressures d.	, botton	n hole tempe	val tested, time tool erature, fluid recovery, v. Digital electronic log
Drill Stem Tests (Attach Addi		rs)			⁄es [	No		L	.og	Formatio	on (Top), Dep	oth and	Datum	Sample
Samples Sent to Geological Survey					es [	No		Name				-	Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:				Yes       No         Yes       No         Yes       No										
				Rep			RECORD			Used	on. etc.			
Purpose of S	tring	Size Hole		Si	Report all strings set-co Size Casing Set (In O.D.)		We	Weight Lbs. / Ft.		Setting Depth	Type of Cement		# Sacks Used	Type and Percent Additives
					ADE	SITIONIAL	OFMENT	:INO / 00I	 	DECORD				
Purpose:		De	epth	Typ				s Used	JEEZE	RECORD	Type	and Perc	ent Additives	
Perforate Protect Ca		Top B	Bottom	Type of Cement			" Gaoko Good		.yps a.a. sissin aantes					
Plug Off Z	Zone													
<ol> <li>Did you perforn</li> <li>Does the volum</li> <li>Was the hydrau</li> </ol>	ne of the tota	al base fl	luid of the h	ydraulic fr	acturing					Yes Yes Yes	No (If N	lo, skip q	nuestions 2 an nuestion 3) t Page Three o	
Date of first Produ	uction/Injecti	ion or Re	esumed Pro	duction/		ucing Meth		ing 🗆	Gaeli	t	other (Explain)			
Estimated Produ	ction		Oil E	Bbls.		Gas Mcf Water Bbls.			Gas	-Oil Ratio	Gravity			
Per 24 Hours														,
DISPOSITION OF GAS:  Vented Sold Used on Lease Ope						Dually	Dually Comp. Commingled Submit ACO-5) (Submit ACO-4)			_	N INTERVAL: Bottom			
(If vent	ted, Submit A	.CO-18.)								(0.5.5)	,			
Shots Per Foot	Perfora Top		Perfora Botto		Bridge Typ			Bridge Plug Acid, Fracture, Shot, Cementing Set At (Amount and Kind of Mate				Record		
TUBING RECOR	RD:	Size:		Set At:			Packer At:							

Form	ACO1 - Well Completion
Operator	Altavista Energy, Inc.
Well Name	ALEXANDER EAST AI-14
Doc ID	1667592

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	21	43	Portland	8	NA
Production	5.875	2.875	6.5	1098	Econobon d	125	See Ticket



Mound City, KS 620.224.7406

		Well #					Casi	ina	620.224.7406	
						Casing				
Altavista Energy, Inc.							Surface		Longstring	
	Alex	kander East i	‡AI-14			Size:	7 "	Size:	2 7/8 "	
						Tally:	43 '	Tally:	1098.0 '	
API #:	15-207	7-29893 S-T-I	R: 2-24S-16E			Cement:	8 sx	Bit:	5.875 "	
County:	Woods	son - KS Date	e: 7/11/2022			Bit:	9.875 "	Date:	7/13/2022	
Тор	Base	Formation			Тор	Base	Formation			
0	2	Soil			917	921	Lime			
2	8	Sandstone			921	1008	Shale			
8	142	Shale			1008	1009	Lime	Сар		
142	150	Lime			1009	1011	Sandy Shale			
150	167	Sand	White		1011	1012	Lime	Сар		
167	187	Lime			1012	1021	Sand	Good oil	show	
187	190	Shale			1021	1021	Sandy Shale	0000 011	311011	
190	205	Lime			1021		Sarray Strate			
205	224	Shale								
224	308	Lime								
308	311	Shale								
311	314	Lime								
314	317	Shale								
317	428	Lime								
428	462	Shale								
462	493	Lime								
493	497	Shale								
497	508	Lime					Float Equipment			
508	509	Shale			Qty	Size				
509	570	Lime			1	2 7/8	Float Shoe			
570	574	Shale			1	2 7/8	Aluminum Baffle	Se	et at 1067.5'	
574	599	Lime			3		Centralizers			
599	602	Shale			1	2 7/8	Casing clamp			
602	621	Lime								
621	625	Shale					Sand / Core De			
625	628	Lime			Core #1:		Core #2:			
628	822	Shale			Core #3:		Core #4:			
791	797	Lime			1012	1019	Good bleed to pit,	good odo	r, slightly	
797	815	Shale					laminated			
815	827	Lime								
827	831	Shale			1019	1021	Slight bleed to pit,	very lami	nated, good	
831	838	Lime					odor			
838	895	Shale								
895	904	Lime								
904	911	Shale								
911	912	Lime								
912	917	Shale								
			<b>Total Depth:</b>	1	102					
			Total Deptil.	4.	-02					



CEMENT	T TRE	ATMEN	T REP	ORT								
		Altavista			Well:	Alexande	r East Al-14	Ticket:	EP5248			
City,	State:	Wellsvil	le, KS		County:	W	D, KS	Date:	7/13/2022			
Field	d Rep:	Bryan M	liller		S-T-R:	2-	24-16	Service:	Longstring			
Dow	nholo I	nformatio	20		Calandata d			Call	unistant Classes Tail			
					Calculated S			Calculated Slurry - Tail				
	e Size: Depth:	5 7/8 1104			Blend: Weight:	Econobond 1# PS 13.61 ppg	_	Blend: Weight:				
	g Size:	2 7/8			Water / Sx:	7.12 gal / sk	-	Water / Sx:	ppg gal / sk			
Casing I		1098			Yield:	1.56 ft <sup>3</sup> / sk	+	Yield:	ft <sup>3</sup> / sk			
Tubing /	Liner:		in		Annular Bbls / Ft.:	bbs / ft.	1	Annular Bbls / Ft.:	bbs / ft.			
	Depth:		ft		Depth:	ft	1	Depth:	ft			
Tool / Pa	acker:	baf	fle		Annular Volume:	0.0 bbls		Annular Volume:	0 bbls			
Tool	Depth:	1066.3	ft		Excess:			Excess:				
Displace	ement:	6.17	bbls		Total Slurry:	34.73 bbls	_	Total Slurry:				
TIME	RATE	PSI	STAGE BBLs	TOTAL BBLs	Total Sacks: REMARKS	125 sks		Total Sacks:	0 sks			
1:15 PM		'0'	JDL3	-	on location, held safety	mooting						
1.13 F W			_		on location, neid salety	meeting						
	3.5			_	established circulation							
	3.5			-	mixed and pumped 200	# Bentonite Gel followe	d by 4 bbls fre	esh water				
	3.5			-	mixed and pumped 125	sks Econobond cemer	t with 1# Pher	noSeal per sk, cement to s	urface			
	3.5			-	flushed pump clean							
	1.0			-	pumped 2 7/8" rubber p	olug to baffle with 6.17	bls fresh wate	er				
	1.0			-	pressured to 800 PSI							
				-	released pressure to se	t float valve						
	3.5			-	washed up equipment							
2:15 PM				-	left location							
2.15 FW				-	leit location							
				_								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
	CREW UNIT							SUMMAR	Υ			
Cer	menter:	Case	ey Kenned	dy	931	Aver	ige Rate	Average Pressure	Total Fluid			
Pump Op	erator:	Nick	Beets		237	2.	8 bpm	- psi	- bbls			
	Bulk:		g Gipson		248							
H2O: Mark Watts					126							

ftv: 15-2021/01/25 mplv: 272-2022/06/30