# KOLAR Document ID: 1667618

Confident	tiality Requested
Yes	No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM

WELL	HISTORY	- DESCRIPTION	OF WELL	& I FASE
	III JIONI	- DESCRIF HOR		a LLASL

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:      SWD Permit #:	
SWD         Permit #:           EOR         Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

# Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

### KOLAR Document ID: 1667618

Operator Nam	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol>	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold Used on Lease (If vented, Submit ACO-18.)			Open Hole Perf.		-	·	mingled	юр	
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Altavista Energy, Inc.
Well Name	ALEXANDER EAST A-10
Doc ID	1667618

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11	7	21	40	Portland	8	NA
Production	5.875	2.875	6.5	1120	Econobon d	124	See Ticket

### HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

### Alexander East #A-10 API # 15-207-29883-00-00 SPUD DATE 6-20-22

7

Footage	Formation	Thickness	Set 40' of 7"
0	lime	2	TD 1128'
2	sandstone/clay	8	Ran 1120' of 27/8 on 6-21-22
10	shale	138	
148	lime	21	
169	shale	11	
180	lime	31	
211	shale	21	
232	lime	206	
438	shale	21	
459	lime	163	
622	shale	174	
796	lime	8	
804	shale	16	
820	lime	7	
827	shale	62	
889	lime	2	
891	shale	5	
896	lime	16	
912	shale	11	
923	lime	3	
926	shale	17	
943	lime	24	
967	shale	42	
1009	lime	2	
1011	shale	2	
1013	lime	1	
1014	sand	2	good odor, good bleed
1016	sand	4	very good odor, very good bleed
1020	sand	2	good odor, good bleed
1022	sand	2	good odor, good bleed
1024	sandy/shale	2	no odor, very little bleed
1026	shaley/sand	2	good odor, slight bleed
1028	shale	100	
1128			T.D.



CEMENT	TRE!	ATMENT R	EPORT				
Cus	tomer:	Altavista Ene	ergy	Well:	Alexander East A-	10 Ticket:	EP4994
City, State: Wellsville, KS			S	County:	WO, KS	Date:	6/21/2022
Field Rep: Bryan Miller				S-T-R:	2-24-16	Service:	Longstring
	all and the	nformation		Calculated SI	urry - Lead	Calo	ulated Slurry - Tail
	e Size:	5 7/8 in	_	Blend:	Econobond 1# PS	Blend:	
	Depth: g Size:	1128 ft 2 7/8 in	_	Weight:	13.61 ppg	Weight:	ppg
Casing	ALC: NOT THE OWNER	1120 ft	-	Water / Sx: Yield:	7.12 gal / sk 1.56 ft <sup>3</sup> / sk	Water / Sx:	gal / sk
Tubing /		in	-	Annular Bbls / Ft.:	bbs / ft.	Yield: Annular Bbls / Ft.:	ft <sup>3</sup> / sk bbs / ft.
	Depth:	ft	-	Depth:	ft	Depth:	ft
Tool / P	acker:	baffle	_	Annular Volume:	0.0 bbis	Annular Volume:	0 bbis
Tool	Depth:	1089 ft		Excess:		Excess:	
Displace	ement:	6,30 bbls		Total Slurry:	34.45 bbls	Total Slurry:	0.0 bbis
		STA		Total Sacks:	124 sks	Total Sacks:	0 sks
TIME	RATE	PSI BB		REMARKS			
12:30 PM	┨───┤		·	on location, held safety	meeting		
	4.0		· ·	established circulation			
	4.0				Bentonite Gel followed by 4 bbls	frachwator	
	4.0				sks Econobond cement with 1# Ph		rfaca
	4.0			flushed pump clean		enobeli per sk, cement to su	nace
	1.0		-		ug to baffle with 6.30 bbls fresh w	ater	
	1.0			pressured to 800 PSI, we			
			-	released pressure to se	t float		
	4.0			washed up equipment			
2:00 PM				left location		ан ул.	
	+						
			· ·				
			-				
			-				
			· ·				
	$\left  \right $						
		opress	-				
0		CREW		UNIT		SUMMAR	
	menter:	Casey Ker		931	Average Rate	Average Pressure	Total Fluid
Pump Op	Bulk:	Devin Kat		238	3.1 bpm	- psi	- bbis
	H20:	Mark Watt		126			