\_ WELL ID\_

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

LOCATION OF WATER WEI	LL				Original Reco	rd Correction	Change	in Wel	II Use
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		County			VV			
WATER WELL OWNER		WE	LL WATER US	 SE		NEAREST SOURCE OF PO	OTENTIAL CO	NTAMIN	NATION
Name						Source:			
Business		COI	MPLETION			Distance	Direction		
				eted well:	6	from well:	from well:		
Address				dwater encountered:		Source description:			
			-	(2) ft.;		Source:			
Well location				(4) dry well			- ·		
				el in well:	t.	from well:	from well:		
at owner's address			measured below land surface			Source description:			
CONSTRUCTION			on (mm/dd/	yy): ove land surface		No potential source	of contamina	ation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/			within 100 feet.			
fromto ft.				gpm		PERMIT & ID NUMBERS	(AS REQUIR	ED)	
fromto ft.		_     20	•	ft. after	hours	DWR Application No.:_			
Casing height above land su	-			pumping		KDHE / EPA Project Code:			
If casing height is less th			mp installed?	Yes No		Site Name:			
has a variance been app		s No				KDHE UIC Class V Form Completed: Yes No			
*variance not required to or environmental reme			Water well disinfected? Yes No			County Permit: Yes No Permit ID:			
Casing type:	diation wens	Da	Date disinfected (mm/dd/yy):			Lease Name & Well #:			
Blank casing interval:	ft. to	ft. Ac	uifer, if know	n:		# of boreholes:	# of dewatering	ng wells:	
Blank casing diameter:	in.	LITI	HOLOGIC LO	G					
Casing joints:		FF	ком то	LITHOLOGY II	NTERVALS				
Weight:lb	os/ft.								
Wall thickness or gauge									
Blank casing interval:		ft.							
Blank casing diameter:									
Casing joints:									
Weight:lb									
Wall thickness or gauge									
Grout interval: ft. t									
Grout material:									
Grout interval: ft. t		COI	MMENTS						
Grout material:									
Screen / perforation materia	ıl:								
Screen / perforation opening		COI	NTRACTOR'S	OR LANDOWNERS	CERTIFICATION				
Screen / perforation interval			is water wel	ll was constructed	d reconstru	icted pursuant to t	he stated wa	ter well	
Fromft. to	_ft.					. I certify that			
Slot size unit						<u> </u>			
From ft. to	_ft.		the best of my knowledge and belief. This water well record was completed on, under the business name of,						
Slot size unit	Slot sizeunit Kansas Water Well Contractor's License No under the authority of the designated by the contractor of the contractor of the designated by the contractor of the contractor of the designated by the contractor of the designated by the contractor of the contractor of the designated by the contractor of the designated by the contractor of the c					, ated			
Gravel pack intervals:			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the						
Gravel pack not used: Gravel sizein			designated person at its submittal:						
From ft. to						e for your records Fee of \$5	00 for each co	nstructe	ed well
Gravel pack not used:	Gravel size _	in	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT						

Form	WWC5.2 - Water Well Record
Doc ID	1667968
Well Owner	MAGELLEN MIDSTREAM PARTNERS L.P.
Contractor	Environmental Works, Inc.

## Lithology

From	То	Lithology Intervals
0	7.5	clay,very fine,sandy,dark,brownish,bro wn,dry,dense,not cemented,no staining
7.5	17.5	caliche,fine,clayey,light,reddis h,gray,dry,dense,moderately cemented,no staining
17.5	25	clay,fine,sandy,light,reddish,gr ay,dry,stiff,not cemented,no staining
25	34	caliche,fine,clayey,dark,reddis h,brown,dry,stiff,moderately cemented,no staining
34	45	clay,fine,caliche stringers,light,reddish,red,slig hty moist,stiff,not cemented,no staining
45	55	sand,fine,caliche stringers,light,grayish,brown,s lighty moist,stiff,not cemented,no staining
55	65	sand,fine to coarse,sandy,light,brownish,t an,slighty moist,loose,not cemented,no staining
65	75	sand,medium to coarse,sandy,light,brownish,t an,slighty moist,loose,not cemented,no staining

Form	WWC5.2 - Water Well Record
Doc ID	1667968
Well Owner	MAGELLEN MIDSTREAM PARTNERS L.P.
Contractor	Environmental Works, Inc.

## Lithology

From	То	Lithology Intervals
75	85	sand,very fine,caliche stringers,dark,brownish,red,sl ighty moist,stiff,not cemented,no staining
85	95	sand,fine,clayey,light,tannish, brown,very moist,loose,not cemented,no staining
95	125	sand,fine to medium,sandy,light,tannish,ta n,wet,loose,not cemented,no staining