## **WATER WELL RECORD** (WWC-5)

<b>WATER WELL RE</b>	CORD (WWC-5	5)			KOLAR D	OC ID	WELL ID_		
LOCATION OF WATER WI	ELL			Or	iginal Recor	d Correction	Chang	ge in We	II Use
Latitude	Longitude	Section	on	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation	Coun	ty		-	**			
WATER WELL OWNER		WELL WATE	1			NEAREST SOURCE OF F	POTENTIAL	CONTAMII	NATIO
Name						Source:			
Business		COMPLETIC	N			Distance from well:			
		Depth of co	mpletec	ł well:	ft		_ from we	ell:	
Address				ater encountered:		Source description:			
				) ft.;		Source:			
Well location		1 1		dry well		l		n	
		Static water	level in	well:ft.		Distance from well:	_ from we	ell:	
at owner's address			measured below land surface			Source description:			
CONSTRUCTION		on (mm	• • •			No potential source	e of contam	ination	
Borehole interval:	Borehole diameter:			e land surface :		within 100 feet.	e or contain	ination	
from to ft.			on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)			
fromtoft.		Estimated y		gpm ft. after	h	DWR Application No.			
	in.	- water level	was:	pumping		KDHE / EPA Project C			
Casing height above land		Pump ineta	lled?		gp <sup>111</sup>	Site Name:			
If casing height is less has a variance been ap	T ump msta	Pump installed? Yes No			KDHE UIC Class V Form Completed: Yes No				
*variance not required	Water well	Water well disinfected? Yes No			County Permit: Yes No Permit ID:				
or environmental ren	Date disinfe	Date disinfected (mm/dd/yy):			Lease Name & Well #:				
Casing type:		Aquifer, if k	nown			# of boreholes:			
Blank casing interval:									
Blank casing diameter:		LITHOLOGIC		LITUOLOGY INT	-DVALC				
Weight:	lbs/ft	FROM	то	LITHOLOGY INTI	EKVALS				
Wall thickness or gaug									
Blank casing interval:									
Blank casing diameter:									
Casing joints:									
	lbs/ft.								
Wall thickness or gaug									
Grout interval: ft.	· · · · · · · · · · · · · · · · · · ·	$\dashv$ $\mid$							
Grout material: ft.									
Grout material:		COMMENTS	í						
Glout material									
Screen / perforation mater	ial·								
Screen / perforation open		CONTRACT	OR'S OF	R LANDOWNERS CE	RTIFICATION				
Screen / perforation interv		-		as constructed	reconstru	cted pursuant to	the stated v	water wel	1
Fromft. to						•			
Slot size uni				•		I certify the			
From ft. to		1 1	•			vell record was comple			
Slot size uni									
Gravel pack intervals:	-	Kansas W	iter We	ell Contractor's Lic	ense No	under the au	thority of th	ne design	ated
-	Gravel size in	person as	defined	l in K.A.R. 28-30-2	2(j) and signed	d and certified by the e	lectronic si	gnature o	of the
From ft. to		designated	l persor	n at its submittal:_					
	π. Gravel size in					for your records. Fee of \$	5.00 for each	construct	ed wel
			,			EALTH AND ENVIRONM			
From ft. to	11.	В	ureau of	f Water, Geology Sec	tion, 1000 SW J	ackson St., Suite 420, Top	eka KS 6661	2-1367	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1667589	
Well Owner	MAGELLEN MIDSTEAM PARTNERS, L.P.	
Contractor	Environmental Works, Inc.	

## Lithology

From	То	Lithology Intervals
0	7.5	clay,very fine,sandy,light,brownish,bro wn,dry,firm,not cemented,no staining
7.5	17.5	clay,very fine,sandy,light,brownish,bro wn,dry,firm,not cemented,no staining
17.5	25	caliche,fine to medium,clayey,dark,reddish, brown,dry,firm,moderately cemented,no staining
25	35	caliche,fine to medium,clayey,light,brownish ,gray,slighty moist,firm,moderately cemented,no staining
35	45	caliche,fine to medium,clayey,light,brownish ,gray,slighty moist,firm,moderately cemented,no staining
45	55	sand,fine,clayey,light,brownis h,tan,slighty moist,dense,not cemented,no staining
55	65	sand,fine,caliche stringers,light,brownish,tan,sli ghty moist,loose,not cemented,no staining

Form	WWC5.2 - Water Well Record	
Doc ID	1667589	
Well Owner	MAGELLEN MIDSTEAM PARTNERS, L.P.	
Contractor	Environmental Works, Inc.	

## Lithology

From	То	Lithology Intervals
65	72	sand,medium,clayey,light,bro wnish,tan,slighty moist,loose,not cemented,no staining
72	82	sand,fine to medium,gravelly,light,brownis h,tan,slighty moist,loose,not cemented,no staining
82	85	sand,fine,clayey,light,brownis h,tan,slighty moist,loose,not cemented,no staining
85	95	sand,medium to coarse,clayey,light,brownish,t an,slighty moist,loose,not cemented,no staining
95	105	sand,medium to coarse,sandy,dark,brownish, brown,moist,loose,not cemented,no staining
105	115	sand,fine,sandy,dark,reddish, gray,moist,loose,not cemented,no staining
115	125	sand, very fine, caliche stringers, light, brownish, brown , moist, loose, not cemented, no staining