Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	OF V	VATER WEL	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WE	ELL O	WNER			WELL	. WATER U	SE				NEAREST S	OURCE OF I	POTENTIAL	CONTAMII	NATION
Name											Source:				
Business					COM	PLETION					Distance		Directi		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				ft.	from well: Source description:							
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well					Distance	:	Directi	on rell:				
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source description:							
CONSTRU	CTION	ı						nd surface				tential sourc	e of contan	nination	
Borehole	interv	al:	Borehole dia	meter:	С	n (mm/dd	/yy):					100 feet.			
fromtoftin. fromtoftin.				Estimated yield: gpm Water level was: ft. after hours				urs	DWR Application No.:						
Casing he	ight a	ove land su	rface:	in.				pumping	gp	m	KDHE / EPA Project Code:				
		ght is less tha ce been appr		s No	Pump installed? Yes No					Site Name: KDHE UIC Class V Form Completed: Yes No					
			or monitoring					? Yes No			County Permit: Yes No Permit ID:				
Casing ty		nentai remed	diation wells		Date	disinfecte	d (mm/	/dd/yy):			Lease Name & Well #:				
		erval:	ft. to	ft.	Aquifer, if known:					# of boreholes: # of dewatering wells:					
		meter:			LITHO	DLOGIC LO	OG .								
					FRC			ITHOLOGY II	NTERVA	LS					
Weigh	-	lbs													
			no.:												
			ft. to												
	-	meter:													
Casin	g joint	s:													
Weigh		lbs													
Wall t	hickn	ess or gauge	no.:												
		ft. to													
		rial:													
Grout interval: ft. to ft. Grout material:				СОМ	MENTS										
_			:		CONT	DACTOR	CODI	ANDOWNER	CERTIF	ICATION					
Screen / perforation openings:				CONTRACTOR'S OR LANDOWNERS CERTIFICATION											
					This water well was constructed reconstructed pursuant to the stated water well										
Fromft. toft. contractor's license and was completed on I certify that this reco															
F 6. 4.				the best of my knowledge and belief. This water well record was completed on											
From ft. to ft.				under the business name of,											
Slot size unit				Kansas Water Well Contractor's License No under the authority of the designated						ated					
Gravel pack intervals:				pers	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the						of the				
Gravel pack not used: Gravel size in				^	designated person at its submittal:										
							ed well								
Graver pack not about.				ocna	KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT										
From ft. to ft.					Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367										

Form	WWC5.2 - Water Well Record
Doc ID	1666479
Well Owner	Sara Vaughan
Contractor	Double J Energy

Lithology

From	То	Lithology Intervals
0	20	cobbles,coarse,clayey
20	35	limestone,moderately weathered
35	40	shale,unweathered
40	45	shaley limestone,unweathered
45	55	limestone,unweathered
55	60	limestone,unweathered,sandy
60	65	sandstone,unweathered
65	95	limestone,unweathered
95	110	other,unweathered,cherty,che rt
110	130	sandstone,unweathered
130	165	other,unweathered,cherty,che rt
165	170	shale,unweathered
170	180	sandstone,unweathered
180	220	other,unweathered,cherty,che rt
220	230	sandstone,unweathered,with limestone
230	260	other,unweathered,cherty,che rt/ limestone
260	310	limestone,unweathered,cherty ,chert
310	320	limestone,unweathered,gray
320	330	limestone,unweathered,grayis h,white

Form	WWC5.2 - Water Well Record
Doc ID	1666479
Well Owner	Sara Vaughan
Contractor	Double J Energy

Lithology

From	То	Lithology Intervals
330	360	limestone,unweathered,gray
360	380	other,unweathered,cherty,che rt
380	460	limestone,unweathered
460	500	other,unweathered,cherty,che rt
500	600	limestone,unweathered
600	630	other,unweathered,cherty,che rt/
630	690	limestone,unweathered
690	760	limestone,unweathered,sandy
760	780	limestone,unweathered
780	800	limestone,unweathered,sandy ,gray
800	820	other,unweathered,cherty,che rt