WELL ID

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WE	LL					Original Rec	ord Co	orrection	Chang	e in Wel	l Use
Latitude	Longitude		Secti	on	Township	Range	e E		1/4	1/4	1/4
Datum	Elevation		Cour	nty							
WATER WELL OWNER		'	WELL WATI	R USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name							Source:				
Business			COMPLETIC	ON					Directio from we		
			Depth of co	nmplete	ed well:	ft.		Ш;	from we	11:	
Address					rater encountered:		Source descripti	on:			
					2) ft.;		Source:				
Well location					dry well		Distance		Dinastia		
			Static wate	r level ii	n well:	.	from wel	ll:	from we	11:	
at owner's address				ed belov	w land surface		Source descripti	on:			
CONSTRUCTION					re land surface				ce of contami	nation	
Borehole interval:	Borehole dia	meter:	on (mn					n 100 feet.			
fromto ft.		in.	Estimated	yield:	gpm		PERMIT 8	k ID NUMBEI	RS (AS REQU	iRED)	
fromtoft.		in.			ft. after	hours	DWR Ap	pplication No	.:		
Casing height above land s	urface:	in.			pumping	gpm	KDHE /	KDHE / EPA Project Code:			
If casing height is less the			Pump insta	ılled?	Yes No		Site Name:				
has a variance been app		s No	Water well	disinfe	cted? Vec No			KDHE UIC Class V Form Completed: Yes No			
*variance not required or environmental rem			Water well disinfected? Yes No Date disinfected (mm/dd/yy):			County Permit: Yes No Permit ID: Lease Name & Well #:					
Casing type:			- Dute disim						# of dewate		
Blank casing interval:	ft. to	ft.	Aquifer, if	known:			# Of DOTE		# or dewate	ring wells:	
Blank casing diameter:			LITHOLOGI	C LOG							
Casing joints:			FROM	то	LITHOLOGY II	NTERVALS					
Weight:ll											
Wall thickness or gauge											
Blank casing interval:		ft.									
Blank casing diameter: Casing joints:											
Weight: ll		— <u> </u>									
Wall thickness or gauge											
Grout interval: ft.											
Grout interval: ft. 1											
Grout material:			COMMENT	S							
Screen / perforation material Screen / perforation opening			CONTRAC	OD/C C	R LANDOWNERS	CEDTIFICATIO	N				
Screen / perforation openin	·								41	11	
Fromft. to					was constructed			•	the stated v		
Slot size unit					nse and was com	_		-			
From ft. to				•	nowledge and be			•			
Slot size unit					ess name of						
Gravel pack intervals:					Vell Contractor's				•	_	
Gravel pack not used:	Gravel size	in	•		d in K.A.R. 28-3	,	ed and certi	ified by the	electronic si	gnature o	f the
From ft. to	ft.				on at its submitta			· ·			
Gravel pack not used:	Gravel size	in S	Send one co	py to W	ATER WELL OW		•			constructe	ed well.
From ft. to	ft.		I	Bureau o	of Water, Geology	EPARTMENT OF Section, 1000 SV 85) 296-3565 K	V Jackson St.,	Suite 420, Top		2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1665796
Well Owner	J & L SMITH FARMS
Contractor	Downey Drilling, Inc. #748

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	380	16	Welded	.250
600	641	16	Welded	.250
781	790	16	Welded	.250

Form	WWC5.2 - Water Well Record
Doc ID	1665796
Well Owner	J & L SMITH FARMS
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	3	topsoil,dark,brown,soft
3	20	clay,silty,brown,soft
20	27	clay,sandy,tannish,white,soft, CALICHE
27	40	sand,fine to medium,soft
40	64	sand,fine,soft
64	87	sand,fine to coarse,firm
87	97	clay,clayey,white,firm
97	114	clay,sandy,brown,firm,CEM SAND
114	123	clay,sandy,brown,firm,CEM SAND
123	129	sand,fine to medium,firm
129	137	sand,fine to medium,firm
137	161	sand & gravel,fine to medium,stiff
161	180	sand,fine to coarse,firm
180	197	sand & gravel,fine to coarse,stiff
197	233	sand & gravel, fine to coarse, stiff
233	239	clay,brown
239	260	sand & gravel,fine to coarse,stiff
260	289	sand & gravel,fine to coarse,stiff
289	295	clay,brown

Form	WWC5.2 - Water Well Record
Doc ID	1665796
Well Owner	J & L SMITH FARMS
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
295	340	sand,fine to medium,firm
340	409	clay,fine to medium,sandy,tan,firm
409	419	sand & gravel, fine to coarse, stiff, SANDSTONE
419	421	clay,sandy,white,soft
421	450	clay,fine,sandy,tan,soft,SAND
450	476	clay,sandy,brown,soft
476	527	sandstone,unknown,sandy,br own
527	533	shale,unknown,blueish,soft
533	595	sandstone,unknown,gray,hard
595	631	shale,unknown,blueish,soft
631	663	sandstone,unknown,gray,IRO N PYRITE
663	673	shale,unknown,blueish,soft
673	773	sandstone,unknown,tan,IRON PYRITE
773	790	other,unknown,red,soft,RED BED

Form	WWC5.2 - Water Well Record
Doc ID	1665796
Well Owner	J & L SMITH FARMS
Contractor	Downey Drilling, Inc. #748

Screen and Gravel

From	То	Slot Size	Slot Size Units	Gravel Pack Used			Gravel Size
380	480	.08	inches	Yes	20	790	
480	520	.06	inches	No			
520	600	.05	inches	No			
641	781	.05	inches	No			