WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from wel	l:	Directio from we	·II:	
Address					ed well:		Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	1.	Directio from we	n 11.	
at owner's			Static	water level	in well:	ft.	Source	l;	110111 we	11;	
address			m	easured belo	ow land surface		description	on:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tontial course	e of contami	ination	
CONSTRUCTION	D 1 1 1				ve land surface			itentiai sourc	c of contain	mation	
	Borehole dia	meter:	on	(mm/dd/y	y):		PERMIT &	ID NUMBER	RS (AS REQU	IRED)	
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE /	EPA Project (Code:		
If casing height is less that			Pump	installed?	Yes No						
has a variance been appro		s No	T17.	11 11	. 10				orm Complet		
*variance not required for environmental remed					ected? Yes N		1		No Perm		
Casing type:	lation wens		Date	disinfected ((mm/dd/yy):						
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FRO	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								D118011224 + -	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
Slot size unit _					ness name of						
			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,		•			
From ft. to	_				VATER WELL OW	<u> </u>	ne for your rea	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1665590
Well Owner	QUALITY HAY LLC
Contractor	Downey Drilling, Inc. #748

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	278	.25	Welded	.250
398	438	.25	Welded	.250
578	588	.25	Welded	.250

Form	WWC5.2 - Water Well Record
Doc ID	1665590
Well Owner	QUALITY HAY LLC
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	3	sand,fine to medium,soft
3	19	clay,fine,sandy,tan,soft
19	70	sand,fine,soft
70	99	clay,fine,sandy,tan,soft,FINE SAND
99	135	sand,fine to coarse,gravelly,firm
135	165	gravel,fine to coarse,hard
165	170	clay,fine,sandy,tan,soft
170	210	gravel,fine to coarse,stiff
210	215	clay,fine,sandy,tan,soft
215	246	gravel,fine to coarse,stiff
246	251	clay,fine,sandy,tan,soft
251	350	gravel,fine to coarse,stiff
350	355	sand & gravel, fine to coarse, gravelly, white, stiff
355	370	clay,sandy,white,firm,LIMERO CK
370	375	clay,yellowish,soft,SOAPSTO NE
375	380	clay,gray,soft
380	385	sandstone,unknown,sandy,br own
385	393	clay,gray,soft
393	402	clay,blueish,soft
402	448	clay,gray,soft

Form	WWC5.2 - Water Well Record
Doc ID	1665590
Well Owner	QUALITY HAY LLC
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
448	455	sandstone,unknown,gray,hard ,SOAPSTONE
455	470	sandstone,unknown,sandy,yel lowish,brown,hard,SOAPSTO NE/FINE SAND
470	565	sandstone,unknown,brownish, white,SS/LIMEROCK
565	588	shale,unknown,blueish,hard,l RON PYRITE

Form	WWC5.2 - Water Well Record
Doc ID	1665590
Well Owner	QUALITY HAY LLC
Contractor	Downey Drilling, Inc. #748

Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
278	358	.08	inches	Yes	40	588	#1
358	398	.06	inches	No			
438	578	.05	inches	No			