WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATI	ER WELL							Origin	al Recor	d Coi	rection	Change	e in We	ll Use
Latitude		Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum		Elevation			County		1		0	VV				
WATER WELL OWNE	:R				VATER U	SE				NEAREST S	OURCE OF I	POTENTIAL C	ONTAMIN	NATION
Name														
Business				COMPI	ETION					Distance		Direction		
Dusilless					ETION					from well:		from wel	l:	
Address							ell:		ft.	Source				
				1 -			encountered:			descriptio				
TATall la antion							ft.;			Source:				
Well location			(3) ft.; (4) dry well						Distance from well:		Direction from wel			
at owner's			Static water level in well: ft.						Source					
address				measured below land surface on (mm/dd/yy):						description:				
CONSTRUCTION							nd surface			No pot	ential sourc	e of contami	nation	
Borehole interval:		Borehole dia	meter:		(mm/dd		iiu surrace			within	100 feet.			
from to			in.		ated yield		gpm			PERMIT &	ID NUMBER	S (AS REQUI	RED)	
fromto			in.		•		gpm ft. after	bo	nurs	DWR Apr	olication No.	:		
				, vacci	iever was	•	pumping			KDHE / EPA Project Code:				
Casing height above			in.	Pump	installed	? Ye		81		Site Name:				
If casing height i has a variance be			. No	Pump installed? Yes No						KDHE UIC Class V Form Completed: Yes No				
*variance not red				Water well disinfected? Yes No						County Permit: Yes No Permit ID:				
or environmental remediation wells				Date disinfected (mm/dd/yy):						Lease Name & Well #:				
Casing type: ft. to ft.				Aquifer, if known:						# of boreh	oles:	# of dewater	ing wells:	
Blank casing diamet			11.		OGIC LO									
Casing joints:				FROM			ITHOLOGY II	NTERVA	NI S					
-	lbs/f			111011	" "	<u> </u>		VI LIVV	123					
Wall thickness o														
Blank casing interva	0 0													
Blank casing diamet														
Casing joints:														
Weight:	lbs/f	t.												
Wall thickness o	r gauge no	o.:												
Grout interval:	ft. to	ft.												
Grout material:														
Grout interval:														
Grout material:				COMM	ENTS									
Screen / perforation	material: _													
Screen / perforation	openings:	:		CONTR	ACTOR'	S OR L	ANDOWNERS	CERTIF	ICATION					
Screen / perforation	intervals:			This v	vater we	ll was	constructed	d 1	reconstru	cted p	ursuant to	the stated w	ater well	
Fromft. to	fi	t.		contr	actor's li	cense	and was com	pleted	on		I certify th	at this record	d is true	to
Slot size				the be	est of my	know	vledge and be	elief. Th	is water v	vell record v	was comple	eted on		
From ft. to					-		name of				_			
Slot size														ated
Gravel pack intervals:				Kansas Water Well Contractor's License No under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
Gravel pack not used: Gravel size in				designated person at its submittal:										
From ft.							ER WELL OW		ratain as	for your == -	orde Ess of the	5 00 for and	construct	ad recl1
Gravel pack not		Gravel size _	in	sena or	ie copy to	VVAIL				e for your reco EALTH AND			constructe	eu weii.
From ft.	to	ft.			D		Total Cools	041	1000 6147	C4 C			1267	

Form	WWC5.2 - Water Well Record			
Doc ID	1665281			
Well Owner	KDHE			
Contractor	Flint Hills Drilling #914			

Lithology

From	То	Lithology Intervals
0	5	clay,brown,soft
5	10	sand,fine to coarse,light,brown,dense
10	15	sand,fine to coarse,light,brown,loose
15	20	sand & gravel, fine to coarse
20	25	sand & gravel,fine to coarse
25	35	sand,fine to coarse
35	40	gravel,medium,brown,loose
40	45	gravel,medium,some clay present
45	50	gravel,medium
50	60	sand,fine to coarse,clayey,brown,dense
60	75	sand,fine to coarse,tan,dense
75	105	gravel,fine to coarse,tan,loose
105	110	gravel,fine to coarse,tan,loose,very angular
110	130	gravel,fine to coarse
130	135	gravel,fine to coarse,very large pebble sized pieces.
135	140	gravel, fine to coarse, pieces becoming increasingly smaller.
140	152	gravel,fine to coarse

