WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

VATER WELL REC	ORD (W	WC-5)				KOLAR [OOC ID		WELL ID_		
OCATION OF WATER WEL	L					Original Reco	rd Coi	rrection	Chang	ge in We	ll Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County							
ATER WELL OWNER			WELL	WATER USI	E		NEAREST S	OURCE OF F	POTENTIAL	CONTAMI	OITAN
Name							Source:				
Business			COMP	LETION			Distance		Directio	nn	
					ted well:	ft.	from well:	:	_ from we	ell:	
Address			-	-	water encountered:		Source descriptio	n:			
			-	•	(2) ft.;						
Well location					(4) dry well					n.	
			-			<u> </u>	from well:	:	_ from we	ell:	
at owner's address			m		in well: f ow land surface v):	ι.	Source descriptio	n:			
ONSTRUCTION Borehole interval:	Borehole dia	meter·	m	•	ve land surface			tential sourc 100 feet.	e of contam	ination	
fromto ft.		in.					PERMIT &	ID NUMBER	S (AS REQU	IRED)	
fromtoft.					gpm ft. after	hours	DWR Apr	plication No.			
			water		pumping			EPA Project (
Casing height above land su		in.	Pumr		Yes No	gpiii	I	e:			
If casing height is less th has a variance been appropriate the control of the control of the case of		s No	Tump	instanca.	103 110		I	IC Class V Fo			No
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:				
or environmental remed	diation wells		Date of	disinfected	(mm/dd/yy):		1	ne & Well #:			
Casing type:	· ·		Aquif	er, if known			I	oles:			
Blank casing interval:		ft.									
Blank casing diameter:				LOGIC LOG		NTERVALE					
Casing joints:lbs			FROI	м то	LITHOLOGY	NIERVALS					
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
· —	s/ft.										
Wall thickness or gauge											
Grout interval: ft. to											
Grout material:it. to											
Grout interval: ft. to											
Grout material:			COMM	IENTS							
Grout material.											
Screen / perforation material	l:										
Screen / perforation opening			CONTI	RACTOR'S	OR LANDOWNERS	S CERTIFICATION					
Screen / perforation intervals					was constructed			oursuant to	the stated v	water wel	1
Fromft. to					ense and was com		•				
Slot size unit _					knowledge and be	_		-			
Fromft. to				-	_			_			
Slot size unit					ness name of						
Gravel pack intervals:					Well Contractor's				•	_	
Gravel pack not used:	Gravel size _	in	-		ed in K.A.R. 28-3		d and certifi	ied by the e	lectronic si	gnature o	of the
From ft. to			desig	nated pers	son at its submitte	al:		<u> </u>			
Gravel pack not used:		.	Send o	ne copy to V	VATER WELL OW	NER and retain on	e for your reco	ords. Fee of \$	5.00 for each	construct	ed wel

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

DOC ID	1672086	1672086					
Form	WWC5.2	WWC5.2					
Contractor	Woofter Pump & \	Woofter Pump & Well, Inc. #881					
From	То	LithologicLog					
0	2	Surface Top soil Native soil					
2	10	Loess					
10	26	Clay					
26	48	Clay and caliche lenses and traces of sand					
48	80	Fine and medium sand with clay and caliche lenses					
80	101	Fine and medium sand with clay and caliche streaks					
101	125	Clay and caliche with sand lenses					
125	148	Fine to some medium sand with few clay and caliche lenses					
148	177	Caliche and clay with sand streaks					
177	198	Fine and medium sand with cemented lenses					
198	225	Fine and medium sand with clay lenses					
225	240	Yellow Ochre					