# **CORRECTION #1**

KOLAR Document ID: 1671775

| For KCC Use:    | Kansas Corporation Commission   |
|-----------------|---------------------------------|
| Effective Date: | OIL & GAS CONSERVATION DIVISION |
| District #      | Ole a One Concertwinon Division |

SGA?

Yes No

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

| Sec.   Twp.   S. R.   E   Get from   N /   S. Line of Sec.   Sec.   Twp.   S. R.   E   Get from   N /   S. Line of Sec.   Sec.   Sec.   Twp.   S. R.   E   Get from   Discovery   S. Line of Section Plat on reverse side  | Expected Spud Date:  | month  | day  | year   | Spot Description:  |   |
|--|--|--|--|--|--|---|
| SECTION:   Regular   Inregular?  |  | monur  | uay  | year   | Sec Twp S. R   | E V   |
| Is SECTION: Regular   Irregular?   | OPERATOR: License#   |  |  |  | feet from N /  | S Line of Sectio  |
| Address 2:   | lame:  |  |  |  |  | W Line of Sectio  |
| County:    County:   Count | ddress 1:  |  |  |  | Is SECTION: Regular Irregular?   |   |
| County:    County:   Count | ddress 2:  |  |  |  | (Note: Locate well on the Section Plat on reverse  | e side)   |
| Contractor   Licenses   Lease Name:   Well #:  | City:  | State:   | Zip:   |  | County:  |   |
| Field Name:  | · · · · · · · · · · · · · · · · · · ·  |  |  |  |  | /ell #:   |
| Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Nearest lease or unit boundary line (in foota   | hone:  |  |  |  |  |   |
| Well Dnilled For:   Well Class:   Type Equipment:   Season   Sea   | ONTRACTOR: License#  | :  |  |  | Is this a Prorated / Spaced Field?   | Yes No  |
| Ground Surface Elevation:  | lame:  |  |  |  | Target Formation(s):   |   |
| Ground Surface Elevation:  | Well Drilled For:  | Wall Class   | Type   | Fauinment:   | Nearest Lease or unit boundary line (in footage):  |   |
| Gas   Storage   Pool Ext.   Air Rotary   Wildcat   Cable   Disposal   Wildcat   Cable   Wildcat   Cable   Wildcat   Cable   Disposal   Wildcat   Cable   Wildcat   Cable   Disposal   Wildcat   Cable   Disposal   Wildcat   Cable     |  |  |  |  |  |   |
| Selsimic   # of Holes   Other   Cable   Cabl   |  |  | =  | •  |  |   |
| Seismic   # of Holes   Other   |  | • =  |  | •  | ·  | Yes N   |
| Other:   O   |  |  |  | Cable  |  |   |
| Surface Pipe by Alternate:   |  |  |  |  | •  |   |
| Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):  Projected Total Depth:  Original Completion Date:  Original Completion Date:  Original Total Depth:  Original Completion Date:  Original Date:  Original Completion Date:  Original Date:  Original Completion Date:  Original Date:  Original Date:  Original Date:  Orig | Outer.   |  |  |  |  |   |
| Length of Conductor Pipe (if any):   | If OWWO: old well  | information as follow  | ws:  |  |  |   |
| Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth:   | Oneveter   |  |  |  | •  |   |
| Original Completion Date: Original Total Depth: Water Source for Drilling Operations:  Water Source for Water Interest Mitter Interest Methods on the Surface on Act (Source Interest All Drilling Operations)  Water Source for Drilling Operations Source Interest Heave Nation Drilling Operatio | •  |  |  |  |  |   |
| Water Source for Drilling Operations:    Water Source for Drilling Operations:   Water Source for Drilling Drill Source Source For Supplement |  |  | riginal Total  | Denth:   | •  |   |
| Ves true vertical depth:   DVIR Permit #:   DVIR Permit   | Original Completion Bi   |  | rigiliai iotai   | Борин.   |  |   |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in:  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  DWR Permit #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1   | Directional, Deviated or Ho  | orizontal wellbore?  |  | Yes No   |  |   |
| Will Cores be taken?   Yes   Yes   Trees, proposed zone:   Will Cores be taken?   Yes   Yes   Trees, proposed zone:   Will Cores be taken?   Yes   Yes   Trees, proposed zone:   Will Cores be taken?   Yes   Trees, proposed zone:   Will Cores be taken?   Yes   Trees, proposed zone:   Will Cores be taken?   Yes   Trees, proposed zone:    | f Yes, true vertical depth:_   |  |  |  |  |   |
| If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  - File Completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Corrier Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.  - If well with not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address helow.   | Bottom Hole Location:  |  |  |  |  |   |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office as hours prior to workover or re-entry;  Submit Plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check th | CC DKT #:  |  |  |  |  | Yes No  |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office as hours prior to workover or re-entry;  Submit Plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check th |  |  |  |  | If Yes, proposed zone:   |   |
| The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  With the completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or  |  |  |  | AF   | FIDAVIT  |   |
| t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:**  Price Cuse ONLY  API # 15 -  | The undersigned hereby   | affirms that the dril  | lina, comple   |  |  |   |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:** Conductor pipe required   |  |  | -  |  | -99··9 - · · · · · · · · · · · · · · · ·   |   |
| 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  District office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.  | o .  |  |  |  |  |   |
| 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  While the defect of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Sur |  |  |  |  | h drilling rig:  |   |
| through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Wemmber to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.  |  | SWOOD NOTICE OF INTON  |  |  | • •  |   |
| 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Description:  Descri | 2. A copy of the appre   |  |  |  |  | l be set  |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  - If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.  | <ol> <li>A copy of the approx</li> <li>The minimum amo</li> </ol>  | ount of surface pipe   |  |  | ne underlying formation.   | l be set  |
| Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.    Conductor pipe required   | <ol> <li>A copy of the appre</li> <li>The minimum amo<br/>through all uncons</li> </ol>  | ount of surface pipe<br>olidated materials p   | olus a minim   | num of 20 feet into th   | , ,  |   |
| with the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If well will not be drilled or permit has expired (See: authorized expiration date)   | <ol> <li>A copy of the appression.</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> </ol>   | ount of surface pipe<br>olidated materials pole, an agreement b<br>strict office will be r   | olus a minimetween the notified befo   | num of 20 feet into the operator and the dis re well is either plug  | trict office on plug length and placement is necessary <b>prior to</b> ged or production casing is cemented in;  | plugging;   |
| For KCC Use ONLY  API # 15   | <ol> <li>A copy of the appression.</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE</li> </ol>  | ount of surface pipe<br>olidated materials pole, an agreement b<br>strict office will be r<br>II COMPLETION, p   | olus a minimetween the notified before production p  | num of 20 feet into the<br>operator and the dis<br>re well is either plug-<br>ipe shall be cemente   | strict office on plug length and placement is necessary <b>prior to</b> ged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of s   | <i>plugging;</i><br>spud date.  |
| For KCC Use ONLY  API # 15   | <ol> <li>A copy of the approach</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>   | ount of surface pipe colidated materials pole, an agreement be strict office will be recompled to the completion, poendix "B" - Eastern  | olus a minimetween the notified beforeduction particular in the notified beforeduction particular in Kansas su   | num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #   | strict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of standard surface, which applies to the KCC District 3 area, alternate I  | plugging;<br>spud date.<br>I cementing  |
| For KCC Use ONLY  API # 15   | <ol> <li>A copy of the approach</li> <li>The minimum amount through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>  | ount of surface pipe colidated materials pole, an agreement be strict office will be recompled to the completion, poendix "B" - Eastern  | olus a minimetween the notified beforeduction particular in the notified beforeduction particular in Kansas su   | num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #   | strict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of standard surface, which applies to the KCC District 3 area, alternate I  | plugging;<br>spud date.<br>I cementing  |
| For KCC Use ONLY  API # 15   | <ol> <li>A copy of the appression.</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE</li> <li>Or pursuant to App</li> </ol>  | ount of surface pipe colidated materials pole, an agreement be strict office will be recompled to the completion, poendix "B" - Eastern  | olus a minimetween the notified beforeduction particular in the notified beforeduction particular in Kansas su   | num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #   | strict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of standard surface, which applies to the KCC District 3 area, alternate I  | plugging;<br>spud date.<br>I cementing  |
| For KCC Use ONLY  API # 15   | <ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>   | ount of surface pipe olidated materials pole, an agreement be strict office will be restrict office will be restrict office will be restrict office will be restricted by the strict office will be restricted by the strict   | olus a minimetween the notified beforeduction particular in the notified beforeduction particular in Kansas su   | num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #   | strict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of standard surface, which applies to the KCC District 3 area, alternate I  | plugging;<br>spud date.<br>I cementing  |
| API # 15   | <ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>   | ount of surface pipe olidated materials pole, an agreement be strict office will be restrict office will be restrict office will be restrict office will be restricted by the strict office will be restricted by the strict   | olus a minimetween the notified beforeduction particular in the notified beforeduction particular in Kansas su   | num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #   | strict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of s 133,891-C, which applies to the KCC District 3 area, alternate I e plugged. <i>In all cases, NOTIFY district office</i> prior to any ce   | plugging;<br>spud date.<br>I cementing  |
| Conductor pipe required  | <ol> <li>A copy of the approach</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Approach</li> <li>must be completed</li> </ul> </li> </ol>   | ount of surface pipe olidated materials pole, an agreement be strict office will be restrict office will be restrict office will be restrict office will be restricted by the strict office will be restricted by the strict   | olus a minimetween the notified beforeduction particular in the notified beforeduction particular in Kansas su   | num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #   | etrict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of standard 133,891-C, which applies to the KCC District 3 area, alternate lest plugged. <i>In all cases, NOTIFY district office</i> prior to any cemember to:   | plugging;<br>spud date.<br>I cementing<br>menting.  |
| Conductor pipe required  | <ol> <li>A copy of the approach</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Appropriate de</li> </ul> </li> <li>Ubmitted Electro</li> </ol> For KCC Use ONLY   | ount of surface pipe olidated materials pole, an agreement be strict office will be result to COMPLETION, poendix "B" - Eastern d within 30 days of the nically  | olus a minimetween the notified befooroduction particular in the spud dar  | num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #   | Remember to:  File Certification of Compliance with the Kansas Surface Own   | plugging;<br>spud date.<br>I cementing<br>menting.  |
| Minimum surface pipe requiredfeet per ALTIIIIIIIIIIIII   | 2. A copy of the approach of the minimum amouthrough all uncons 4. If the well is dry house of the appropriate diese of the appropriate diese of the appropriate diese of the appropriate of the appropria  | ount of surface pipe olidated materials pole, an agreement be strict office will be result to COMPLETION, poendix "B" - Eastern diwithin 30 days of the mically  | olus a minimetween the notified befoorduction particular in the spud dar   | num of 20 feet into the operator and the distrement well is either plugipe shall be cementer face casing order # te or the well shall be   | Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;   | plugging;<br>spud date.<br>I cementing<br>menting.  |
| Approved by:  This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)  This authorization void if drilling not started within 12 months of approval date.)  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.  - If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below  | 2. A copy of the approach of the minimum amouthrough all uncons 4. If the well is dry hose of the appropriate disense of the approach of the appropriate disense of the appropriate di  | ount of surface pipe olidated materials pole, an agreement be strict office will be result to COMPLETION, poendix "B" - Eastern diwithin 30 days of the mically  | olus a minimetween the notified befoorduction particular in the spud dar   | num of 20 feet into the operator and the distrement well is either plugipe shall be cementer face casing order # te or the well shall be   | Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  | plugging;<br>spud date.<br>I cementing<br>menting.  |
| This authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.  - If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below  | 2. A copy of the approach of the minimum amount through all uncons  4. If the well is dry house of the appropriate diese of the approach of the appropriate diese of the a  | nunt of surface pipe olidated materials pole, an agreement be strict office will be reflected in the complete of the complete  | olus a minimetween the notified befoorduction particular that is a minimetween the notified befoorduction particular that is a minimetween the spud date.  | num of 20 feet into the operator and the distribution re well is either plugipe shall be cementer face casing order # te or the well shall be shall | Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  | plugging; spud date. I cementing menting. er Notification                                 |
| <ul> <li>(This authorization void if drilling not started within 12 months of approval date.)</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If well will not be drilled or permit has expired (See: authorized expiration date)</li> </ul>   | 2. A copy of the approsection of the approsection of the appropriate displayed and the appropri  | ount of surface pipe olidated materials pole, an agreement be strict office will be reflected by the strict office within 30 days of the strict of the  | olus a minimetween the notified befoorduction particular in the spud date of the spud date  | num of 20 feet into the operator and the discrete well is either plugipe shall be cementerface casing order # te or the well shall be et   | Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders  | plugging; spud date. I cementing menting. er Notification                                 |
| - If well will not be drilled or permit has expired (See: authorized expiration date)  | 2. A copy of the approach of the approach of the well is dry howard of the well is dry howard of the well is dry howard of the appropriate different of the appropriate of the approach of the well approved by:  2. A copy of the approach of the approach of the appropriate different of the well approach of the appropriate different of the approach of the appropriate different of the approach of | punt of surface pipe olidated materials pole, an agreement be strict office will be reflected in the strict of t | olus a minimetween the notified befoorduction particular in the spud date of the spud date  | num of 20 feet into the operator and the discrete well is either plugipe shall be cementerface casing order # te or the well shall be et   | Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders  Notify appropriate district office 48 hours prior to workover or residuence in cases and place as a prior to workover or residuence in place and plac | plugging; spud date. I cementing menting. er Notification                                 |
| Spud date: Agent: please check the box below and return to the address below.  | 2. A copy of the approach of the approach of the well is dry howard of the appropriate different of the appropriate different of the well is dry howard of the well is dry how | punt of surface pipe colidated materials pole, an agreement be strict office will be reflected in the strict of  | olus a minimetween the notified befoorduction particular that says the spud date of the spu | num of 20 feet into the operator and the discrete well is either plugipe shall be cementer face casing order # te or the well shall be et  | Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders  Notify appropriate district office 48 hours prior to workover or submit plugging report (CP-4) after plugging is completed (with the completed with the plugging is completed (with the completed is the completed with the plugging is completed (with the completed is the completed with the complete is the completed with the complete in the | plugging; spud date. I cementing menting.  er Notification  ; re-entry; thin 60 days);    |
|  | 2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required Minimum surface pipe rec Approved by:  This authorization expire   | punt of surface pipe colidated materials pole, an agreement be strict office will be reflected in the strict of  | olus a minimetween the notified befoorduction particular that says the spud date of the spu | num of 20 feet into the operator and the discrete well is either plugipe shall be cementer face casing order # te or the well shall be et  | Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders Notify appropriate district office 48 hours prior to workover or submit plugging report (CP-4) after plugging is alt wate  If well will not be drilled or permit has expired (See: authorized)   | plugging; spud date. I cementing menting.  er Notification  ; re-entry; thin 60 days); r. |

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

KOLAR Document ID: 1671775



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R 🗌 E 🔲 W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

# 2057 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# CORRECTION #1

KOLAR Document ID: 1671775

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                                |  | License Number:  |
|---|--------------------------------|--|--|
| Operator Address:   |                                |  |  |
| Contact Person:   |                                | Phone Number:                          |  |
| Lease Name & Well No.:  |                                | Pit Location (QQQQ):                   |  |
| Type of Pit:  | Pit is:                        |  |  |
| Emergency Pit Burn Pit  | Proposed                       | Existing                               | SecTwp R East West   |
| Settling Pit Drilling Pit   | If Existing, date constructed: |  | Feet from North / South Line of Section  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)   | Pit capacity:                  |  | Feet from East / West Line of Section  |
|   | -                              | (bbls)                                 | County   |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes I                     | No                                     | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)      |
| Is the bottom below ground level?  Yes No   | Artificial Liner?              | lo                                     | How is the pit lined if a plastic liner is not used?                           |
| Pit dimensions (all but working pits):  | Length (fee                    | et)                                    | Width (feet) N/A: Steel Pits   |
| Depth fro   | om ground level to dee         | pest point:                            | (feet) No Pit  |
| If the pit is lined give a brief description of the li<br>material, thickness and installation procedure. | ilei                           |  | dures for periodic maintenance and determining cluding any special monitoring. |
| ·   |                                | Depth to shallor<br>Source of inforr   | west fresh water feet.   |
| feet Depth of water well  | feet                           | measured                               | well owner electric log KDWR   |
| Emergency, Settling and Burn Pits ONLY:   |                                | Drilling, Worko                        | ver and Haul-Off Pits ONLY:  |
| Producing Formation:  |                                | Type of materia                        | l utilized in drilling/workover:   |
| Number of producing wells on lease:   |                                | Number of working pits to be utilized: |  |
| Barrels of fluid produced daily:  |                                | Abandonment p                          | procedure:   |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Dril           |                                | Drill pits must b                      | e closed within 365 days of spud date.   |
|   | -                              |  |  |
| Submitted Electronically  |                                |  |  |
|   | КСС                            | OFFICE USE O                           | NLY  Liner Steel Pit RFAC RFAS   |
| Date Received: Permit Numl  | ber:                           | Permi                                  |  |

# **CORRECTION #1**

KOLAR Document ID: 1671775


Kansas Corporation Commission Oil & Gas Conservation Division Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


| Select the corresponding form being filed: C-1 (Intent) CB-1 (   | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)   |
|--|---|
| OPERATOR: License #  | Well Location:  |
| Name:  | SecTwpS. R  |
| Address 1:   | County:   |
| Address 2:   | Lease Name: Well #:   |
| City: State: Zip:+   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of  |
| Contact Person:  | the lease below:  |
| Phone: ( ) Fax: ( )  |   |
| Email Address:   |   |
| Surface Owner Information:   |   |
| Name:  | When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface   |
| Address 1:   | owner information can be found in the records of the register of deeds for the  |
| Address 2:   | county, and in the real estate property tax records of the county treasurer.  |
| City:  |   |
| the KCC with a plat showing the predicted locations of lease roads, tank   | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.                                    |
| provided the following to the surface owner(s) of the land up<br>Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filin             | Act (see Chapter 55 of the Kansas Statutes Annotated), I have son which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address. |
| the KCC will be required to send this information to the surface   | I acknowledge that, because I have not provided this information, e owner(s). To mitigate the additional cost of the KCC performing lress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.               |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.  |
| Submitted Electronically   |   |
| r  |   |



<sup>\*</sup> Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Dilfield Services. Inc. its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from inclidental or consequential damages.

\* Elevations derived from National Geodetic Vertical Datum

October 27, 2022



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

November 03, 2022

Sarah Kerstetter Murfin Drilling Co., Inc. 250 N WATER STE 300 WICHITA, KS 67202-1216

Re: Drilling Pit Application API 15-179-21491-00-00 Ashley 'A' 1-2 SW/4 Sec.02-06S-29W Sheridan County, Kansas

## Dear Sarah Kerstetter:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.