KOLAR Document ID: 1671053

For	ксс	Use:
-----	-----	------

Effective	Dat
-----------	-----

District	#	

	1	
SGA?	Yes	No

Form

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

KSONA-1, Certification of Comp	liance with tl	he Kansas S	Surface Owner Notification A	ct, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other Other:	Nager Formation(s):
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface pipe **shall be set** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required _	feet per ALT. I
Approved by:	
This authorization expires: (This authorization void if drilling no	ot started within 12 months of approval date.)
Spud date:	Agent:

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent: For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2970 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two

KOLAR Document ID: 1671053

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

	Submit in Duplicate				
Operator Name:	Operator Name:		License Number:		
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:		·		
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West		
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
		No			
Pit dimensions (all but working pits):			Width (feet)N/A: Steel Pits		
Depth fro	-		dures for periodic maintenance and determining		
material, thickness and installation procedure.					
Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information:					
		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:			over and Haul-Off Pits ONLY:		
		Type of materia	pe of material utilized in drilling/workover:		
Number of producing wells on lease: Number		Number of worl	Number of working pits to be utilized:		
Barrels of fluid produced daily: Abandonment prod			procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	pits must be closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY					
Date Received: Permit Numl	per:	Permi	t Date: Lease Inspection: Yes No		

KOLAR Document ID: 1671053

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-
July 202
Form Must Be Typed
Form must be Signed
All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

□ I certify that, pursuant to the Kansas Surface Owner Notice Act (see Chapter 55 of the Kansas Statutes Annotated), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.

□ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Arcadian Resources, LLC	Location of Well: County: Norton			
Lease: Mindrup				
Well Number: 1 OWWO	2970 feet from N / X S Line of Section 4950 feet from X E / W Line of Section			
Field: Norton	Sec. <u>31</u> Twp. <u>3</u> S. R. <u>23</u> E X W			
Number of Acres attributable to well:	Is Section: 🔀 Regular or 🗌 Irregular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NENNW SESSW			

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2970 ft.

For KCC Use ONLY

API # 15 -

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

	~	RECEIVER						
-	Ę	STATE OF KANSAS						
	STATE COF	RPORATION	COMMIS	SION				
		STATE CORPORATION COMMISSION 200 Colorado Derby Bldg. Wichita, Kapsas 67202						
	CONSERVATION DIVISION							
Circo All Trafferenction Com		. PLUGGIN		-	Wichita, Kansa	15		
Give All Information Comp Make Required Affidavit	letely	15-	-137-	00082-	-00-00			
	COUNTY	Nort		SEC.	31 TWP. 3	S RGE. 23W XEX/W		
	Location a	is in quai		r footage	from lines:	Ne die Wie Angewein. Des Ange south in andre south date w		
SW SW NW Lease OwnerJohn O. Farmer, Inc.								
	Lease Name <u>Mindrup</u> Well No. #1							
	Office Address P.O. Box 352, Russell, KS 67665							
Character of Well (Completed as Oil, Gas or Dry Hole): 011								
Date Well Completed July 16, 1953								
					March 30, 198			
	Plugging c	ommenced_	12	2:00 P.M.,	April 19, 198	82		
	Plugging c	ompleted_		2:30 P.M.,	April 19, 198	82		
de normane er meder en en en eller en e	Reason for	abandonn	ent of	well or pr	oducing form	vation		
<i>Locate Well</i> <i>correctly on above</i>			r	noncommerc	ial			
Section Platt.	Was permis	sion obta	ined fr	om the Cor	servation Di	vision or it's		
					ed?			
Name of Conservation Agent	t who superv	ised plug	oing of	this well				
Producing formation Ar	buckle	Denth to	ton 37	45 bott				
Show depth and thickness of					.0III <u>3755 </u>	XX. 3755'		
	JI AII WALEI		gas 10	miations.				
OIL, GAS OR WATER RECORDS				an a	a di mandari da su di	Casing Record		
Formation	Content	From	То	Size	Put in	Pulled Out		
· · · · · · · · · · · · · · · · · · ·				8-5/8"	160'			
				5-1/2"	3745'			
Describe in detail the	manner in t	which the	well w	as plugged	indicating	where the mid		
Trutu was praced and the n	nethoa or met	chods use	d in in	troducing	it into the l	hold. If cement		
or other plugs were used, to feet for each	state the ch plug set.	naracter	of same	and depth	placed, from	m feet		
						an fan skrieder an de ferste staat en sje de staat de st		
Mixed 370 sx	s. cement, 2	20 gel, 8	hulls.	Maximum	pressure - 5	O PSI.		
,								
						-		
				an an the second state of the s				
(If additional Name of Plugging Contracto	description	is necess	sary, us	se BACK of	this sheet)			
	L			Farmer, In x 352, Rus	sell, KS 6766	65		
	•							
STATE OF <u>Kansas</u> John O. Farr	COUNTY OF		11	_,ss.				
above-described well bein	o first duly	COLICIAN OF	o o o th	aarra, TTL.	T 1 1	cator) of the		
Luces, statements, and mat	Lers nerein	contained	1 and th	no log of t	-ho -ohorro dos	scribed well as		
filed and that the same ar	e true and c	orrect.	So help	$^{\text{me God}}$	V a	7		
and the second			(Signa	ature) 🖊	onn O.	Same		
Street Sch			. 0 -	<i>p.J.</i>	Box 352, Rus	sell, KS 67665		
P.J. Box 352, Russell, KS 67665 (Address)								
SUBSCRIEED AND SWORN TO before me this 27th day of April , 19 82								
C. S			m	t i	-			
Mr. Commence	Tere 07	100-	Margar	ef A. Schu	ilte Not	te ary Public.		
My Connexpires:	January 27,	1985				· · · · · · · · · ·		

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

November 4, 2022

Arcadian Resources, LLC 313 E Kansas St. Glen Elder, KS 67446

RE: Surface Casing Exception Mindrup 1 OWWO, Sec. 31-T3S-R23W Norton County, Kansas

Dear Mr. Deverman:

The Kansas Corporation Commission (KCC) has received your request for an exception to the Table 1 minimum surface pipe requirement of 250 feet for the proposed washdown of this well. From your request, the KCC understands that Arcadian Resources, LLC is requesting to utilize the existing 160 feet of surface casing and Alternate II cementing rules.

After review of this matter by technical staff it was determined that:

- 1. The base of the Dakota formation is at a depth of approximately 1220 feet.
- 2. The depth of the nearest water well of record within one mile of the proposed location is 220 feet.

Based on this information, an exception is granted for the Table 1 Minimum Surface Casing Requirements with the following stipulations:

- 1. The KCC District #4 office must be notified prior to spudding the well.
- 2. Upon reaching total depth of the well, the production or long string casing nearest the formation wall shall be immediately cemented from a depth of at least 1270 feet back to surface.
- The KCC District #4 office must be notified one day before cementing the production casing so staff can be onsite to witness the cementing <u>from at least 1270' to surface</u>. Cementing must be witnessed during business hours of 8am to 5pm, Monday through Friday.
- 4. In the event the well is dry, plugging will be performed according to KCC rules and KCC District #4 requirements.

Sincerely,

Mp QC

Ryan A. Hoffman Director

cc: Todd Bryant – Production Dept. Supervisor ✓ (via e-mail 11/4/2022) Case Morris – Dist. #4 Supervisor ✓ (via e-mail 11/3/2022)



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor