
KOLAR Document ID: 1672363

WATER WELL RECORD (WWC-5)

WATER WELL RECORD (WWC-5) KOLAR						DOC ID	_WELL ID	
LOCATION OF WATE	ER WELL							
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4	1/4
Datum	Elevation		County		·			
WATER WELL OWNE	R	WELL	WATER USE			PERMIT & ID NUMBER	S (AS REQU	RED)
Name						DWR Application No.	:	
Business		WELL	WELL INFORMATION			KDHE / EPA Project Code:		
Address			Depth of well: ft.			Site Name:		
			ry well			KDHE UIC Class V Form Completed: Yes No		
Well location at owner's		1 1	Static water level in well: ft.			County Permit: Yes No Permit ID: Lease Name & Well #: # of boreholes: # of dewatering wells:		
			measured below land surface on (mm/dd/yy):					
address		measured above land surface on (mm/dd/yy):						
CASING		GROU	IT & PLUGGIN	G MATERIALS				
Type of blank casing used:		G	Grout or Plugging interval (ft.) Material			Description		
Casing type details:								
Blank casing diameter	er:inches	Fre	om To	,				
Was casing removed	? Yes No							
Top of casing is curre	entlyfeet							
_	ground							
•	pp of casing is now less tha							
	rface for a hand dug well ground surface for all ot							
types of wells.	ground surface for all of	lei						
		COM	MENTS					
CONTRACTOR'S OR	LANDOWNERS CERTIFI	CATION						
					=	d on I	<u>-</u>	
record is true to th				_		under the		
						License No.		
authority of the de	signated person as defi	ned in K.A.R. 2	28-30-2(j) and	d signed and certifi	ied by the el	ectronic signature of th	e designated	i

Send one copy to WATER WELL OWNER and retain one for your records.


person at its submittal



KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

FLUSH-MOUNT WELL CONSTRUCTION DETAIL

(Not to Scale)



Top View - Not to Scale

Casing Diameter	2" or less	4"	
Vault Diameter	6" min	8" min	
Concrete Pad	24" x 24"	24" x 24"	

Lockable Waterproof Cap
Not to Scale

Steel Pivoting Arm
Hole for Padlock
Rubber Gasket

PVC Top Plate

Bolt