Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	I OF V	ATER WELL	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WE	LL O	WNER			WELL	WATER L	SE				NEAREST S	OURCE OF I	POTENTIAL	CONTAMIN	IATION
Name											Source:				
Business			COM	PLETION					Distance		Direction				
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				ft.	from well: from well: Source description:							
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well					Source: Distance Direction from well: from well:							
at owner's address				Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source description:						
CONSTRU	CTION	I			measured above land surface					No potential source of contamination					
Borehole	interv	al:	Borehole dia	meter:	С	on (mm/dd	/yy):				within 100 feet.				
fromtoftin			in.	Estimated yield: gpm Water level was: ft. after hours pumping gpm					DWR Application No.:KDHE / EPA Project Code:						
If casing height is less than 12 in. has a variance been approved?* Yes No *variance not required for monitoring				s No	Pump installed? Yes No Water well disinfected? Yes No					Site Name: KDHE UIC Class V Form Completed: Yes No County Permit: Yes No Permit ID:					
		nental remed	U		Date disinfected (mm/dd/yy):					Lease Name & Well #:					
Casing ty	pe:										oles:				
			ft. to	ft.	Aquifer, if known:					,, or o or o.		# Of deward	ering wens.		
		meter:				DLOGIC LO									
					FRC	OM T) L	ITHOLOGY II	NTERVA	LS					
Weigh		lbs													
			no.:	I											
	-	meter:	ft. to	1t.											
Weigh		lbs													
			no.:												
Grout inte	erval:	ft. to	ft.												
		ial:													
		rial:ft. to			СОМ	MENTS									
_			:												
	Screen / perforation openings:					CONTRACTOR'S OR LANDOWNERS CERTIFICATION									
Screen / perforation intervals: This water we									econstru	1	oursuant to				
						tractor's license and was completed on I certify that this record is true to									
Slot size unit the best of my knowledge and belief. This wa									_						
From ft. to ft.						under the business name of									
Slot size unit					Kan	Kansas Water Well Contractor's License No under the authority of the designated						ated			
Gravel pack intervals: Gravel pack intervals: person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signed and certified are considered as the electronic signed and certified are considered as the electronic signed and certified are considered as the electronic signed are co							ignature o	f the							
	Gravel pack not used: Gravel size in From ft. to ft. designated person at its submittal:														
				.									5.00 for each	n constructe	ed well.
Graver pack not used. Graver size III						d one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT									
LIOIII	Fromft. toft. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367														

Form	WWC5.2 - Water Well Record				
Doc ID	1646171				
Well Owner	JAY ALAN INC				
Contractor	Southwest Windmill & Water Well Service, Inc.				

Casing

From	То	Casing Diameter	Casing Joint		Wall Thickness or Gauge Number
0	382	5	Glued	200	SDR21
402	422	5	Glued	200	SDR21
442	462	5	Glued	200	SDR21

Form	WWC5.2 - Water Well Record
Doc ID	1646171
Well Owner	JAY ALAN INC
Contractor	Southwest Windmill & Water Well Service, Inc.

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	93	clay,sandy
93	118	sand,fine,clayey
118	130	clay,sandy
130	395	sand,medium to coarse
395	442	sand,medium to coarse,clayey
442	462	sand,fine,clayey
462	475	sand, very fine
475	488	clay

Form	WWC5.2 - Water Well Record
Doc ID	1646171
Well Owner	JAY ALAN INC
Contractor	Southwest Windmill & Water Well Service, Inc.

Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
382	402		Yes	25	402	
422	442		Yes	402	442	
462	482		Yes	442	482	