KOLAR Document ID: 1673086

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
•	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1673086

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar	Sample	
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and Percent Additives		
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 1200 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	Iconic Oil & Gas LLC
Well Name	WRIGHT 1
Doc ID	1673086

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	24	311	Class A	385	
Production	7.875	4.5	11.6	3090	Class H	485	



CEMENT	TRE	ATMEN	T REP	ORT						
Cust	omer:	er: Iconic Oil & Gas			Well:	Wright # 1		Ticket:	WP-3217	
City,	State:	Sharon	Springs	KS	County:		Greeley KS		8/11/2022	
Field	l Rep:	Jesse			S-T-R:		35-16S-40W	Longstring		
Dow	nhole l	nformatio	on		Calculated S	Slurry - Lea	ulated Slurry - Tail			
Hole	Size:				Blend:	H-(Class H			
Hole C	epth:	3090 ft			Weight: 12.0 ppg			Weight:	15.6 ppg	
Casing		4 1/2	in				gal / sx	Water / Sx:	5.2 gal / sx	
Casing E	A THE	3080	ft		Yield: 2.56 ft ³ /		t ³ / sx Yield:		1.18 ft ³ / sx	
Tubing /			in		Annular Bbls / Ft.:			Annular Bbls / Ft.:	0.0406 bbs / ft.	
	epth:		ft		Depth:	3080		Depth:	3080 ft	
Tool / Pa					Annular Volume:	125.0	5.0 bbls Annular Volume:		125.048 bbls	
Tool C			ft		Excess:			Excess:		
Displace	ment:	47.2	bbls		Total Slurry:	196.0		Total Slurry:	21.0 bbls	
TIME	RATE	PSI	STAGE BBLs	TOTAL BBLs	Total Sacks:	430	sx	Total Sacks:	100 sx	
6:00a	KAIL	Pol	BBLS	-	Arrival					
6:05a			-		Safety meeting					
7:25a					Run float equipment					
8:50a					Drop ball					
8:52a					Rig up					
9:10a					Circulate hole with rig	for 1 hour				
10:27a	5.0	300.0	5.0	5.0	H2O ahead					
10:28a		300.0	12.0	17.0	Mixed 500 gallons of n	nud flush				
10:30a		280.0	5.0	22.0	H2O behind					
10:33a		480.0	196.0	218.0	Mixed 385 sks of H-co	n @ 12 ppg (@ 3080'			
10:36a	6.6	480.0	13.6	231.6	Mixed 30 sks of H-con	@ 12 ppg @	Rat hole			
10:40a	6.6	480.0	6.8		Mixed 15 sks of H-con	@ 12 ppg @	Mouse hole			
11:02a	4.4	310.0	21.0		Mixed 100 sks of Class	з Н @ 15.6 р	pg @ 3080'			
11:10a					Shut down and wash t	ıp				
11:12a					Drop plug					
11:15a	6.6	250.0	43.2		Displaced H2O					
11:30a	3.2	1,720.0	43.0		Land plug					
11:32a					Wash up					
11:42a					Rig down					
12:05p					Depart location					
					Circulated 40 hbl /					
					Circulated 10 bbl to pi	ι				
		CREW			UNIT		N. 14 S. S. S. S.	SUMMAR	Y	
Cen	nenter:	Jess			78		Average Rate	Average Pressure	Total Fluid	
Pump Op		Mich			230		5.4 bpm	511 psi	346 bbls	
	ulk #1:	Tyler			159-254					
	Bulk #2:									



EMENT TRE	ATMEN	T REPO	ORT			Section 3.		
Customer:	Iconic O	il & Gas	;	Well:	Tarman #2	Ticket:	WP 3225	
City, State:	Tribune	KS		County:	Greely KS	Greely KS Date:		
Field Rep:				S-T-R:	34-16N-40W			
Downhole I	nformatio	n .		Calculated S	lurny - Load	Calcul	ated Slurry - Tail	
Hole Size:	12 1/4			Blend:	H-325	Blend:	ateu oluliy - Tuli	
Hole Depth:	311			Weight:	14.8 ppg	Weight:	ppg	
Casing Size:	8 5/8			Water / Sx:	6.9 gal / sx	Water / Sx:	gal / sx	
asing Depth:	310			Yield:	1.41 ft ³ / sx	Yield:	ft ³ / sx	
ubing / Liner:		in		Annular Bbls / Ft.:	0.0735 bbs / ft.	Annular Bbls / Ft.:	bbs / ft.	
Depth:		ft		Depth:	310 ft	Depth:	ft	
ool / Packer:				Annular Volume:	22.8 bbls	Annular Volume:	0 bbls	
Tool Depth:		ft		Excess:		Excess:		
isplacement:	18.5	bbls		Total Slurry:	57.7 bbls	Total Slurry:	0.0 bbls	
		STAGE	TOTAL	Total Sacks:	230 sx	Total Sacks:	0 sx	
IME RATE	PSI	BBLs	BBLs	REMARKS	113.1			
3:36 PM		-	-	Arrived on location				
3:46 PM			-	Safety meeting				
3:56 PM			-	Rigged up				
4:45 PM			-	Casing on bottom				
4:50 PM				Ciculated mud				
1:56 PM 3.1	100.0	5.0	5.0	Water ahead				
4:57 PM 5.5	250.0	57.7	62.7	Mixed 230 sacks H-325	cement @ 14.8 ppg			
5:13 PM 4.2	150.0	18.5	81.2 81.2	Begin displacement	with 5 bbls cement circulated to p			
5:18 PM 5:20 PM	100.0		81.2	Wash up and rigged do				
5:50 PM			81.2	Left location				
0.001 III			0112	2011100411011				
					,			
	CREW			UNIT		SUMMARY		
Cementer:	Johr	1		73	Average Rate	Average Pressure	Total Fluid	
Pump Operator:				208	4.3 bpm	150 psi	81 bbls	
Bulk #1:	Kale			205				
Bulk #2:								

ftv: 15-2021/01/25 mplv: 99-2021/01/25