KOLAR Document ID: 1674101

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Committed at Provider	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if fladied offsite.
GSW Permit #:	Operator Name:
<u> </u>	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1674101

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS	S. R	Eas	t West	County:					
	l, flowing an	d shut-in press	sures, wh	ether shut-in pre	ssure reached	static	level, hydrostat	ic pressures, bo		val tested, time tool erature, fluid recovery,
Final Radioactivi files must be sub							gs must be emai	led to kcc-well-l	ogs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests (Attach Addit	Taken tional Sheets)			Yes No		☐ Lo		n (Top), Depth a		Sample
Samples Sent to	Geological	Survey		Yes No		Name			Тор	Datum
Cores Taken Electric Log Run Geologist Report List All E. Logs F	t / Mud Logs	S		Yes No Yes No Yes No						
			Rep	CASING	RECORD [New		on, etc.		
Purpose of St	tring	Size Hole Drilled		ize Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	CEMENTING /	SQUE	EEZE RECORD		<u>'</u>	
Purpose: Perforate		Depth Top Bottom	Тур	e of Cement	# Sacks Use	ed		Type and	Percent Additives	
Protect Ca										
Plug Off Z										
Did you perform Does the volume Was the hydraul	e of the total I	base fluid of the	hydraulic f	racturing treatment		-	Yes S? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Produ Injection:	iction/Injection	n or Resumed Pr	roduction/	Producing Meth	od:		Gas Lift O	ther <i>(Explain)</i>		
Estimated Product Per 24 Hours		Oil	Bbls.		Mcf	Water			Gas-Oil Ratio	Gravity
DISPO	OSITION OF	GAS:		N	METHOD OF CO	MPLET	ΓΙΟΝ:			ON INTERVAL:
Vented		Used on Lease		Open Hole		Dually (Submit A		nmingled	Тор	Bottom
,	ed, Submit AC							·		
Shots Per Foot	Perforation Top	on Perfor Bott		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze and of Material Used)	
TUBING RECORI	D: S	ize:	Set At	:	Packer At:					

Form	ACO1 - Well Completion
Operator	Thompson, Jerome A. dba Thompson Oil Co
Well Name	MONFORT H1
Doc ID	1674101

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	20	20	portland	6	0
Production	6.75	4.5	10.5	846	portland	105	0

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, under truck's own power. Due to delivery at owner sor intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength lest when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

LEASE: MONFORT H1

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

NOTICE TO OWNER

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
0:12 AM 1	JELL .	0.50	10.50		36		ALLCO
PE	NUMBER		1				
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
8/17/22 WEL	L#G7*	1	10.50	18	0.00 4.	00 in	53411

WARNING **IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/I IR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to Dear Customer-The driver of this fruck in presenting this NELEASE to you for your signature is of the opinion that the size and weight of his ruck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE reliency him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, chesses, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will only little the public street Further, as additional considerathat he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

UNIT PRICE **EXTENDED PRICE**

QUANTITY	CODE	DESCRIPTION	
0.50	WELL	WELL (10 SACKS PER	-
1.00	FS. 4	FUEL SURECHARGE	
1.00	TRUCKING	TRUCKING CHARGE	
0.50	MIX8HÄUL	MIXING AND HAULING	
			6

1					
The same of the sa	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN	FINISH UNLOADING	LEFT JOB	RETURNED TO PLANT
RATE	% 142	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	1046	F M	
	TIME DUE	CONTRACTOR BROKE DOWN OTHER ADDED WATER	START UNLOADING	ARRIVED JOB	LEFT PLANT
ADDITIONAL CHARGE			1040	1034	125
ADDITIONAL CHARGE	DELAY TIME	4	UNLOADING TIME	TOTAL AT JOB	TOTAL ROUND TRIP

ADDITIONAL CHARGE 1

GRAND TOTAL



E K Energy LLC 1495 3000 St. Moran, Ks. 66755 620-496-2526/620-852-3456 License # 33977

CEMENT RECORD

Company: Thom poon Oil

Date 8/17/22

Lease: Monfort

Well: H-1

Hole size & depth: 634-868 Casing size & depth: 412-846

Remarks:

Circulated cement to Surface Displaced 41/2 Casing Cement to Top 105 SX total

DRILLER'S LOG

Company:	THOMPSON OIL	Contractor:	EK Energy, LLC
		License: No.:	#33977
Lease:	MONFORT	County:	ALLEN
Well No.:	H-1	Sec: 15 Tw	p: 24 Range:18E
API:	15-001-31735	Location:	2165 FSL
Surface Pipe:	21.4′	Location:	4225 FSL
		Spot:	SE,NE,NW,SW

<u>Thickness</u>	Formation	<u>Depth</u>	Remarks
	SOIL & CLAY	10	T.D. 868
1	GRAVEL	11	T.D. 41/2 846
31	LIME	42	
81	SHALE	123	START 8/15/22
118	LIME	241	FINSH 8/17/22
195	SHALE	436	
10	LIME	446	
66	SHALE	512	
30	LIME	542	
16	SHALE	558	
30	LIME	588	
5	SHALE	593	
4	LIME	597	
226	SHALE	823	OIL SHOW 606-12
23	SAND	846	
22	OIL SAND	868	