KOLAR Document ID: 1674112

Confidentiality Requested:

Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City:	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
<ul><li>☐ CM (Coal Bed Methane)</li><li>☐ Cathodic</li><li>☐ Other (Core, Expl., etc.):</li></ul>	Multiple Stage Cementing Collar Used? Yes No
	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR	·
GSW	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I III Approved by: Date:

KOLAR Document ID: 1674112

### Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (	,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze  I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.710				

Form	ACO1 - Well Completion
Operator	Thompson, Jerome A. dba Thompson Oil Co
Well Name	MONFORT G-6
Doc ID	1674112

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	20	21	portInd	6	0
Production	6.75	4.5	10.5	852	portland	105	0

802 N. Industrial Rd. P.O. Box 664

Iola, Kansas 66749 Phone: (620) 365-5588

which is the subject of this contract.

NOTICE TO OWNER

# Payless Concrete Products, Inc.

Concrete to be delivered to the nearest accessible point over passable road. under truck's own power. Due to delivery at owner's or intermediary's direction, under truck s own power. Due to delivery at owners or intermediary solfrection, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

LEASE: MONFORT G6

TH006 THOMPSON DIL CO. 2260 N. DAKOTA RD.

Failure of this contractor to pay those persons supplying material or services to

complete this contract can result in the filling of a mechanic's lien on the property

0.50

KS 66749

MIXING AND HAULING

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
9:16 AM V	JELL SELL	10.50	10.50		35		ALLCO
DATE	of the state of th	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
8/4/22 WEL	L#G7	1 /	10.50	5	0.00 4.	00 in	53269

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eves and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

MIX&HMHL

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$60/HR

	PROP	ERTY D	AMAGE	RELEASE	
DE CICI	HED IE DI	ELIVEDY	TO DE	MADE INICIDE	CHI

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

**Excessive Water is Detrimental to Concrete Performance** H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

10.50

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

GRAND TOTAL

CODE DESCRIPTION **UNIT PRICE EXTENDED PRICE** QUANTITY 10.50 WELL (10 SACKS PER UNIT) 0.50 FUEL SURECHARGE 1.00 1.00 1.00 TRUCKING CHARGE 1.00 TRUCKING

T. W.		3000				86000
1	RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	30 50
Constitution of the second	16.09	9.50	9.54	JOB NOT READY     6. TRUCK BROKE DOWN     7. ACCIDENT	% TA	RATE \$262.35
	LEFT PLANT	ARRIVED JOB	START UNLOADING	3. TRUCK AHEAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	80-32
	9.32	9-3/3	7-45			ADDITIONAL CHARGE 1
	TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2



E K Energy LLC 1495 3000 St. Moran, Ks. 66755 620-496-2526/620-852-3456 License # 33977

# **CEMENT RECORD**

Company: Thompson Oil

Date 8/3/22

Lease: Monfort

Well: 6-6

Hole size & depth:  $6^{3/4} - 880^{\circ}$ Casing size & depth:  $4\frac{1}{2} - 852^{\circ}$ 

# Remarks:

Circulated cement to surface.
Displaced 4 1/2 casing
Cement to Top.
105 sx total

# **DRILLER'S LOG**

Company:	THOMPSON OIL	Contractor:	EK Energy, LLC
		License: No.:	#33977
Lease:	MOFORT	County:	ALLEN
Well No.:	G-6	Sec: 15 Tw	p: 24 Range:18E
API:	15-001-31727	Location:	3265 FSL
Surface Pipe:	21.4'	Location:	4005 FSL
		Spot:	NE-SE-SW-NW

<u> Thickness</u>	<u>Formation</u>	<u>Depth</u>	<u>Remarks</u>
	SOIL&CLAY	12	T.D. 880'
3	GRAVEL	15	T.D. 41/2 852'
37	LIME	52	
84	SHALE	136	START 7/26/22
120	LIME	256	FINSH 8/3/22
190	SHALE	446	
10	LIME	456	
66	SHALE	522	
29	LIME	551	
18	SHALE	569	
29	LIME	598	
6	SHALE	604	
3	LIME	607	
7	SHALE	614	
6	OIL SHOW	620	
212	SHALE	832	
6	SAND	838	
14	BLK SHALE	852	
28	OIL SAND	880	