WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WEL	L					Original Reco	rd Correction	Change	in Wel	l Use
Latitude	Longitude		5	Section	Township	Range	E Fraction	1/4	1/4	1/4
Datum	Elevation		(County						
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	NTAMIN	IATION
Name							Source:			
Business			COMPL	FTION			Distance from well:			
2 dollaros					1 11		from well:	from well:	:	
Address					ed well:		Source description:			
			1 -	•	water encountered	•	-			
Well location					(2) ft.;		Source:			
, , en location			(3)ft.; (4) dry well			Distance from well:	Direction from well:	.		
at owner's					in well:	ft.	Source			
address			1	asured belo (mm/dd/y)	ow land surface v):		description:			
CONSTRUCTION					ve land surface		No potential source	of contamin	ation	
Borehole interval:	Borehole dia	meter:		(mm/dd/y			within 100 feet.			
fromto ft.		in.	Estima	ted vield:	gpm		PERMIT & ID NUMBERS	(AS REQUIR	łED)	
fromto ft.				-	ft. after	hours	DWR Application No.:			
Casing height above land su				_	pumping		KDHE / EPA Project Co	ode:		
If casing height is less th			Pump	installed?	Yes No		Site Name:			
has a variance been appr		s No					KDHE UIC Class V For	rm Complete	d: Yes	No
*variance not required for					ected? Yes N		County Permit: Yes	No Permit	ID:	
or environmental reme Casing type:	diation wells		Date d	isinfected ((mm/dd/yy):		Lease Name & Well #: _			
Blank casing interval:	ft. to	ft	Aquife	r, if known	:		# of boreholes:	# of dewateri	ng wells:	
Blank casing diameter:			LITHOL	OGIC LOG	 i					
Casing joints:			FROM	1 то	LITHOLOGY	NTERVALS				
Weight: lbs										
Wall thickness or gauge	no.:									
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lb	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. to	ft.									
Grout material:										
Grout interval: ft. to	ft.									
Grout material:			COMM	ENTS						
Screen / perforation material	:									
Screen / perforation opening			CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION	1			
Screen / perforation intervals			This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ıter well	
Fromft. to	_		contra	actor's lice	ense and was con	npleted on	I certify that	this record	is true t	to
Slot size unit			the be	est of my k	knowledge and b	elief. This water	well record was complet	ed on		
Fromft. to	_		under	the busin	ness name of					,
Slot size unit			Kansa	s Water V	Vell Contractor's	License No	under the auth	nority of the	designa	ated
Gravel pack intervals:	C1 :						ed and certified by the ele			
Gravel pack not used:		in	1		on at its submitt	,	•	8		
From ft. to							e for your records. Fee of \$5	.00 for each c	onstructe	ed well.
Gravel pack not used:		in					IEALTH AND ENVIRONMI			
From ft. to	11.			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, Tope	ka KS 66612-	1367	

Form	WWC5.2 - Water Well Record
Doc ID	1632873
Well Owner	Funk Well Service
Contractor	Test WW Driller

Bore Holes

From	То	Diameter
0	20	20
20	30	16
30	40	14

Form	WWC5.2 - Water Well Record
Doc ID	1632873
Well Owner	Funk Well Service
Contractor	Test WW Driller

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	60	6.625	Glued	40
3	500	4.5	Glued	40
0	20	12.75	Welded	.250

Form	WWC5.2 - Water Well Record
Doc ID	1632873
Well Owner	Funk Well Service
Contractor	Test WW Driller

Contamination Source

Source	Distance From Well	Direction From Well	Required Info for Local Entity	Source Other Description
Cess pool	60	W		
Fertilizer storage	80	E		
Insecticide storage	70	N		
Septic tank	60	W		

Form	WWC5.2 - Water Well Record
Doc ID	1632873
Well Owner	Funk Well Service
Contractor	Test WW Driller

Grout

From	То	Grout Material
0	60	Neat Cement
0	20	Neat Cement
0	100	Bentonite

Form	WWC5.2 - Water Well Record
Doc ID	1632873
Well Owner	Funk Well Service
Contractor	Test WW Driller

Lithology

From	То	Lithology Intervals
0	10	caliche,medium to coarse,caliche stringers,very dark,brownish,orange,slighty moist,soft,strongly cemented,hydrocarbon staining,other details
10	20	clay,fine to coarse
20	30	clay-lean,fine to medium
30	40	shaley limestone,completely weathered,clayey,very dark,brownish,orange,very hard,very thickly bedded,other details
40	50	sandstone,moderately weathered
50	60	limey shale,slightly weathered
60	70	other,highly weathered,other detail

Form	WWC5.2 - Water Well Record
Doc ID	1632873
Well Owner	Funk Well Service
Contractor	Test WW Driller

Screen and Gravel

From	То	Slot Size Units	Gravel Pack Used	 	Gravel Size
10	20		No		
20	40		No		
40	60		No		

Proposed new language, Constructed or Reconstructed:

CONTRACTOR'S OR LANDOWNERS CERTIFICATION							
This water well was constructed 🗹	reconstructed						
pursuant to the stated water well contractor's license and was completed on 02/23/2022.							
I certify that this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License							
No. <u>111</u>							
This water well record was completed on (mm/dd/yyyy)							
under the business name of	Test WW Driller	under the authority					
of the designed person as defined in K.A.R. 28	-30-2(j) (by electronic signature)	- ·					

Proposed new language, Plugged:

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was plugged pursuant to the stated water well contractor's license and was completed on 02/	23/2022.
I certify that this record is true to the best of my knowledge and belief. Kansas Water Well Contractor License 111	No.
This water well record was completed on 02/23/2022 under the business name of under t	he
authority of the designated person as defined in K.A.R. 28-30-2(j) (by electronic signature)	·