WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER WEL	.L					Original Reco	rd Correction	Change	in Wel ؛	ll Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		(	County	1		**			
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NATION
Name							Source:			
Business			COMPL	FTION			Distance from well:		1	
Dubiness					1 11		from well:	from well	:	
Address					ed well:		Source description:			
			1 -		water encountered	:	-			
Well location					(2) ft.; (4) dry well		Source:			
77611100411011							Distance from well:	Direction from well	l:	
at owner's					in well:	ft.	Source			
address				asured belo (mm/dd/yy	ow land surface		description:			
CONSTRUCTION					ve land surface		No potential source	of contamir	ation	
Borehole interval:	Borehole dia	meter:		(mm/dd/yy			within 100 feet.			
fromto ft.		in.	Estima	ited vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.			I	-	ft. after	hours	DWR Application No.:			
Casing height above land su				_	pumping		KDHE / EPA Project Co	ode:		
If casing height is less th			Pump	installed?	Yes No		Site Name:			
has a variance been app		s No					KDHE UIC Class V For	m Complete	d: Yes	No
*variance not required f					ected? Yes N		County Permit: Yes	No Permit	i ID:	
or environmental remediation wells			Date disinfected (mm/dd/yy):			Lease Name & Well #: _				
Casing type:Blank casing interval:	ft. to	ft	Aquife	r, if known	:		# of boreholes:	# of dewateri	ing wells:	
Blank casing diameter:			LITHOL	OGIC LOG						
Casing joints:			FROM	то то	LITHOLOGY	INTERVALS				
Weight: lb										
Wall thickness or gauge	no.:									
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lb	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. t	o ft.									
Grout material:										
Grout interval: ft. t	oft.									
Grout material:			COMM	ENTS						
Screen / perforation materia	l:									
Screen / perforation openin	-		CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION				
Screen / perforation interval			This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	.
Fromft. to			contra	actor's lice	nse and was con	npleted on	I certify that	this record	l is true	to
Slot size unit			the be	est of my k	nowledge and b	elief. This water	well record was complet	ed on		
From ft. to	_		under	the busin	ess name of					,
Slot size unit			Kansa	ıs Water V	Vell Contractor's	License No	under the auth	nority of the	e designa	ated
Gravel pack intervals:	Cwarral -!	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and signe	d and certified by the ele	ectronic sig	nature o	of the
Gravel pack not used: From ft. to		in	1 -		on at its submitt	,	· 	C		
Gravel pack not used:		20-					e for your records. Fee of \$5	.00 for each c	constructe	ed well.
From ft. to		in			KANSAS D	EPARTMENT OF H	EALTH AND ENVIRONME	ENT		
11011111.10	1			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, Tope	ka KS 66612	-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1671148
Well Owner	IRSIK & DOLL FEED SERVICES INC
Contractor	Downey Drilling, Inc. #748

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	208	8	Glued	.332
228	268	8	Glued	.332
300	310	8	Glued	.332

Form	WWC5.2 - Water Well Record
Doc ID	1671148
Well Owner	IRSIK & DOLL FEED SERVICES INC
Contractor	Downey Drilling, Inc. #748

## Lithology

From	То	Lithology Intervals	
0	75	clay,sandy,firm	
75	90	clay,sandy,soft	
90	109	clay,sandy,firm,FINE SAND	
109	118	sand & gravel,fine to coarse,red,soft	
118	122	sand,fine to medium,clayey,red,soft	
122	130	clay,sandy,firm	
130	139	sand & gravel,fine,red,soft	
139	151	clay,silty,firm	
151	160	sand & gravel,fine to coarse,red,soft	
160	165	clay,silty,firm	
165	178	sand & gravel,fine to coarse,red,soft	
178	183	clay,firm	
183	188	clay,firm	
188	196	sandstone,unknown,soft,SAN D, GRAVEL	
196	198	clay,sandy,firm	
198	220	sand & gravel,fine to medium,red,soft	
220	270	clay,firm	
270	292	sand,fine to medium,clayey,red,soft	
292	298	clay,firm	

Form	WWC5.2 - Water Well Record
Doc ID	1671148
Well Owner	IRSIK & DOLL FEED SERVICES INC
Contractor	Downey Drilling, Inc. #748

## Lithology

From	То	Lithology Intervals
298	310	shale,unknown,hard