KOLAR Document ID: 1676020

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:	_+ Feet from  East /  West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	NE NW SE SW
CONTRACTOR: License #	
Name:	
Wellsite Geologist:	
Purchaser:	
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workove	Field Name:er
☐ Oil ☐ WSW ☐ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth: _	
	onv. to SWD Drilling Fluid Management Plan onv. to Producer (Data must be collected from the Reserve Pit)
Committee of the Commit	Chloride content: ppm Fluid volume: bbls
☐ Commingled     Permit #:       ☐ Dual Completion     Permit #:	Dewatering method used:
SWD Permit #:	
EOR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion	Quarter Sec TwpS. R East West
Recompletion Date Recomplet	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1676020

#### Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casii								
Plug Off Zon								
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513   1200  10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion		
Operator	RJ Energy, LLC		
Well Name	EASTBURN 41A		
Doc ID	1676020		

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	8	n/a
Production	5.875	2.875	9	655	portland	80	n/a

## Eastburn 41A

1	soil	1	start 9/1/2022
7	clay and rock	8	finish 9/2/2022
84	shale	92	
106	lime	198	
181	shale	379	
19	lime	398	set 20' 7"
53	shale	451	ran 655' of 2 7/8
34	lime	485	cemented to surface 80 sxs
31	shale	516	
16	lime	532	
11	shale	543	
8	lime	551	
10	shale	561	
6	lime	567	
30	shale	597	
4	sandy shale	601	odor
18	oil sand	619	good show
42	shale	661	td



		EATMENT						
		RJ Energy		Well:	* Eastburn 8I, 41	A Ticke	EP5826	
		Garnett, K		County:	AN, KS	Dat	2: 0020	
Fie	ld Rep	Jason Ken	t	S-T-R:	27-21-21	Service		
Dow	vnhole	Information					Longstrings	
	le Size	The state of the s		Calculated Si		C	alculated Slurry - Tail	
Hole	Depth	660/661 ft	_	NAME OF TAXABLE PARTY OF TAXABLE PARTY.	Econobond 1# PS	Blen	d:	
	g Size			Weight:	13.61 ppg	Weigh	ta ppg	
Casing	Depth:	650/655 ft		Water / Sx:	7.12 gal / sk	Water / Si	gal/sk	
Tubing /	Liner:	in		Yield: Annular Bbls / Ft.:	1,56 ft <sup>3</sup> / sk	Yield		
	Depth:	ft		Depth:	bbs / ft.	Annular Bbls / Ft	bbs / ft,	
Tool / P	acker:			Annular Volume:	ft	Depti	ft ft	
Tool	Depth:	ft		Excess:	0.0 bbls	Annular Volume	0 bbis	
Displace	ement:	3.76/3/79 bbi	s	Total Slurry:	bbls	Excess		
			AGE TOTAL	Total Sacks:	0 sks	Total Slurry		
TIME	RATE	PSI BE	Ls BBLs	REMARKS	O SKS	Total Sacks	0 sks	
1:30 AM				on location, held safety m	eeting			
			-				- 1	
	4.0		-	#81 - established circulation	on			
	4.0			mixed and pumped 200# B	Bentonite Gel followed by 4 bbls	fresh water		
	4.0			mixed and pumped 78 sks	Econobond cement with 1# Phe	noSeal nersk coment to a		
	4.0			mixed and pumped 78 sks Econobond cement with 1# PhenoSeal per sk, cement to surface flushed pump clean				
	1.0			pumped two 2 7/8" rubber	plugs to casing TD with 3.76 bbl	s frash water		
	1.0			pressured to 800 PSI, well	held pressure	o ireaii watei		
	_		-	released pressure to set flo				
	4.0		-	washed up equipment				
	-							
	-		-					
:45 PM 4			-	#41A - established circulat	ion			
	4.0		<del></del>	mixed and pumped 200# Be	entonite Gel followed by 4 bbls fi	resh water		
	1.0		-	mixed and pumped 79 sks	Econobond cement with 1# Phen	oSeal per sk. cement to su	rface	
	0.1		-	flushed pump clean		to su	nace	
	.0			pumped two 2 7/8" rubber p	plugs to casing TD with 3.79 bbls	fresh water		
	.0			pressured to 800 PSI, well I	neld pressure			
-+	-		-	released pressure to set flo		-		
4	.0		-	washed up equipment				
45.000	+		-					
45 PM	+			left location				
_	+		-					
-	-		<u> </u>					
-	+		+					
-	-		+					
A STATE OF		CO.	-					
		CREW	4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	UNIT		SUMMARY		
Cementer: Casey Kennedy			edy	931	Average Rate	Average Pressure	Total Fluid	
	ump Operator: Nick Beets				A CONTRACTOR OF THE PARTY OF TH			
mp Opera	ator:	Trevor Glass		239	3.1 bpm	- psi	- bbls	

ftv: 15-2021/01/25 mplv: 335-2022/08/26